# Wells Industrial Supplies Ltd.

#102 - 20120 64th Ave.

Langley, B.C. V2Y1M8

Ph: 604-534-5456 Fax: 604-534-9992

# WELDING PRODUCTS PROMOTION!









#### 20" COMMERCIAL DUTY FAN

- Three speeds, 1/4 HP, 120 V motor
- All-metal construction
- Adjustable pedestal height
- 6' SJT-type power cord
- CFM: 5950/4550/3850
- Tilting head



Model No.	Promo Price
EA289	139.99

#### WELDING HELMETS

• Lightweight design with ratchet headgear

Comes complete with shade 10 lens
Choice of 2" x 4 1/4" flip front

or 4 1/2" x 5 1/4" wide vision fixed front







Model		Window	Promo
No.	Description	Dimensions"	Price
NT645	Flip Front	2 × 4 1/4	11.99
NT687	Fixed Front	4 1/2 x 5 1/4	14.99

# E71T-1/1M ALL-POSITION FLUX-CORED WELDING WIRES

- Gas-shielded carbon steel wire for fabrication of mild and low carbon steel; structural and pressure vessel grades
- Provides optimum welding performance in argon/carbon dioxide shielding gas, also formulated to perform very well with 100% CO<sub>2</sub>

 Formulated and manufactured to provide consistent chemistry, steady arc, low spatter and an excellent bead appearance
 Speak weight: 44 lbs/20 kg

• Spool weight: 44 lbs/20 kg

 Specification conformance: AWS A5.20, ASME SFA 5.20 E71T-1/1M, CWB W48-06

Sold per spool





## ER70S6 CARBON STEEL WELDING WIRES

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO<sub>2</sub> gas shielding
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Spool weight: 44 lbs/20 kg
- Certified by CWB to CSA class W48 for ER49S6
- Certified by AWS to class A5.18 for ER70S6
- Sold per spool





Model		Promo
No.	Diameter	Price
NT560	0.035"/0.9 mm	59.99/Spool
NT561	0.045"/1.14 mm	56.99/Spool

#### EXTRACTION ARMS

- · Counter balancing system eliminates the need for adjustment of friction joints and allows for an unparalleled ease of movement
- Internal supporting mechanism made of mild steel tubing, three spring-assisted joints to provide precise counterbalancing
- Comes with a black baked-on enamel steel hood with optimized airflow and ring wall bracket
- Motor and fan not included
- 5-year limited warranty
- FOB Pickering



#### **MOBI-FLEX FUME EXTRACTOR**

· Compact and flexible, ideal for welding fumes, grinding dust

Captures fume and dust at a distance of 30-50 cm (12-20") from the source and within an area of 0.5 m (20") diameter

• Flame proof three meter PVC hose 160 mm (6.5") diameter

- Fan 0,75 kW (1 HP), 120 V, 1-phase, 2400 m<sup>3</sup>/hr (1400 CFM) free-blowing
- 5-year limited warranty
- **FOB Pickering**



Model	MFG	Promo
No.	No.	Price
BA656	P-150/P-003	3699.00



24-gauge to 5/16" recommended welding thickness.

#### **INCLUDES:**

lev-co

Model

BA661

- 1-lb. spool of 0.035" NR-211-MP flux-cored wire
- 10' gun and cable assembly

MFG

P-007

P-008

- 10' work cable and clamp
- Spare contact tips
- Flux-cored nozzle
- 10' input cable with attached plug
- Instruction manual
- 3-year warranty on parts and labour, 90 days on gun and cable assembly







Output CV









#### **PROCESSES**

- · Flux-cored welding Steel
- MIG welding Steel Optional shielding gas kit 331-4150 required
- MIG welding Aluminum Optional aluminum welding kit TTU575 required

Model	MFG	Input Power	Rated Output DC Current/Voltage/Duty Cycle	Welding	WFS	Promo
No.	No.	Voltage/Phase/Hertz		Output Range	IPM	Price
TTU558	K2787-1	120/1/60	90 A/19 V/20%	30-140 A DC	50-300	704.99

#### WIRE FEED™ 180 FLUX-CORED/MIG WIRE FEED WELDER

24-gauge to 1/2" recommended welding thickness.

#### **INCLUDES:**

- 1-lb. spool of 0.035" NR-211-MP flux-cored wire
- 10' gun and cable assembly
- 10' work cable and clamp
- Spare contact tips
- Flux-cored nozzle
- 10' input cable with attached plug
- Instruction manual
- 3-year warranty on parts and labour, 90 days on gun and cable assembly



















#### **PROCESSES**

- Flux-cored welding Steel
- MIG welding Steel Optional shielding gas kit 331-4150 required
- MIG welding Aluminum Optional aluminum welding kit TTU575 required







#### **HEAVY-DUTY C-STYLE** GROUND CLAMP

• 600 Amps • C-type jaws are adjusted by screw lever Rubber-insulated

cable connector



Model	Promo
No.	Price
NT665	36.65



Model		Promo
No.	Description	Price
NT641	Standard Set	1.75
NT640	King Set	2.15

## **CABLE PROTECTOR**

• Lightweight durable leather with Kevlar® sewn seams for flexibility and strength

For TIG, MIG, plasma and flux-cored torch cable/hose assembly

- Metal snaps every 3"
- 22' L x 4" W





Model	Promo
No.	Price
NP520	33.95



Model		Promo
No.	Description	Price
NP537	MIG Pliers	7.95
NT666	Holster for MIG Pliers	4.35

#### TIP-NIP TIP REFACER

- · For easy, fast precision tip resurfacing • Insert tip and give a few turns
  - Pitted tip is resurfaced for new performance
    - Extends tip life



Model	Promo
No.	Price
NT820	16.95

#### **FAT BOYTM** PROPANE CYLINDER

- Use with torches and most portable appliances requiring propane fluid
- 16.92-oz. cylinder

## BERNZ OMATIC

Model	MFG	Promo
No.	No.	Price
TTU112	BZTX9	6.95



## MARKSMAN SERIES SOLDERING IRONS

- Fine quality iron for intermittent use
- Nickel-plated copper
- Heat and impact-resistant red handle and stainless steel barrel
- Working light in handle
- 8 1/4" length

•	TW158	includes	cone shaped	tip



Weller

Model	MFG			Temp	Promo
No.	No.	Volts	Watts	°F/°C	Price
TW158	SP23LCSA	120	25	750/400	16.99
TW159	SP40LCSA	120	40	900/482	23.99

#### **FAT BOYTM MAX POWER** PROPYLENE™ GAS CYLINDER

- Propylene gas burns hotter than propane
- Use only with torches and appliance specifying for use with propylene
- 16.92-oz. cylinder



## BERNZ OMATIC

Model	MFG	Promo
No.	No.	Price
TTU316	BZMG9	11.95

#### HANDI-BENCH SERIES 604 WELDING TABLE

- Versatile, portable table with folding legs that lock in stored or work position • 4-point leg contact
- with weld top 24" W x 40" D x 36" H

289.99

- 600-lbs. load capacity

#### TRIGGER START TORCH KIT

- Max Power Propylene™ gas torch
- Regulated for cold weather use
- Compatible with both propylene and propane gases
- Includes: Stainless steel burn tubes, BV756 torch head and TTU316 16.92-oz. propylene gas cylinder



## BERNZ OMATIC

Model	MFG	Promo
No.	No.	Price
TTU317	TS4000ZKC	78.95

#### /ELDING UMBRELLA

MFG

- · Provides protection from inclement weather
- Features lightweight aluminum frame and tilt mechanism
- Cover made of rip-stop vinyl which is water resistant, fire retardant and very tear resistant
  - 6' diameter x 7' high

Model

MH879



#### **Wilson**

Model	MFG	Promo
No.	No.	Price
146-2050	UM6500	104.99

## BALLOON FILLER REGULATORS

- Rugged brass body
- Choice of hand tight or wrench tight inlet connections
- Premium model includes 1 1/2" rear entry inlet gauge



GEN GENSTAR TE	ECHNOLOGIES
Model	MFG

Model	MFG	Description	Promo
No.	No.		Price
331-9000	229	Economy, Hand Tight	24.95
331-9020	230	Standard, Wrench Tight	39.95
331-9130	230HGA	Premium, Hand Tight	49.95

# 312-4280 QUICK-CONNECT SETS • For welding, cutting, brazing and plasma applications • Durable solid brass construction • Pressure up to 125 PSI • B-size, 9/16"-18 UNF thread with reverse flow check valves 312-4280

Model	MFG		Promo
No.	No.	Description	Price
312-4276	QDB10	Torch-to-Hose	59.99
312-4280	QDB20	Hose-to-Hose	62.99
312-4284	QDB30	Regulator-to-Hose	62.99

## MIG/TIG INERT GAS HOSE

Working pressure: 300 PSIConnection: 5/8" - 18 RH (M)

Inside diameter: 1/4"

• Length: 6'





Model	MFG	Promo
No.	No.	Price
TTU563	HA14-006IN	9.99

#### OXY/FUEL GAS FLASHBACK ARRESTOR SETS

 Designed to prevent reverse gas flow and flashbacks, protecting welding hoses, regulators and cylinders

Internal check valves

10" maximum cutting capacity
B-size, 9/16"-18 UNF thread





Model	MFG		Promo
No.	No.	Description	Price
312-3376	FA-10	Torch Style	54.99
312-3377	FA-30	Regulator Style	59.99

#### FLOWMETER REGULATORS

- Designed for MIG and TIG applications
- Provides accurate regulation of gas flow
- Combination of regulator and flowmeter as one unit
- Flow capacity: 50 SCFH
- Inlet gauge: 1 1/2", 4000 PSI
- Flowmeter: 60 SCFH
- 6' hose included
- Conforms to CGA E-4 standard for gas pressure regulators





Model No.	MFG No.	Con Inlet	nection Outlet	Promo Price
<b>ARGON</b> 331-4150	191AR-60-6HSP	CGA580	5/8"-18 RH (M)	139.99
<b>CO2</b> 331-3200	191CD-60-6HSP	CGA320	5/8"-18 RH (F)	145.99



#### 3/16" & 1/4" HOSE REPAIR KIT

- B-size kit offers 12 different items most frequently used for hose repair
- Sold in a tough polyethylene case that identifies each fitting
  - Includes: Crimping tool, hose nuts and nipples, splicers, couplers and ferrules



Model	MFG	Promo
No.	No.	Price
NP497	CK-24	89.99

## **EXPERT® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG**

 Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union






Model	MFG	Promo
No.	No.	Price
TTU522	4403228	309.95

# PIPELINER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

 Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union





Model	MFG	Promo
No.	No.	Price
TTU520	4403235	454.95

#### AIR-ACETYLENE FEATHER FLAME® TORCH KIT

- Feather brush flame
- Interchangeable screw-in tip
- Includes: Heavy-duty torch, UL listed brass regulator, handle, lighter, wrench, tip and 12' hose



## GOSS®

Model	MFG	Tip	Reg.	Promo
No.	No.	No.	FTG	Price
330-1663	KA-1H	BA-3	B Cylinder	134.95

# STEELWORKER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
 Welds up to 1/2" and cuts up to 5"
 Includes: Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip (6290-1AC), welding tip (23A90-5),

single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker



Model	MFG	Promo
No.	No.	Price
TTU521	4403224	324.95

#### CLASSIC STYLE PORT-A-TORCH® OUTFIT

- Components are industrial-grade for professional use
- Cutting attachments feature solid forged heads, triangular stainless steel tubes, solid brass forged levers and a lock ring

 Stored in a heavy-duty, weather-proof and flame-retardant tool bag

• Includes: Welding tip (23A90-3), fuel gas regulator (601-15-200), oxygen regulator (601-80-540), torch handle (85), cutting attachment (72-3), mixer (D-85), cutting tip (6290-1AC), 3/16" x 12' hose, 20 cu. ft. oxygen cylinder, 10 cu. ft. "MC" acetylene cylinder, cylinder wrench, goggles, striker and instruction manual





Model	MFG	Promo
No.	No.	Price
TTU624	4403211	584.95

#### TURBO-SHARP® V TUNGSTEN ELECTRODE GRINDER

- 3-position adjustment for triple lifetime of grinding disc
- Stepless grinding angles adjustable from 20° to 60°
- 115 V AC, 3.5 A, 30000 RPM no load speed motor
- Includes: Standard head for diameters: 0.040", 1/16", 3/32" and 1/8", accessory for stationary mounting, adapter for vacuum cleaning, pen-style electrode holder, multi-functional cover, tools for assembling and replacement of grinding wheel and metal carrying case
- CSA and CE approved
- 2-year manufacturer's warranty



Model	MFG	Promo
No.	No.	Price
TTT401	TS5	809.95

## VALVE ACTION® PAINT MARKERS

- Ideal for all surfaces
- Fast drying
- Weather and fade resistant
- Marking range: -50°F to 150°F





Model	MFG	Colour	Buy 12*
No.	No.		& SAVE!
PA418	096820	White	2.49/Ea.*
PA419	096821	Yellow	2.49/Ea.*

#### STAY-SILV® WHITE BRAZING FLUX

- For use with silver brazing alloys on all metal other than aluminum, magnesium or titanium
- Effective to 1600°F
- Meets Fed Spec. 0F499, Type B; AWS FB3A, AMS 3410





Model	MFG	Size	Promo
No.	No.	lb	Price
841-1115	SSWF1/4	1/4	3.95
841-1110	SSWF1/2	1/2	4.45
841-1105	SSWF1		6.75

## B PAINTSTIK® MARKERS

- All-purpose cold surface markers
- Marks on all materials, including asphalt, aluminum, glass, plastic, marble, lumber and steel
- Marking range: -50°F to 150°F



#### **600 POWDER FLUX**

- General purpose brazing flux
- Use with low fuming bronze and nickel bronze brazing alloys
- Highly active flux has applications in brazing steel, cast irons and copper-base alloys
- Active in a heat range between 1400°F and 2200°F





Model	MFG		Buy 12*
No.	No.	Colour	& SAVE!
PA298	080221	White	0.98/Ea.*
PA309	080220	Yellow	0.98/Ea.*



Model	MFG		Promo
No.	No.	Size	Price
841-1030	600FX01	1 lb	9.95

## **NOZZLE GEL**

- For MIG gun nozzles and contact tips
- Suitable for use on fixtures of semi-automatic and automatic welding equipment
- Non toxic, odourless
- Non-flammable and silicone free



#### DYNAFLUX QUALITY PRODUCTS

Model	MFG		Promo
No.	No.	Size	Price
720-1071	DF731-16	16 oz.	3.95

#### TYPE B SOLAR FLUX®

- Formulated to shield the back of the weld joint from oxygen, dissipate heat and unwanted oxides, and to clean the surface of metal
- Will aid in the flow of filler metal over base metal and form a protective barrier to prevent re-oxidization and heat scale
- To be mixed with alcohol and brushed on the back of the weld joint
- Inert, non-flammable and non-explosive
- · For welding stainless steel and alloy steels





Model	MFG		Promo
No.	No.	Size	Price
868-1000	SFB-1	1 lb	46.95

#### **HEADGEAR PADS** & SWEATBAND

- Field-tested to improve helmet grip
- Absorbent air-cushioned layer lined with 10% fleece cotton
- Velcro fastening system, fits all major brands of headgear
- Flame retardant headgear pads
- Two per package



Sweatband



Suspender

Headgear

Pad

Non-Suspender Headgear Pad

Model	_	Buy 6*
No.	Description	& SAVE!
620-3200V	Suspender Pads	2.99/Pkg.*
620-3100V	Non-Suspender Pads	2.99/Pkg.*
SAM548	Sweatbands w/Elastic Strap	2.99/Pkg.*

#### **CHILL-ITS® COOLING** BANDANAS

- Soak in cold water to activate
- Tie closure
- Reusable
- One size



Model	MFG	۶	<b>∛</b> Buy 3*
No.	No.	Description	& SAVE!
SEB127	12309	Canadian Flag	2.99/Ea.*
SEB128	12306	Blue Western	2.99/Ea.*
SEB134	12304	Camouflage	2.99/Ea.*
SEB136	12305	Red Western	2.99/Ea.*
SEB137	12307	Blue	2.99/Ea.*

#### WELDERS DOORAGS

- · Athletic mesh lining to allow sweat vapour to quickly evaporate
- Preshrunk and presoftened lightweight fabric, flame-retardant until washed
- Air-cushioned front lining for comfort and sweat absorbency
- Assorted styles
- One size fits all
- Sold 12 per package











#### **CHILL-ITS® EVAPORATIVE COOLING VESTS**

- Soak in cold water, and enjoy cooling relief and comfort
- Constructed of a quilted nylon outer layer, water-repellent liner and activated polymer-embedded fabric inside
- V-neck with zipper closure Lightweight, durable and washable





WELD-MATE	

Model		Promo
No.	Colour/Style	Price
NT835	Camo, Wild, Safari	52.95/Pkg.
NT837	Authentic Woodland Camo	57.95/Pkg.

## FLAME RETARDANT **JACKETS**

- Flame retardant treated cotton sateen
- Will retain flame retardant properties for up to 50 normal washes
- · Specially designed underarm sport cut and hemmed collar
- 9-oz jacket with inside pocket and five snaps





Model		Chest	Promo
No.	Size	Measurements"	Price
TTU370	Medium	40-42	22.99
TTU371	Large	44-46	22.99
TTU372	X-Large	48-50	22.99
TTU373	2X-Large	52-54	24.99
TTU374	3X-Large	56-58	26.99

Model	MFG	Size	Promo
No.	No.		Price
SAP936	12533	Medium	49.99
SAP937	12534	Large	49.99
SAP938	12535	X-Large	49.99
SAP939	12536	2X-Large	49.99

**SQWINCHER® SQWEEZE** FREEZER POPS

• Freeze the Sqweeze and enjoy the refreshing taste of flavoured ice right out of the package while replenishing your electrolytes

Contains an assortment of orange, grape, lemon-lime, cherry, and mixed berry flavours

150 assorted 3-oz. individual packages per box



Model	MFG	Promo
No.	No.	Price
SAM804	11130	64.95/Box

## COMFOFLEX® PREMIUM QUALITY WELDERS' GLOVES

- Heat and flame resistant shoulder split cowhide leather
- Fully sock lined for added comfort
- Kevlar® stitched welted seams
- 13 1/2" long with reinforced thumb



## WELD-MATE

Model		Buy 12* pairs
No.	Size	& SAVE!
610-0328	Large	6.08/Pr.*

#### **PIPELINER WELDERS' GLOVES**

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Excellent abrasion resistance
- Protective leather patch on back of left hand
- Reinforced thumb extends wear life
- Sewn with Kevlar® thread to avoid burning



## WELD-MATE

Model		Buy 1* pair	Buy 6* pairs
No.	Size	& SAVE!	& SAVE!
SAV008	Large	9.99/Pr.*	7.95/Pr.*

# COMFOFLEX® PREMIUM QUALITY LINED WELDERS' GLOVES

- 14" buck tan, heat-resistant side split cowhide leather
- Flame retardant, air-cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- Sewn with Kevlar® thread



WELD-MATE	
Madal	

Model		<b>6</b> '	Buy 3* pairs
No.	Description	Size	& SAVE!
610-2000	Welding Gloves	Large	9.69/Pr.*
610-2076	Pigskin Gloves	Large	12.69/Pr.*

#### **BISON TIG WELDERS' GLOVES**

- Premium construction
- Designed for precision welding applications
- Unparalleled fit and dexterity with exceptional durability
- Welted Kevlar® stitching improves seam strength and reduces seam burnout
- 4" gauntlet cuff provides superior protection
- More form fitting and has a greater resistance to heat and flame than other leathers





Model		Promo
No.	Size	Price
TTU540	Medium	13.99/Pr.
TTU541	Large	13.99/Pr.
TTU542	X-Large	13.99/Pr.

#### FLEXIBLE FRAME WELDING GOGGLES

- Soft PVC frame seals out light leaks
- Shade 5 lens
- Choice of 2" x 4 1/4" fixed front or flip front design







Model		Promo
No.	Description	Price
NT646	Fixed Front	3.75
NT647	Flip Front	4.99

#### WELDSAFE® NO. 447 ANTI-FATIGUE MATS

- Designed specifically for welding
- Repels sparks and hot metal shards
- Buoyant sponge base alleviates leg and back stress
- Bevelled edges and pebbled surface for safety and extra traction
- 9/16" overall thickness
- 3-year warranty



Model	Dimensions	Promo
No.	L' x W'	Price
NG181	3 x 2	84.95
NG182	5 x 3	217.95

#### **METAL GRINDING WHEELS TYPE 27**

- Quality aluminum oxide abrasive
- Ideal for grinding alloys, metals, steels and ferrous metals

1/4" thick x 7/8" hub hole



#### NORTON

Model	MFG		Max	Buy 5*
No.	No.	Dia."	RPM	& SAVE!
NS130	07660775922	4 1/2	13 580	1.79/Ea.*
NS132	07660775918	5	12 225	2.39/Ea.*
NS134	07660775936	7	8600	3.49/Ea.*

# MERIT METAL ZIRCONIA CONICAL FLAP DISCS TYPE 29

- Unique design with two types of paper layered together and fibreglass backing
- Great for finishing welds on contour surfaces
- 5" Dia. x 7/8" hub hole
- Max RPM: 12 000



## MERIT

Model	MFG		Buy 10*
No.	No.	Grit	& SAVE!
NR152	66254419998	36	3.49/Ea.*
NR153	66254420001	40	3.49/Ea.*
NR154	66254420002	60	3.49/Ea.*
NR155	66254420003	80	3.49/Ea.*

#### **CHARGER RIGHTCUT WHEELS TYPE 1**

- Durable zirconia alumina abrasive
- Perfect for a broad range of materials, from alloys and stainless steel to gray iron

• 1/16" thick x 7/8" hub hole



#### NORTON

Model	MFG	Dia."	Max	Buy 25*
No.	No.		RPM	& SAVE!
NS200	RC45CH	4 1/2	13 580	3.19/Ea.*
NS201	RC5CH	5	12 225	3.69/Ea.*
NS203	22675	7	8730	11.95/Ea.*

#### **CRIMPED STEEL WIRE WHEEL BRUSHES**

- Highly flexible, ideal for light to medium-duty surface preparation on irregular surfaces
- Offered in a variety of styles for aggressive material removal to surface conditioning and polishing
- Uniform, dense fill
- Can be used by hand or on a drill press for internal and external cleaning and deburring
- 1/4" shank
- Max RPM: 25 000



#### OSBORN

#### JACKSONLEA

Model	MFG	Brush	Wire	Trim	Promo
No.	No.	Dia."	Gauge"	Length"	Price
BW743	11232	2	0.014	0.438	8.29
BW753	11242	3	0.014	0.750	8.29

## GEMINI REINFORCED CUT-OFF WHEELS FOR CHOP SAW

- Long life, reinforced sides
- Ideal for small cross-section work pieces, resist breakage and provide straight cuts
- 7/64" thick x 1" hub hole



## NORTON I

Model	MFG		Max	Buy 10*
No.	No.	Dia."	RPM	& SAVE!
NS256	66253207554	12	5095	5.99/Ea.*
NS259	66253306626	14	4365	7.99/Ea.*
NS261	66253410198	16	3820	13.99/Ea.*

#### **CRIMPED WIRE WHEEL CUP BRUSHES**

- Best for use on portable power tools operating at high speeds
- 2 3/4" brush Dia., 5/8-11NC arbor hole
- Wire gauge: 0.014"
- Max RPM: 14 000



#### OSBORN

#### JACKSONLEA

Model	MFG	Description	Promo
No.	No.		Price
BX547	32030	Steel	12.99
BX574	32086	Stainless Steel	19.99

#### 3" AIR CUT-OFF TOOL

- 21 000 RPM, 0.45 HP motor
- 1/4"-18 NPT air inlet
- 3 CFM
- 3/8" hose size



#### aurora tools'

Model	Promo
No.	Price
THZ677	44.95

#### **SWIVEL BASE VISES**

- Professional mechanic's vises for heavy-duty applications
- Grey iron main castings with the spindle nut made from 60000 PSI S.G iron casting
- Hardened tool steel jaw faces have deep knurled pattern to ensure positive gripping
- Machined to very close tolerances ensuring ease of use
- Swivel base allows for full 360° swivel
- Chrome-finished handle



#### auroratools'

Model	Jaw	Jaw	Throat	Promo
No.	Width"	Opening"	Depth"	Price
TEX251	4	5	2 5/32	79.95
TEX253	8	8	4	234.95

#### **18-GAUGE SHEAR**

- 6.8-Amp Milwaukee motor, trigger speed control: 0-2500 RPM spindle speed
- 360° swivel head
- Ergonomic tactile grip for optimal user comfort
- 10' flexible durable runner cord
- Includes: Hex wrench



Model	MFG	Promo
No.	No.	Price
THZ879	6852-20	259.95

#### **5" ANGLE GRINDER**

- 10-Amp motor
- 10 000 RPM
- 5/8" spindle size
- Ball-bearing construction



Model	MFG	Promo
No.	No.	Price
TF719	9005B	159.95

#### 6-PC. COLD CHISEL SET

- · Individually forged from high quality alloy steel
- Manufactured to the highest safety standards
- Cutting edge is induction hardened to 52-58 HRC
- Striking head is hardened to 42 HRC to prevent splintering during use
- Includes sizes: 1/4", 5/16", 3/8", 1/2", 5/8" and 3/4"



#### aurora tools°

Marilal	B
Model	Promo
No.	Price
TLZ420	28.95/Set

#### **ALL-STEEL BAR CLAMPS**

- Equipped with the ergonomic Bessey® grip
  Throat depth: 5 1/2"
  - Load capacity: 2800 lbs.
    - MorPad tilts to 35°



Model	MFG	Clamping	Promo
No.	No.	Capacity"	Price
TLY343	2400S-12	12	143.95
TLY344	2400S-16	16	159.95
TLY345	2400S-20	20	169.95

#### **SQWINCHER® LIQUID CONCENTRATE**

- Specially formulated no-stir formula
- Screw-on cap allows you to reseal and store the bottle
- 64-oz. bottle size yields 5 gallons



Model No.	MFG No.	Flavor	Buy 3* & SAVE!
SR934	11021	Orange	14.95/Ea.*
SAF862	11025	Grape	14.95/Ea.*
SR933	11020	Lemonade	14.95/Ea.*
SR935	11022	Fruit Punch	14.95/Ea.*
SR936	11023	Lemon-Lime	14.95/Ea.*
SR937	11024	Tropical Cool	14.95/Ea.*
SAP552	11027	Mixed Berry	14.95/Ea.*

#### **CHILL-ITS® COOLING TOWEL**

- Advanced PVA material holds water without feeling heavy
- Super-evaporative, feels significantly cooler than ambient air
- Wear for hours, or wipe off for quick relief
- Reduces effects of heat stress and fights fatigue
- Hand washable
- Reusable





Model	MFG	Promo
No.	No.	Price
SEB126	12420	12.99

#### ALL PURPOSE SILICONE LUBE

- Reduces friction and sticking; protects against corrosion and oxidation with an invisible film that repels water
- Compatible with most surfaces; will not attack most plastics
- Effective from -50°F to 375°F
- 10-oz. aerosol can



	Model	MFG	Buy 12*
AA108 800206 <b>4.99/E</b> a.*	No.	No.	& SAVE!
• • • •	AA108	800206	4.99/Ea.*



# ZINC-RICH COLD GALVANIZING COMPOUND

- 97% pure zinc
- Excellent anti-sag and anti-settling properties
- Provides maximum protection to steel exposed to severe environments
- 16-oz. aerosol can



Model	MFG	Buy 12*
No.	No.	& SAVE!
AA029	A00740	7.99/Ea.*



#### HARRIS® INFERNO® AIR FUEL ACETYLENE KIT & TIPS

- Brazing and soldering without oxygen
- Hottest air fuel tip available
- Compatible with all competitive quick connect air fuel torches
- Results in faster brazing and soldering
- Precision manufactured for the best flame on the market today
- Kit includes: Quick connect handle, regulator (CGA 520), tip (TTU646) and hose
- Every tip made in USA by Harris® to exacting standards

Model	MFG		Promo
No.	No.	Description	Price
TTU641	4400085	Kit	264.99

#### **ACETYLENE TIPS**

ACLITE	IAL IILO					
Model	MFG		Gas Flow @	Soft		Promo
No.	No.	Tip"	14 PSI SCFH	Solder"	Brazing"	Price
TTU645	1601110	1/4	3.10	Up to 1	Up to 1/2	74.99
TTU646	1601111	5/16	5.80	3/4 - 1 1/2	1/4 - 3/4	89.88
TTU647	1601112	3/8	6.60	1 - 2	1/2 - 1	97.99
TTU648	1601113	7/16	9.80	1 1/4 - 3	7/8 - 1 5/8	102.99



