

BE

28TH EDITION

POWER EQUIPMENT

PRODUCT CATALOG

Distributed by:

Wells Industrial Supplies Ltd.

POWERED by
HONDATM

FOLLOW US ON



BEPOWEREQUIPMENT

.COM

THE POWER YOU NEED.

WHICH PRESSURE WASHER IS RIGHT FOR YOU?

With BE's new Workshop, Commercial, and Industrial Series tags, finding the perfect unit for your needs has never been easier.

SHOP BY SERIES



WORKSHOP

SERIES

WORKSHOP SERIES:
Designed for small projects around the shop and house.



COMMERCIAL

SERIES

COMMERCIAL SERIES:
Engineered for contractors who depend on durable and effective equipment.



INDUSTRIAL

SERIES


INDUSTRIAL SERIES:
Built to last with high end performance for those who depend on their equipment all day, every day.

TABLE OF CONTENTS

PRESSURE WASHERS	6
WATER PUMPS	21
WILDLAND SERIES	22
INVERTERS / GENERATORS	34
GENERATOR ACCESSORIES	38
LOG SPLITTERS	40
AIR COMPRESSORS	41
AIR COMPRESSOR ACCESSORIES	47
HEATERS	53
FANS	56
PUMPS	57
WHIRL-A-WAYS	60
PRESSURE WASHER ACCESSORIES	62
RETAIL PACKAGE PARTS	80
ACCESSORIES	82
SPRAYERS	85
DISPLAYS	86
WARRANTY	88



**CREATE YOUR NEW
DEALER ACCOUNT**



**SAVE | ORDER
TIME | ONLINE**

BEPOWEREQUIPMENT.COM

**VISIT OUR
WEBSITE &
DOWNLOAD**

**MANUALS, SPEC SHEETS, BREAKDOWNS,
IMAGES AND THE LATEST CATALOG**

THE HISTORY OF BE POWER EQUIPMENT

Braber Equipment was founded in 1969 by Bill Braber in Abbotsford, British Columbia after immigrating from Holland with his young family. Bill returned to Holland each year to purchase farm equipment to be sold to dealers in British Columbia. A vacant lot next to the family home was used as the original storage facility, and the parts department was located under the pool table in the basement of the family home. Braber Equipment grew quickly in the years that followed, as Bill's focus on quality, service, and support became the pillars that drove the business forward.

In 1991, Bill's son, Nick Braber, the co-owner of Braber Equipment created BE Pressure Supply to manufacture pressure washers to be sold to the

agriculture dealers. Nick already had experience with pressure washers 20 years prior, selling them out of the back of his pick-up truck during high school to raise money to purchase the Braber Equipment site. Building upon the same values and starting with one unit at a time, they created a reputation for high-quality and reliable pressure washers, quickly becoming Canada's largest manufacturer of pressure washers. Under Nick's leadership, BE Power Equipment grew to four global manufacturing facilities.

Today, BE Power Equipment is a leading global manufacturer of Pressure Washers, Air Compressors, Power Generators, Water Pumps, Log Splitters, and Forced Air Heaters serving the

industrial markets in over 30 countries. Third generation owner Curtis Braber continues to build on the values instilled from the previous generations along with an engaged team, continuing the development and growth of the BE brand. With this strong team, BE is focused on designing quality products and delivering exceptional service while working to stay as innovative in the future as they have been for the past twenty-five years. It is this family driven philosophy that has allowed BE to grow as an independent company in an industry that has seen mass consolidation in recent years. BE is proud to be the strong, independent option for a dealer focused market while delivering high quality products into the hands of the user.



2700 PSI, HONDA GC160 ENGINE

ENGINE : 160cc HONDA GC160
PSI : 2700
GPM : 2.3 - 2.5
PUMP : COMET BXD / AR RMV
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 SPLIT WAND ASSEMBLY WITH GUN
 25' HIGH PRESSURE HOSE
 10" FLAT FREE TIRES

2.5 GPM
 COMET BXD2528G
 WIRE BRAIDED HOSE
PART# B275HC

2.3 GPM
 AR RMV23G28D
 (BRASS HEAD)
 WIRE BRAIDED HOSE
PART# B275HAS
 *UPS READY



SHIPPING INFORMATION
WEIGHT: 80LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 25"x21"x21"



2700 PSI, HONDA GC160 ENGINE

ENGINE : 160cc HONDA GC160
PSI : 2700
GPM : 2.5
PUMP : AR RMV25G24D
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 INTEGRATED SOAP TANK
 POWDER COATED STEEL FRAME
 SPLIT WAND ASSEMBLY WITH GUN
 25' HIGH PRESSURE HOSE
 11" FLAT FREE TIRES

AR RMV25G24D
 (ALUMINUM HEAD)
 THERMO PLASTIC HOSE
PART# BE275HAS

*UPS READY



SHIPPING INFORMATION
WEIGHT: 60LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 23"x21"x22"



3100 PSI, 208cc POWEREASE ENGINE

ENGINE : 208cc POWEREASE
PSI : 3100
GPM : 2.5
PUMP : AR RMV25G30D
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 INTEGRATED SOAP TANK
 POWDER COATED STEEL FRAME
 SPLIT WAND ASSEMBLY WITH GUN
 25' HIGH PRESSURE HOSE
 11" FLAT FREE TIRES

PART# BE317RAS



SHIPPING INFORMATION
WEIGHT: 80LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 21"x25"x24"



3100 PSI, 225cc POWEREASE ENGINE

ENGINE : 225cc POWEREASE
PSI : 3100
GPM : 2.5
PUMP : AR RMV25G30D
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 SPLIT WAND ASSEMBLY WITH GUN
 25' HIGH PRESSURE HOSE
 10" FLAT FREE TIRES

PART# B317RA



SHIPPING INFORMATION
WEIGHT: 80LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 25"x21"x21"



2800 - 3100 PSI, HONDA GC190 ENGINE

ENGINE : 187cc HONDA GC190
PSI : 2800
GPM : 2.5
PUMP : COMET BXD / AR RMV
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 SPLIT WAND ASSEMBLY WITH GUN
 25' HIGH PRESSURE HOSE
 10" FLAT FREE TIRES

COMET BXD2528G
PART# B286HC

3100 PSI
 AR RMV23G28D
 (BRASS HEAD)
PART# B316HAS



SHIPPING INFORMATION
WEIGHT: 82LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 25"x21"x21"



3100 PSI, HONDA GC190 ENGINE

ENGINE : 187cc HONDA GC190
PSI : 3100
GPM : 2.5
PUMP : AR RMV23G28D
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 INTEGRATED SOAP TANK
 POWDER COATED STEEL FRAME
 SPLIT WAND ASSEMBLY WITH GUN
 25' HIGH PRESSURE HOSE
 11" FLAT FREE TIRES

AR RMV23G28D
 (BRASS HEAD)
PART# BE316HAS



SHIPPING INFORMATION
WEIGHT: 62LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 23"x21"x22"



4000 PSI, 420cc POWEREASE ENGINE

ENGINE : 420cc POWEREASE
PSI : 4000
GPM : 4.0
PUMP : AR RSV4G40
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 36" GUN / WAND / NOZZLES
 50' HIGH PRESSURE HOSE
 12" FLAT FREE TIRES

PART# B4015RA



SHIPPING INFORMATION
WEIGHT: 155LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 32"x25"x25"



4000 PSI, 420cc POWEREASE ENGINE

ENGINE : 420cc POWEREASE
PSI : 4000
GPM : 4.0
PUMP : COMET ZWD4040G
UNLOADER : EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 36" GUN / WAND / NOZZLES
 50' HIGH PRESSURE HOSE
 12" FLAT FREE TIRES

PART# B4015RCS



SHIPPING INFORMATION
WEIGHT: 155LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 32"x25"x25"



2500 - 3000 PSI, HONDA GX200 ENGINE

ENGINE : 196cc HONDA GX200
PSI : 2500 - 3000
GPM : 2.7 - 3.0
PUMP : COMET BWDK / GENERAL TP2530
 CAT 4DNX / COMET LWD
UNLOADER : BUILT-IN / EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 SPLIT WAND ASSEMBLY WITH GUN
 25' HIGH PRESSURE HOSE
 10" FLAT FREE TIRES

BUILT-IN UNLOADER:

2700 PSI, 3.0 GPM 3000 PSI, 2.7 GPM
 COMET BWDK3027G CAT 4DNX27GS1
PART# B2765HC PART# B3065HJ

EXTERNAL UNLOADER:

2500 PSI, 3.0 GPM 2500 PSI, 3.0 GPM
 COMET LWD3025G GENERAL TP2530J34
PART# B2565HCS PART# B2565HGS

SHIPPING INFORMATION

WEIGHT: 92LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 25"x21"x21"



STEEL
FRAME



3800 PSI, HONDA GX270 ENGINE

ENGINE : 270cc HONDA GX270
PSI : 3800
GPM : 3.5
PUMP : AR RSV / COMET AWDK
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 36" GUN / WAND / COUPLERS
 50' HIGH PRESSURE HOSE
 12" FLAT FREE TIRES

AR RSV3G38D
PART# B389HA

COMET AWDK3538E
PART# B389HC

SHIPPING INFORMATION

WEIGHT: 158LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 32"x25"x25"



BUILT IN
UNLOADER



2500 PSI, HONDA GX200 ENGINE

ENGINE : 196cc HONDA GX200
PSI : 2500
GPM : 3.0
PUMP : COMET LWD
 AR RCV / GENERAL TP
UNLOADER : EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 ALUMINUM FRAME
 36" GUN / WAND / COUPLERS
 50' HIGH PRESSURE HOSE
 10" FLAT FREE TIRES

EXTERNAL
 AR RCV3G25D
PART# PE-2565HWAARSP

EXTERNAL
 GENERAL TP2530J34
PART# PE-2565HWAGENSP

EXTERNAL
 COMET LWD3025G
PART# PE-2565HWACOMSP

SHIPPING INFORMATION

WEIGHT: 92LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 32"x24"x20"



ALUMINUM
FRAME



4200 PSI, HONDA GX390 ENGINE

ENGINE : 389cc HONDA GX390
PSI : 4200
GPM : 4.0
PUMP : COMET ZWDK / CAT 67DX
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 36" GUN / WAND / COUPLERS
 50' HIGH PRESSURE HOSE
 12" FLAT FREE TIRES

4200 PSI
 COMET ZWDK4042G
PART# B4213HC

4200 PSI
 CAT 67DX39G
PART# B4213HJ

SHIPPING INFORMATION

WEIGHT: 158LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 32"x25"x25"



BUILT IN
UNLOADER



2500 - 3000 PSI, HONDA GX200 ENGINE

ENGINE : 196cc HONDA GX200
PSI : 2500 - 3000
GPM : 2.7 - 3.0
PUMP : COMET BWDK / GENERAL TP /
 CAT 4DNX / COMET LWD
UNLOADER : BUILT-IN / EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 STAINLESS STEEL FRAME
 36" GUN / WAND / COUPLERS
 50' HIGH PRESSURE HOSE
 10" FLAT FREE TIRES
 INTEGRATED SOAP TANK

2700 PSI, BUILT-IN
 COMET BWDK3027G
PART# PE-2565HWSCOM

3000 PSI, BUILT-IN
 CAT 4DNX27G
PART# PE-2565HWSCAT

2500 PSI, EXTERNAL
 COMET LWD3025G
PART# PE-2565HWSCOMSP

2500 PSI, EXTERNAL
 GENERAL TP2530J34
PART# PE-2565HWSEGENSP

SHIPPING INFORMATION

WEIGHT: 102LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 32"x24"x20"



STAINLESS
STEEL
FRAME



4000 PSI, HONDA GX390 ENGINE

ENGINE : 389cc HONDA GX390
PSI : 4000
GPM : 4.0
PUMP : COMET ZWD
 GENERAL EZ / CAT 66DX
UNLOADER : EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 36" GUN / WAND / COUPLERS
 50' HIGH PRESSURE HOSE
 12" FLAT FREE TIRES

COMET ZWD4040G
PART# B4013HCS

GENERAL EZ4040G
PART# B4013HGS

ELECTRIC START
 COMET ZWD4040G
PART# B4013HECS

CAT 66DX40GG1
PART# B4013HJS

SHIPPING INFORMATION

WEIGHT: 162LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 32"x25"x25"



EXTERNAL
UNLOADER



4000 PSI, HONDA GX390 ENGINE

ENGINE : 389cc HONDA GX390
PSI : 4000
GPM : 4.0
PUMP : COMET ZWD / GENERAL EZ / CAT 66DX / AR RRV
UNLOADER : EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 ALUMINUM FRAME
 36" GUN / WAND / COUPLERS
 50' HIGH PRESSURE HOSE
 12" FLAT FREE TIRES

4000 PSI, EXTERNAL
 COMET ZWD4040G
PART# B4013HACS

4000 PSI, EXTERNAL
 GENERAL EZ4040G
PART# PE-4013HWPA GEN

4000 PSI, EXTERNAL
 CAT 66DX40GGI
PART# PE-4013HWPACAT

4000 PSI, EXTERNAL
 AR RRV4G40D
PART# B4013HAAS

SHIPPING INFORMATION

WEIGHT: 150LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 32"x24"x20"



ALUMINUM
 FRAME

POWERED by
HONDA

3000 - 4000 PSI, HONDA GX390 ENGINE BELT-DRIVEN

ENGINE : 389cc HONDA GX390 BELT DRIVE
PSI : 3000 - 4000
GPM : 3.5 - 5.0
PUMP : COMET FW2 / COMET FW2 / GENERAL TSS / CAT 5CP
UNLOADER : PUMP MOUNT

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 STEEL FRAME
 36" GUN / WAND / COUPLERS
 50' GREY NON MARKING HOSE
 13" FLAT FREE TIRES

3000 PSI, 5.0 GPM
 COMET FW25035
PART# X-3013HWB COMCD

3500 PSI, 4.0 GPM
 GENERAL TSS-1511
PART# X-3513HWB GENCD

4000 PSI, 3.5 GPM
 COMET FW23540
PART# X-4013HWB COMCD

3500 PSI, 4.0 GPM
 CAT 5CP3120
PART# X-3513HWB CATCD

SHIPPING INFORMATION

WEIGHT: 210LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 34"x28"x26"



POWERED by
HONDA

4000 - 4200 PSI, HONDA GX390 ENGINE

ENGINE : 389cc HONDA GX390
PSI : 4000 - 4200
GPM : 4.0
PUMP : COMET ZWD / GENERAL EZ / CAT 66DX / CAT 67DX
UNLOADER : EXTERNAL / BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 STAINLESS STEEL FRAME
 WAND ASSEMBLY WITH GUN AND COUPLERS
 50' HIGH PRESSURE HOSE
 12" FLAT FREE TIRES

4000 PSI, EXTERNAL
 COMET ZWD4040G
PART# PE-4013HWPS COMZ

4000 PSI, EXTERNAL
 GENERAL EZ4040G
PART# PE-4013HWPS GEN

4000 PSI, EXTERNAL
 CAT 66DX40GGI
PART# PE-4013HWPS CAT

4200 PSI, BUILT-IN
 CAT 67DX39G
PART# B4213HSJ

SHIPPING INFORMATION

WEIGHT: 163LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 33"x26"x26"



STAINLESS
 STEEL
 FRAME

POWERED by
HONDA

3500 - 4000 PSI, HONDA GX390 ENGINE BELT-DRIVEN

ENGINE : 389cc HONDA GX390 BELT DRIVE
PSI : 3500 - 4000
GPM : 3.5 - 4.0
PUMP : COMET FW2 / GENERAL TSS / CAT 5CP
UNLOADER : BLOCK MOUNT

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 STAINLESS STEEL FRAME
 36" GUN / WAND / COUPLERS
 50' GREY NON MARKING HOSE
 13" FLAT FREE TIRES

4000 PSI, 3.5 GPM
 COMET FW23540
PART# CD-4013HWB COMA

3500 PSI, 4.0 GPM
 CAT 5CP3120
PART# CD-3513HWB CAT

3500 PSI, 4.0 GPM
 GENERAL TSS-1511
PART# CD-3513HWB GEN

SHIPPING INFORMATION

WEIGHT: 212LBS
UNITS PER PALLET: 4
DIMENSIONS (LxWxH): 34"x28"x27"



STAINLESS
 STEEL
 FRAME

POWERED by
HONDA

4000 PSI, TRUCK MOUNT HONDA GX390 ENGINE

ENGINE : 389cc HONDA GX390
PSI : 4000
GPM : 4.0
PUMP : COMET ZWD / GENERAL EZ
UNLOADER : EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 ALUMINUM BASE FRAME
 36" GUN / WAND / COUPLERS
 50' HIGH PRESSURE HOSE

COMET ZWD4040
PART# B4013HTACS

GENERAL EZ4040
PART# B4013HTAGS

SHIPPING INFORMATION

WEIGHT: 135LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 32"x25"x25"



ALUMINUM
 FRAME

POWERED by
HONDA

3000 - 3500 PSI, TRUCK MOUNT HONDA GX390 ENGINE

ENGINE : 389cc HONDA GX390
PSI : 3000 - 3500
GPM : 4.0 - 5.0
PUMP : COMET FW2 / GENERAL TSS
UNLOADER : PUMP MOUNT / BLOCK MOUNT

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 STEEL BASE FRAME
 36" GUN / WAND / COUPLERS
 50' GREY NON MARKING HOSE

3000 PSI, 5.0 GPM
 COMET FW25035
PART# X-3013HTB COMCD

3500 PSI, 4.0 GPM
 GENERAL TSS-1511
PART# X-3513HTB GENCD

SHIPPING INFORMATION

WEIGHT: 190LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 34"x28"x26"



POWERED by
HONDA

3000 - 5000 PSI, HONDA GX690 ENGINE, BELT-DRIVEN

ENGINE : 688cc HONDA GX690
PSI : 3000 - 5000
GPM : 5.0 - 8.0
PUMP : COMET TW / GENERAL TSP
UNLOADER : BLOCK MOUNT

FEATURES
 STEEL ROLL CAGE FRAME
 BRAKING SYSTEM
 36" GUN WAND ASSEMBLY W/ PA VEGA GUN
 50' GREY NON MARKING HOSE
 13" FLAT FREE TIRES
 7 GAL GAS TANK

3000 PSI, 8.0GPM
 COMET TW8030S
PART# PE-3024HWEBCOM

5000 PSI, 5.0 GPM
 COMET TW5050S
PART# PE-5024HWEBCOM

5000 PSI, 5.0 GPM
 GENERAL TSP1819
PART# PE-5024HWEBGEN

SHIPPING INFORMATION
WEIGHT: 403LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 48"x32"x34"



POWERED by
HONDA

INDUSTRIAL SERIES

3000 PSI, TRUCK MOUNT HONDA GX690 ENGINE, BELT-DRIVEN

ENGINE : 688cc HONDA GX690 TRUCK MOUNT
PSI : 3000
GPM : 8.0
PUMP : COMET TW8030S
UNLOADER : EXTERNAL

FEATURES
 ELECTRIC START
 ALUMINUM TRUCK MOUNT FRAME
 MUFFLER
 BELT GUARD
 DUAL PORTS

PART# CD-3024HTEBCOM

*DOES NOT INCLUDE ACCESSORIES OR GAS TANK



ALUMINUM
 FRAME

POWERED by
HONDA

INDUSTRIAL SERIES

SHIPPING INFORMATION
WEIGHT: 247LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 43"x30"x29"

1500 PSI, 1.3 HP ELECTRIC MOTOR

MOTOR : 1.3 HP ELECTRIC MOTOR 120V
PSI : 1500
GPM : 1.4
AMPS : 12

PART# P1415EN

FEATURES
 20' HIGH PRESSURE HOSE
 2 PIECE QUICK-CONNECT
 DETERGENT BOTTLE
 VARIABLE SPRAY NOZZLE LANCE
 TURBO NOZZLE LANCE
 TOTAL STOP SYSTEM (TSS)



SHIPPING INFORMATION
WEIGHT: 17LBS
UNITS PER PALLET: 40
DIMENSIONS (LxWxH): 9.5"x10"x20"

WORKSHOP SERIES



1700 PSI, 1.3 HP ELECTRIC MOTOR

MOTOR : 1.3 HP ELECTRIC MOTOR 120V
PSI : 1700
GPM : 1.4
AMPS : 13

PART# P1615EN

FEATURES
 20' HIGH PRESSURE HOSE
 2 PIECE QUICK-CONNECT
 BUILT-IN DETERGENT TANK
 VARIABLE SPRAY NOZZLE LANCE
 TURBO NOZZLE LANCE
 TOTAL STOP SYSTEM (TSS)



SHIPPING INFORMATION
WEIGHT: 24LBS
UNITS PER PALLET: 32
DIMENSIONS (LxWxH): 19"x11"x21"

WORKSHOP SERIES



1800 PSI, 1.5 HP ELECTRIC MOTOR

MOTOR : 1.5 HP ELECTRIC MOTOR 120V
PSI : 1800
GPM : 1.3
AMPS : 13

PART# P1815EN

FEATURES
 20' HIGH PRESSURE HOSE
 2 PIECE QUICK-CONNECT
 BUILT-IN DETERGENT TANK
 VARIABLE SPRAY NOZZLE LANCE
 TURBO NOZZLE LANCE
 TOTAL STOP SYSTEM (TSS)
 HOSE REEL CADDY



SHIPPING INFORMATION
WEIGHT: 33LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 22"x14.5"x24"

WORKSHOP SERIES



2050 PSI, 1.6 HP ELECTRIC MOTOR

MOTOR : 1.6 HP ELECTRIC MOTOR 120V
PSI : 2050
GPM : 1.4
AMPS : 13

PART# P2014EN

FEATURES
 DELIVERS 2050 PSI / 1.4 GPM
 INCLUDES: 0", 15", 25", SOAPER, Q/C NOZZLES
 ROTARY NOZZLE
 25 FT HIGH PRESSURE HOSE
 35 FT POWER CORD WITH AUTO-RESET
 DETERGENT TANK
 ON-BOARD STORAGE
 TOTAL STOP SYSTEM (TSS)

OPTIONAL ACCESSORY:
 WALLMOUNT & HOSE HANGER
 P/N: 85.402.200



PORTABLE



2 IN 1

SHIPPING INFORMATION
WEIGHT: 35LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 25.5"x18"x18.5"

WORKSHOP SERIES



1500 PSI, 1.5 HP POWEREASE MOTOR

MOTOR : 1.5 HP ELECTRIC MOTOR 110V
PSI : 1500
GPM : 1.6
PUMP : BE TRIPLEX
AMPS : 13.2
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 25' HIGH PRESSURE HOSE
 SPLIT WAND ASSEMBLY WITH GUN



PART# P1515EPN

SHIPPING INFORMATION

WEIGHT: 43LBS
UNITS PER PALLET: 32
DIMENSIONS (LxWxH): 20"x14"x12"



1500 PSI, 1.5 HP POWEREASE MOTOR

MOTOR : 1.5 HP ELECTRIC MOTOR 110V
PSI : 1500
GPM : 1.6
PUMP : BE TRIPLEX
AMPS : 13.2
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 25' HIGH PRESSURE HOSE
 SPLIT WAND ASSEMBLY WITH GUN
 POWDER COATED STEEL FRAME
 10" FLAT FREE TIRES



PART# B1515EN

SHIPPING INFORMATION

WEIGHT: 80LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 23"x22"x20"



1500 PSI, 1.5 HP POWEREASE MOTOR

MOTOR : 1.5 HP ELECTRIC MOTOR 110V
PSI : 1500
GPM : 1.6
PUMP : BE TRIPLEX
AMPS : 13.2
UNLOADER : BUILT-IN

UNIT INCLUDES MOUNTING BOLTS. SLOTS ARE SPACED 16" APART TO LINE UP WITH STUDS

FEATURES

LOW PRESSURE CHEMICAL INJECTOR
 WALL MOUNTED POWDER COATED STEEL FRAME
 INTEGRATED SOAP TANK
 50' HIGH PRESSURE HOSE WITH HOSE REEL

PART# P1515EPNW

SHIPPING INFORMATION


WEIGHT: 92LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 20"x16"x26"



↑ INTEGRATED SOAP TANK

2 IN 1


INDUSTRIAL CAR WASH EASILY CONVERTS TO PORTABLE POWER WASHER



1100 - 1500 PSI, 1.5 - 2.0 HP BALDOR MOTOR

GPM : 2.0
PUMP : AR
UNLOADER : BUILT-IN

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 25' HIGH PRESSURE HOSE
 SPLIT WAND ASSEMBLY WITH GUN
 10" FLAT FREE TIRES



1.5 HP, 110V (1PHASE)
 1100 PSI, 13.7 A,
 AXIAL AR RXV2G25E-F8
PART# PE-1115EW1AX

1.5 HP, 110V (1PHASE)
 1100 PSI, 13.7 A,
 TRIPLEX AR JRV2G25E-F8
PART# PE-1115EW1A

2.0 HP, 110V (1PHASE)
 1500 PSI, 17.3 A,
 AXIAL AR RXV2G25E-F8
PART# PE-1520EW1AX

2.0 HP, 110V (1PHASE)
 1500 PSI, 17.3 A,
 TRIPLEX AR JRV2G25E-F8
PART# PE-1520EW1A

SHIPPING INFORMATION

WEIGHT: 90LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 23"x22"x20"



1500 - 3000 PSI, 3.0 - 10 HP BALDOR MOTOR

MOTOR : 3.0 - 10 HP BALDOR MOTOR
PSI : 1500 - 3000
GPM : 3.0 - 4.5
PUMP : COMET BWDK / GENERAL TT / COMET FWS2 / AR RRA
AMPS : 13 - 32
UNLOADER : BUILT-IN / EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 POWDER COATED STEEL FRAME
 50' HIGH PRESSURE HOSE
 36" GUN / WAND / COUPLINGS
 13" FLAT FREE TIRES



3.0 HP, 220V (1PHASE)
 1500 PSI, 13A, 3.0 GPM
 COMET BWDK3020E
 BUILT-IN UNLOADER
PART# B153EC

SHIPPING INFORMATION

WEIGHT: 90LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 23"x22"x20"

5.0 HP, 220V (1 PHASE)
 2000 PSI, 23A, 3.5 GPM
 COMET FWS23530E
PART# B205EC

5.0 HP, 220V (1PHASE)
 2000 PSI, 22A, 3.5 GPM
 GENERAL TT-2035EFB
 AR RRA35G30E
PART# B205EG

5.0 HP, 220V/460V (3 PHASE)
 2000 PSI, 13A/6.5A, 3.5 GPM
 COMET FWS23530E
PART# B205E34C

7.5 HP, 220V/460V (3 PHASE)
 2700 PSI, 22A/10A, 3.5 GPM
 AR RRA35G30E
PART# B2775E34AHE

7.5 HP, 220V/460V (3 PHASE)
 2700 PSI, 22A/10A, 3.5 GPM
 COMET FWS23530E
PART# B2775E34CHE

10 HP, 220V/460V (3 PHASE)
 3000 PSI, 26A/14A, 4.5 GPM
 COMET FWS24530E
PART# B3010E34CHE

SHIPPING INFORMATION

WEIGHT: 152LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 33"x25"x25"



*THESE UNITS DO NOT INCLUDE CORD, SWITCH & PLUG



1500 PSI, 2.0 HP BALDOR MOTOR

MOTOR : 2.0 HP BALDOR MOTOR 110V
PSI : 1500
GPM : 2.0
PUMP : COMET BWDK2020E / GENERAL HTC1505E345
AMPS : 17.3
UNLOADER : BUILT-IN / EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 AUTO ON/OFF FEATURE
 PACK AROUND FRAME
 25" HIGH PRESSURE HOSE
 36" GUN / WAND

COLD WATER

2.0 HP, 110V
 1500 PSI, 17.3A, 2.0 GPM
 COMET BWDK2020E, BUILT-IN
PART# PE-1520EP1COMH

HI TEMP (UP TO 200°F)

2.0 HP, 110V
 1500 PSI, 17.3A, 2.0 GPM
 GENERAL HTC1505E345, EXTERNAL
PART# B152EPGHT

SHIPPING INFORMATION

WEIGHT: 76LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 23"x22"x20"

COMMERCIAL SERIES



2 HP
 NEMA 5-20P,
 20-amp plug

BALDOR
 MOTORS AND DRIVES

1500 PSI, 2.0 HP BALDOR MOTOR

MOTOR : 2.0 HP BALDOR MOTOR 110V
PSI : 1500
GPM : 2.0
PUMP : AR JRV2G25E / GENERAL HTC1505E345
AMPS : 17.3
UNLOADER : BUILT-IN / EXTERNAL

FEATURES
 LOW PRESSURE CHEMICAL INJECTOR
 AUTO ON/OFF FEATURE
 WALL MOUNT FRAME
 50" HIGH PRESSURE HOSE
 36" GUN / WAND

COLD WATER

2.0 HP, 110V
 1500 PSI, 17A, 2.0 GPM
 AR JRV2G25E, BUILT-IN
PART# X-1520FW1ARH

HI TEMP (UP TO 200°F)

2.0 HP, 110V
 1500 PSI, 17A, 2.0 GPM
 GENERAL HTC1505E345, EXTERNAL
PART# X-1520FW1GENH

SHIPPING INFORMATION

WEIGHT: 130LBS
UNITS PER PALLET: 4
DIMENSIONS (LxWxH): 40"x21"x32"

COMMERCIAL SERIES



2 HP
 NEMA 5-20P,
 20-amp plug

BALDOR
 MOTORS AND DRIVES

2000 - 3000 PSI, 5.0 - 7.5 HP 230V - 1 PHASE WALL MOUNT BALDOR MOTOR

MOTOR : 5.0-7.5 HP BALDOR MOTOR
PSI : 2000-3000
GPM : 4.0
PUMP : AR RRA35G30E / GENERAL HTX1812 / COMET FWS24530E / GENERAL T9211
AMPS : 23-34
UNLOADER : EXTERNAL

COLD WATER

5.0HP BALDOR MOTOR
 2000 PSI, 4.0 GPM, 23 AMPS
 AR RRA35G30E
PART# X-2050FW1A

HI TEMP (UP TO 200°F)

5.0HP BALDOR MOTOR
 2000 PSI, 4.0 GPM, 23 AMPS
 GENERAL HTX1812
PART# X-2050FW1GENHT

7.5HP BALDOR MOTOR
 3000 PSI, 4.0 GPM, 34 AMPS
 COMET FWS24530E
PART# X-2775FW1COM

7.5HP BALDOR MOTOR
 3000 PSI, 4.0 GPM, 34 AMPS
 GENERAL T9211
PART# X-2775FW1GENHT

SHIPPING INFORMATION

WEIGHT: 180LBS (5.0HP) | 228LBS (7.5HP)
UNITS PER PALLET: 4
DIMENSIONS (LxWxH): 40"x21"x32"

COMMERCIAL SERIES



BALDOR
 MOTORS AND DRIVES

2000 - 3000 PSI, 5.0 - 7.5 HP 230V - 3 PHASE WALL MOUNT BALDOR MOTOR

MOTOR : 5.0-7.5 HP BALDOR MOTOR
PSI : 2000-3000
GPM : 4.0
PUMP : COMET FWS24530E / COMET FWS23530E / GENERAL HTX1812 / GENERAL T9211
AMPS : 16-20
UNLOADER : EXTERNAL

COLD WATER

5.0HP BALDOR MOTOR
 2000 PSI, 4.0 GPM, 16 AMPS
 COMET FWS23530E
PART# X-2050FW3COM2

HI TEMP (UP TO 200°F)

5.0HP BALDOR MOTOR
 2000 PSI, 4.0 GPM, 16 AMPS
 GENERAL HTX1812
PART# X-2050FW3GENHT2

7.5HP BALDOR MOTOR
 3000 PSI, 4.0 GPM, 20 AMPS
 COMET FWS24530E
PART# X-2775FW3COM2HE

7.5HP BALDOR MOTOR
 3000 PSI, 4.0 GPM, 20 AMPS
 GENERAL T9211
PART# X-2775FW3GENHT2

SHIPPING INFORMATION

WEIGHT: 180LBS (5.0HP) | 228LBS (7.5HP)
UNITS PER PALLET: 4
DIMENSIONS (LxWxH): 40"x21"x32"

COMMERCIAL SERIES



BALDOR
 MOTORS AND DRIVES

3000 PSI, 7.5 HP 460V - 3 PHASE WALL MOUNT BALDOR MOTOR

MOTOR : 7.5 HP BALDOR MOTOR
PSI : 3000
GPM : 4.0
PUMP : COMET FWS24530E / GENERAL T9211
AMPS : 16
UNLOADER : EXTERNAL

COLD WATER

7.5HP BALDOR MOTOR
 3000 PSI, 4.0 GPM, 16 AMPS
 COMET FWS24530E
PART# X-2775FW3COM4HE

HI TEMP (UP TO 200°F)

7.5HP BALDOR MOTOR
 3000 PSI, 4.0 GPM, 16 AMPS
 GENERAL T9211
PART# X-2775FW3GENHT4

SHIPPING INFORMATION

WEIGHT: 228LBS
UNITS PER PALLET: 4
DIMENSIONS (LxWxH): 40"x21"x32"

COMMERCIAL SERIES



BALDOR
 MOTORS AND DRIVES

225cc ENGINE

ENGINE : 225cc OHV POWEREASE ENGINE
KEYED SHAFT : 3/4"
ENGINE TYPE : SINGLE CYLINDER, 4-STROKE (OHV)
COMPRESSION RATIO : 8.4:1
NET POWER OUTPUT : 7.5HP/ 3600R/MIN
NET TORQUE : 13N.M / 2500R/MIN
STARTING SYSTEM : RECOIL STARTER
CARBURETOR : FLAT SUCTION VALVE
LUBRICATION SYSTEM : FORCED SPLASH
GOVERNOR SYSTEM : CENTRIFUGAL MECHANICAL
AIR CLEANER : DUAL ELEMENTS (PAPER OR FOAM)
OIL CAPACITY : 0.6L
FUEL TANK CAPACITY : 3.6L
FUEL CONSUMPTION : <395G/KW•H

PART# 85.570.070

SHIPPING INFORMATION

WEIGHT: 52LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 10"x15"x12"



420cc ENGINE

ENGINE : 420cc OHV POWEREASE ENGINE
KEYED SHAFT : 1"
ENGINE TYPE : AIR-COOLED, 4-STROKE, OHV, SINGLE CYLINDER
COMPRESSION RATIO : 8.5:1
NET POWER OUTPUT : 8.5KW (13HP) AT 3,600 R/MIN
NET TORQUE : 25 N.M AT 2,500 R/MIN
STARTING SYSTEM : RECOIL STARTER
CARBURETOR : FLAT SUCTION VALVE
LUBRICATION SYSTEM : FORCED SPLASH
GOVERNOR SYSTEM : CENTRIFUGAL MECHANICAL
AIR CLEANER : DUAL ELEMENT TYPE
OIL CAPACITY : 1.1L
FUEL TANK CAPACITY : 6.7L

PART# 85.570.150

SHIPPING INFORMATION

WEIGHT: 70LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 13"x18"x16"



2.0 HP ELECTRIC HOT WATER

MOTOR : 2.0 HP MARATHON ELECTRIC 110V
PSI : 1500
GPM : 2.0
PUMP : TRIPLEX PUMP
AMPS : 19

FEATURES

50 FT HIGH PRESSURE HOSE
 SPRAY GUN & LANCE
 LOW PRESSURE CHEMICAL INJECTOR
 10" FLAT FREE TIRES
 PATENTED ELECTRO MAGNETIC FIRING (EMF) SYSTEM

PART# HW152EMD

SHIPPING INFORMATION

WEIGHT: 250LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 40"x29"x33"



4.0 HP ELECTRIC HOT WATER

MOTOR : 4.0 HP MARATHON ELECTRIC 220V
PSI : 2000
GPM : 3.0
PUMP : TRIPLEX PUMP
AMPS : 18

FEATURES

50 FT HIGH PRESSURE HOSE
 SPRAY GUN & LANCE
 LOW PRESSURE CHEMICAL INJECTOR
 10" FLAT FREE TIRES
 PATENTED ELECTRO MAGNETIC FIRING (EMF) SYSTEM

PART# HW204EMD

SHIPPING INFORMATION

WEIGHT: 295LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 43"x30"x37"



688cc HONDA HOT WATER

ENGINE : 688cc HONDA GX630
PSI : 3500
GPM : 5.0
PUMP : GENERAL TRIPLEX BELT DRIVE

FEATURES

EXTERNAL UNLOADER
 BECKETT BURNER
 50 FT HIGH PRESSURE HOSE
 SPRAY GUN & LANCE
 LOW PRESSURE CHEMICAL INJECTOR
 12V

PART# HW3524HEGD

SHIPPING INFORMATION

WEIGHT: 844LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 50"x34"x46"



196cc HONDA HOT WATER

ENGINE : 196cc HONDA GX200
PSI : 2500
GPM : 3
PUMP : AR TRIPLEX PUMP
BTU : 210,000

FEATURES

GAS TANK CAP. .97 GALLON
 BURNER FUEL CONS. 1.53 GPH
 BURNER FUEL TANK CAP. 4 GALLON
 LOW OIL SHUTDOWN
 50 FT HIGH PRESSURE HOSE
 SPRAY GUN & LANCE
 LOW PRESSURE CHEMICAL INJECTOR
 10" FLAT FREE TIRES
 PATENTED ELECTRO MAGNETIC FIRING (EMF) SYSTEM

PART# HW2765HAD



SHIPPING INFORMATION

WEIGHT: 350LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 43"x30"x40"



POWERED by HONDA

389cc HONDA HOT WATER

ENGINE : 389cc HONDA GX390 ELECTRIC START
PSI : 3500
GPM : 4.0
PUMP : AR TRIPLEX PUMP
BTU : 300,000

FEATURES

GAS TANK CAP. 1.7 GALLON
 BURNER FUEL CONS. 2.14GPH
 BURNER FUEL TANK CAP. 5.5 GALLON
 EXTERNAL UNLOADER
 LOW OIL SHUTDOWN
 50 FT HIGH PRESSURE HOSE
 SPRAY GUN & LANCE
 LOW PRESSURE CHEMICAL INJECTOR
 13" FLAT FREE TIRES
 PATENTED ELECTRO MAGNETIC FIRING (EMF) SYSTEM

PART# HW3513HAD



SHIPPING INFORMATION

WEIGHT: 475LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 43"x30"x48"




POWERED by HONDA

HOT WATER COVER LARGE, FITS P/N: HW3513HAD

MADE FROM DURABLE, WATER RESISTANT, VINYL BACKED POLYESTER
 ADJUSTABLE DRAWSTRING FOR A SECURE FIT
 PROTECT YOUR HOT WATER PRESSURE WASHER FROM THE ELEMENTS

PART# 85.508.016



WANT TO LEARN MORE ABOUT OUR PRODUCTS AND ACCESSORIES?

SUBSCRIBE TO OUR YOUTUBE CHANNEL

You will find a collection of informative videos dedicated to educating users on proper use and maintenance of their products. Featuring how-to demos, step-by-step guides, and general troubleshooting videos, our channel will help you get the most out of your BE products.

THE POWER YOU NEED.



1" WATER TRANSFER PUMP

WORKSHOP SERIES

79cc POWEREASE ENGINE
RECOIL START
FUEL TANK CAPACITY 0.5 GAL. (2L)
1" INTAKE CONNECTION MNPT
1" OUTLET CONNECTION MNPT
26 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
ALUMINUM IMPELLER
85' TOTAL LIFT, 20' SUCTION LIFT

PART# WP-1020R



SHIPPING INFORMATION
WEIGHT: 42LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 16"x12"x16"

POWER EASE ENGINES

2" WATER TRANSFER PUMP

WORKSHOP SERIES

210cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.95 GAL. (3.6L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
158 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
CAST IRON IMPELLER
82' TOTAL LIFT, 26' SUCTION LIFT

PART# WP-2070S



SHIPPING INFORMATION
WEIGHT: 60LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWER EASE ENGINES

1" WATER TRANSFER PUMP

COMMERCIAL SERIES

25cc HONDA GX25 MINI 4 STROKE ENGINE
RECOIL START
FUEL TANK CAPACITY 0.15 GAL. (0.58L)
1" INTAKE CONNECTION MNPT
1" OUTLET CONNECTION MNPT
26 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
ALUMINUM IMPELLER
121' TOTAL LIFT, 26' SUCTION LIFT
VITON SEALS FOR FUEL TRANSFER
SUITABLE FOR OIL TRANSFER

PART# WP-1015HT



SHIPPING INFORMATION
WEIGHT: 32LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 16"x12"x16"

POWERED BY HONDA

2" WATER TRANSFER PUMP

WORKSHOP SERIES

160cc HONDA GC160 ENGINE
RECOIL START
FUEL TANK CAPACITY 0.5 GAL. (1.8L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
158 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
CAST IRON IMPELLER
82' TOTAL LIFT, 26' SUCTION LIFT

PART# WP-2050HL



SHIPPING INFORMATION
WEIGHT: 55LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWERED BY HONDA

3" WATER TRANSFER PUMP

WORKSHOP SERIES

210cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.95 GAL. (3.6L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
264 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
CAST IRON IMPELLER
85' TOTAL LIFT, 26' SUCTION LIFT

PART# WP-3070S



SHIPPING INFORMATION
WEIGHT: 63LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWER EASE ENGINES

4" WATER TRANSFER PUMP

WORKSHOP SERIES

420cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 1.7 GAL. (6.5L)
4" INTAKE CONNECTION MNPT
4" OUTLET CONNECTION MNPT
422 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
CAST IRON IMPELLER
98' TOTAL LIFT, 26' SUCTION LIFT

PART# WP-4015R



SHIPPING INFORMATION
WEIGHT: 112LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 26"x18"x23"

POWER EASE ENGINES

2" WATER TRANSFER PUMP

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.82 GAL. (3.1L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
158 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
CAST IRON IMPELLER
82' TOTAL LIFT, 26' SUCTION LIFT

PART# WP-2065HL



SHIPPING INFORMATION
WEIGHT: 62LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWERED BY HONDA

3" WATER TRANSFER PUMP

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.82 GAL. (3.1L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
264 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
CAST IRON IMPELLER
85' TOTAL LIFT, 26' SUCTION LIFT

PART# WP-3065HL



SHIPPING INFORMATION
WEIGHT: 67LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWERED BY HONDA



THE POWER YOU NEED.

4" WATER TRANSFER PUMP

COMMERCIAL SERIES

389cc HONDA GX390 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 1.8 GAL. (6.1L)
4" INTAKE CONNECTION MNPT
4" OUTLET CONNECTION MNPT
422 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
CAST IRON IMPELLER
98' TOTAL LIFT, 26' SUCTION LIFT

PART# WP-4013HR



SHIPPING INFORMATION
WEIGHT: 112LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 26"x18"x22"

POWERED BY HONDA

2" FIRE FIGHTING KIT

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.82 GAL. (3.1L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
126 GPM MAX FLOW ON PUMP
CENTRIFUGAL ALUMINUM PUMP
ALUMINUM IMPELLER
197' TOTAL LIFT, 26' SUCTION LIFT

PART# HPFK-2065HR

SHIPPING INFORMATION
WEIGHT: 86LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 28"x20"x18"

INCLUDES
50' FIRE HOSE W/ FIRE NOZZLE,
12' SUCTION HOSE, FOOT VALVE,
AND PRIMING JUG

POWERED BY HONDA



2" FIRE CART

196cc HONDA GX200 ENGINE
 RECOIL START & LOW OIL SHUTDOWN
 2" INTAKE CONNECTION MNPT
 2" OUTLET CONNECTION MNPT
 126 GPM MAX FLOW ON PUMP
 CENTRIFUGAL ALUMINUM PUMP
 ALUMINUM IMPELLER
 197' TOTAL LIFT, 26' SUCTION LIFT

INCLUDES :
 FIRE NOZZLE
 PRIMING JUG
 12' SUCTION HOSE
 50' FIRE HOSE
 FOOT VALVE

**SHOOTS WATER
 UP TO 85'**



POWER EASE
 ENGINES

210cc POWEREASE ENGINE
PART# HPFC-2070R

POWERED by HONDA

196cc HONDA GX200 ENGINE
PART# HPFC-2065HR

SHIPPING INFORMATION
 WEIGHT: 130LBS
 UNITS PER PALLET: 2
 DIMENSIONS (LxWxH): 30"x29"x23"

2" HIGH PRESSURE PUMP

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
 RECOIL START & LOW OIL SHUTDOWN
 FUEL TANK CAPACITY 0.82 GAL. (3.1L)
 2" INTAKE CONNECTION MNPT
 2" OUTLET CONNECTION MNPT
 126 GPM MAX FLOW
 CENTRIFUGAL ALUMINUM PUMP
 ALUMINUM IMPELLER
 197' TOTAL LIFT (85PSI), 26' SUCTION LIFT

PART# HP-2065HR

SHIPPING INFORMATION
 WEIGHT: 73LBS
 UNITS PER PALLET: 24
 DIMENSIONS (LxWxH): 21"x17"x19"

POWERED by HONDA



2" HIGH PRESSURE PUMP

COMMERCIAL SERIES

389cc HONDA GX390 ENGINE
 RECOIL START & LOW OIL SHUTDOWN
 FUEL TANK CAPACITY 1.8 GAL. (6.1L)
 2" INTAKE CONNECTION MNPT
 2" OUTLET CONNECTION MNPT
 140 GPM MAX FLOW
 CENTRIFUGAL CAST IRON PUMP
 HEAVY DUTY ALUMINUM IMPELLER
 330' TOTAL LIFT (145PSI), 26' SUCTION LIFT

PART# HP-2013HR

SHIPPING INFORMATION
 WEIGHT: 140LBS
 UNITS PER PALLET: 12
 DIMENSIONS (LxWxH): 25"x18"x22"

POWERED by HONDA



2" HIGH PRESSURE PUMP

WORKSHOP SERIES

210cc POWEREASE ENGINE
 RECOIL START & LOW OIL SHUTDOWN
 FUEL TANK CAPACITY 0.95 GAL. (3.6L)
 2" INTAKE CONNECTION MNPT
 2" OUTLET CONNECTION MNPT
 126 GPM MAX FLOW
 CENTRIFUGAL ALUMINUM PUMP
 ALUMINUM IMPELLER
 197' TOTAL LIFT
 (85 PSI OUTLET PRESSURE)
 26' SUCTION LIFT

PART# HP-2070R

SHIPPING INFORMATION
 WEIGHT: 70LBS
 UNITS PER PALLET: 24
 DIMENSIONS (LxWxH): 26"x18"x22"

POWER EASE
 ENGINES



2" HIGH PRESSURE PUMP

WORKSHOP SERIES

420cc POWEREASE ENGINE
 RECOIL START & LOW OIL SHUTDOWN
 FUEL TANK CAPACITY 1.7 GAL. (6.5L)
 2" INTAKE CONNECTION MNPT
 2" OUTLET CONNECTION MNPT
 140 GPM MAX FLOW
 CENTRIFUGAL CAST IRON PUMP
 ALUMINUM IMPELLER
 330' TOTAL LIFT
 (145 PSI OUTLET PRESSURE)
 26' SUCTION LIFT

PART# HP-2015R

SHIPPING INFORMATION
 WEIGHT: 135LBS
 UNITS PER PALLET: 6
 DIMENSIONS (LxWxH): 26"x18"x22"

POWER EASE
 ENGINES



2" FIRE FIGHTING PUMP KIT

WORKSHOP SERIES

210cc POWEREASE ENGINE
 RECOIL START & LOW OIL SHUTDOWN
 FUEL TANK CAPACITY 0.95 GAL. (3.6L)
 2" INTAKE CONNECTION MNPT
 2" OUTLET CONNECTION MNPT
 126 GPM MAX FLOW ON PUMP
 CENTRIFUGAL ALUMINUM PUMP
 ALUMINUM IMPELLER
 197' TOTAL LIFT, 26' SUCTION LIFT

PART# HPPK-2070R

SHIPPING INFORMATION
 WEIGHT: 86
 UNITS PER PALLET: 6
 DIMENSIONS (LxWxH): 28"x20"x18"

POWER EASE
 ENGINES



INCLUDES
 50' FIRE HOSE
 FIRE NOZZLE
 12' SUCTION HOSE
 FOOT VALVE
 PRIMING JUG

2" WATER TRANSFER PUMP KIT

WORKSHOP SERIES

210cc POWEREASE ENGINE
 RECOIL START & LOW OIL SHUTDOWN
 FUEL TANK CAPACITY 0.95 GAL. (3.6L)
 2" INTAKE CONNECTION MNPT
 2" OUTLET CONNECTION MNPT
 158 GPM MAX FLOW
 CENTRIFUGAL ALUMINUM PUMP
 CAST IRON IMPELLER
 82' TOTAL LIFT, 26' SUCTION LIFT

PART# WPK-2065CM

SHIPPING INFORMATION
 WEIGHT: 86
 UNITS PER PALLET: 6
 DIMENSIONS (LxWxH): 28"x20"x18"

POWER EASE
 ENGINES



INCLUDES
 12' (2") SUCTION HOSE W/CAMLOCKS
 50' (2") DISCHARGE HOSE W/CAMLOCK + STRAINER

THE POWER YOU NEED.



WILDLAND SERIES

BE's new portable fire fighting equipment designed for extreme conditions.



Image by: © Kevin S. Abel



POSITIVE PRESSURE VENTILATION (PPV) FAN

196cc HONDA GX200
22,190 CFM
PPV AIR FLOW
WEIGHT (DRY): 59.1 LB
16.5" PROPELLER DIAMETER
94.8 DB @ 10' NOISE LEVEL
FOLDABLE HANDLE

APPLICATION: SINGLE DOOR, E.G. HOUSE, SMALL APARTMENT BLOCK, FIRE STOKING

PART# WS65PPV

SHIPPING INFORMATION

WEIGHT: 106LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 54"x58"x58"



POWERED by HONDA

2" FIRE CART

196cc HONDA GX200
RECOIL START & LOW OIL SHUTDOWN
85 GPM MAX FLOW
100 PSI MAX
120' TOTAL LIFT, 26' SUCTION LIFT
1X 1.5" MNPT INLET/OUTLET
2X 1" OUTLET
U.S. FORESTRY APPROVED SPARK ARRESTOR

INCLUDES :
FIRE NOZZLE: 50.015.002
PRIMING JUG: 85.601.085
50' FIRE HOSE: 85.400.079
FOOT VALVE: 50.015.001
12' SUCTION HOSE

PART# WS1565FC

SHIPPING INFORMATION

WEIGHT: 130LBS
UNITS PER PALLET: 2
DIMENSIONS (LxWxH): 30"x29"x23"



POWERED by HONDA

1.5" WILDLAND SERIES PORTABLE

196cc HONDA GX200
RECOIL START & LOW OIL SHUTDOWN
85 GPM MAX FLOW
100 PSI MAX
120' TOTAL LIFT, 26' SUCTION LIFT
1X 1.5" MNPT INLET/OUTLET
2X 1" OUTLET
U.S. FORESTRY APPROVED SPARK ARRESTOR

PART# WS1565HP

SHIPPING INFORMATION

WEIGHT: 50LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 27"x17.7"x17"



POWERED by HONDA

1.5" WILDLAND SERIES

196cc HONDA GX200
RECOIL START & LOW OIL SHUTDOWN
85 GPM MAX FLOW
100 PSI MAX
120' TOTAL LIFT, 26' SUCTION LIFT
1X 1.5" MNPT INLET/OUTLET
2X 1" OUTLET
U.S. FORESTRY APPROVED SPARK ARRESTOR

PART# WS1565H

SHIPPING INFORMATION

WEIGHT: 70LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 27"x17.7"x17"



POWERED by HONDA

1.5" WILDLAND SERIES PORTABLE

49cc HONDA GXH50
RECOIL START
FUEL TANK CAPACITY, 0.2 GAL. (.77L)
50 GPM MAX FLOW
120' TOTAL LIFT, 26' SUCTION LIFT
1.5" MNPT
1" REDUCER INCLUDED
ULTRA LIGHTWEIGHT PORTABLE DESIGN
U.S. FORESTRY APPROVED SPARK ARRESTOR

PART# WS1525H

SHIPPING INFORMATION

WEIGHT: 24.6LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 16.5"x12"x16"



POWERED by HONDA

1.5" WILDLAND SERIES SKID UNIT

49cc HONDA GXH50
125 GALLON TANK
50 GPM MAX FLOW
120' TOTAL LIFT, 26' SUCTION LIFT
1.5" MNPT
50' HOSE & REEL INCLUDED

APPLICATIONS:
FITS IN THE BACK OF A UTV
REMOTE AREAS
FARM & RURAL COMMUNITY WORK
IRRIGATION APPLICATIONS

PART# WS1525SKID

SHIPPING INFORMATION

WEIGHT: 350LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 58"x43"x48"



POWERED by HONDA

2" TRASH PUMP

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.82 GAL. (3.1L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
180 GPM MAX FLOW
UP TO 13/16" SOLIDS
HEAVY DUTTY CAST IRON IMPELLER
88' TOTAL LIFT
26' SUCTION LIFT

PART# TP-2065HR



SHIPPING INFORMATION

WEIGHT: 144LBS
UNITS PER PALLET: 9
DIMENSIONS (LxWxH): 26"x21"x23"

POWERED by HONDA

3" SEMI-TRASH PUMP

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.82 GAL. (3.1L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
264 GPM MAX FLOW
CENTRIFUGAL ALUMINUM PUMP
UP TO 1" SOLIDS
CAST IRON IMPELLER
85' TOTAL LIFT
26' SUCTION LIFT

PART# TP-3065HR



SHIPPING INFORMATION

WEIGHT: 90LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 23"x18"x19"

POWERED by HONDA

2" TRASH PUMP

WORKSHOP SERIES

210cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.95 GAL. (3.6L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
180 GPM MAX FLOW
UP TO 5/8" SOLIDS
CENTRIFUGAL ALUMINUM PUMP
HEAVY DUTTY CAST IRON IMPELLER
88' TOTAL LIFT
26' SUCTION LIFT

PART# TP-2070RR



SHIPPING INFORMATION

WEIGHT: 144LBS
UNITS PER PALLET: 9
DIMENSIONS (LxWxH): 23"x18"x19"

POWER EASE ENGINES

3" SEMI-TRASH PUMP

WORKSHOP SERIES

210cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.95 GAL. (3.6L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
264 GPM MAX FLOW
UP TO 1" SOLIDS
CENTRIFUGAL ALUMINUM PUMP
HEAVY DUTTY CAST IRON IMPELLER
85' TOTAL LIFT
26' SUCTION LIFT

PART# TP-3070R



SHIPPING INFORMATION

WEIGHT: 90LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 23"x18"x19"

POWER EASE ENGINES

3" TRASH PUMP

INDUSTRIAL SERIES

389cc HONDA GX390 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 1.8 GAL. (6.1L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
370 GPM MAX FLOW
UP TO 1" SOLIDS
HEAVY DUTTY CAST IRON IMPELLER
98' TOTAL LIFT
26' SUCTION LIFT

PART# TP-3013HM



SHIPPING INFORMATION

WEIGHT: 144LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 26"x21"x23"

POWERED by HONDA

4" TRASH PUMP

INDUSTRIAL SERIES

389cc HONDA GX390 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 1.8 GAL. (6.1L)
4" INTAKE CONNECTION MNPT
4" OUTLET CONNECTION MNPT
580 GPM MAX FLOW
UP TO 1" SOLIDS
HEAVY DUTTY CAST IRON IMPELLER
95' TOTAL LIFT
26' SUCTION LIFT

PART# TP-4013HM



SHIPPING INFORMATION

WEIGHT: 152LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 26"x21"x23"

POWERED by HONDA

3" TRASH PUMP

COMMERCIAL SERIES

420cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 1.7 GAL. (6.5L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
370 GPM MAX FLOW
UP TO 1" SOLIDS
CENTRIFUGAL ALUMINUM PUMP
HEAVY DUTTY CAST IRON IMPELLER
98' TOTAL LIFT
26' SUCTION LIFT

PART# TP-3015RM



SHIPPING INFORMATION

WEIGHT: 145LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 26"x20"x23"

POWER EASE ENGINES

4" TRASH PUMP

COMMERCIAL SERIES

420cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 1.7 GAL. (6.5L)
4" INTAKE CONNECTION MNPT
4" OUTLET CONNECTION MNPT
580 GPM MAX FLOW
UP TO 1" SOLIDS
CENTRIFUGAL ALUMINUM PUMP
HEAVY DUTTY CAST IRON IMPELLER
95' TOTAL LIFT
26' SUCTION LIFT

PART# TP-4015RM



SHIPPING INFORMATION

WEIGHT: 154LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 26"x20"x23"

POWER EASE ENGINES

2" CHEMICAL TRANSFER PUMP

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.82 GAL. (3.1L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
154 GPM MAX FLOW
FIBERGLASS REINFORCED POLY PUMP
FIBERGLASS REINFORCED POLY IMPELLER
115' TOTAL LIFT, 26' SUCTION LIFT

PART# NP-2065HR



SHIPPING INFORMATION

WEIGHT: 60LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWERED by HONDA

3" CHEMICAL TRANSFER PUMP

COMMERCIAL SERIES

196cc HONDA GX200 ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.82 GAL. (3.1L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
265 GPM MAX FLOW
FIBERGLASS REINFORCED POLY PUMP
FIBERGLASS REINFORCED POLY IMPELLER
92' TOTAL LIFT, 26' SUCTION LIFT

PART# NP-3065HR



SHIPPING INFORMATION

WEIGHT: 60LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWERED by HONDA

2" CHEMICAL TRANSFER PUMP

WORKSHOP SERIES

210cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.95 GAL. (3.6L)
2" INTAKE CONNECTION MNPT
2" OUTLET CONNECTION MNPT
154 GPM MAX FLOW
FIBERGLASS REINFORCED POLY PUMP
FIBERGLASS REINFORCED POLY IMPELLER
115' TOTAL LIFT, 26' SUCTION LIFT

PART# NP-2070R



SHIPPING INFORMATION

WEIGHT: 60LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWER EASE ENGINES

3" CHEMICAL TRANSFER PUMP

WORKSHOP SERIES

210cc POWEREASE ENGINE
RECOIL START & LOW OIL SHUTDOWN
FUEL TANK CAPACITY 0.95 GAL. (3.6L)
3" INTAKE CONNECTION MNPT
3" OUTLET CONNECTION MNPT
265 GPM MAX FLOW
FIBERGLASS REINFORCED POLY PUMP
FIBERGLASS REINFORCED POLY IMPELLER
92' TOTAL LIFT, 26' SUCTION LIFT

PART# NP-3070R



SHIPPING INFORMATION

WEIGHT: 60LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x17"x19"

POWER EASE ENGINES

1.5" SIDE DISCHARGE W/ FLOAT

0.5 HP, 115V, 550W
TETHERED FLOAT SWITCH
2420 GAL /HR CAPACITY
28 FT MAX DELIVERY HEIGHT
23 FT MAX SUBMERSIBLE DEPTH
0.2" MAXIMUM SOLID HANDLING
COPPER WINDINGS
MECHANICAL SEAL
25 FT CORD
PLASTIC BODY

PART# SP-550SD

SHIPPING INFORMATION
WEIGHT: 10LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 8"x8"x12"



WORKSHOP SERIES

1.5" SIDE DISCHARGE W/ FLOAT

1 HP, 115V, 1100W
TETHERED FLOAT SWITCH
3434 GAL /HR CAPACITY
29.5 FT MAX DELIVERY HEIGHT
26 FT MAX SUBMERSIBLE DEPTH
0.2" MAXIMUM SOLID HANDLING
COPPER WINDINGS
MECHANICAL SEAL
25 FT CORD
STAINLESS STEEL/PLASTIC BODY

PART# SP-900SD

SHIPPING INFORMATION
WEIGHT: 15LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 8"x9"x15"



WORKSHOP SERIES

1.5" TOP DISCHARGE W/ FLOAT

0.75 HP, 115V, 750W
TETHERED FLOAT SWITCH
2420 GAL /HR CAPACITY
28 FT MAX DELIVERY HEIGHT
26 FT MAX SUBMERSIBLE DEPTH
1/8" MAXIMUM SOLID HANDLING
COPPER WINDINGS
MECHANICAL SEAL
25 FT CORD
STAINLESS STEEL BODY

PART# SP-750TD

SHIPPING INFORMATION
WEIGHT: 15LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 8"x9"x15"



WORKSHOP SERIES

1.5" SIDE DISCHARGE SUBMERSIBLE W/ FLOAT

1.25 HP, 115V, 1100W
TETHERED FLOAT SWITCH
3410 GAL /HR CAPACITY
36 FT MAX DELIVERY HEIGHT
16 FT MAX SUBMERSIBLE DEPTH
1/4" MAXIMUM SOLID HANDLING
COPPER WINDINGS
MECHANICAL SEAL
25 FT CORD
STAINLESS STEEL BODY

PART# ST-900SD

SHIPPING INFORMATION
WEIGHT: 15LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 8"x9"x15"



WORKSHOP SERIES

0.75" TOP DISCHARGE W/O FLOAT

0.25 HP, 115V, 60HZ
1580 GAL /HR CAPACITY
28.5 FT MAX DELIVERY HEIGHT
15 FT MAX SUBMERSIBLE DEPTH
0.2" MAXIMUM SOLID HANDLING
MECHANICAL SEAL
15 FT CORD
PLASTIC BODY

PART# SP-500TD

SHIPPING INFORMATION
WEIGHT: 8LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 7"x8"x12"



WORKSHOP SERIES

1.5" DISCHARGE W/ FLOAT

0.3 HP, 115V, 60HZ
3036 GAL /HR CAPACITY
20 FT MAX DELIVERY HEIGHT
26 FT MAX SUBMERSIBLE DEPTH
0.2" MAXIMUM SOLID HANDLING
MECHANICAL SEAL
15 FT CORD
PLASTIC BODY

PART# SP-650BD

SHIPPING INFORMATION
WEIGHT: 10LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 8"x8"x12"



WORKSHOP SERIES

1.5" TOP DISCHARGE W/ VERTICAL FLOAT

0.3 HP, 115V, 60HZ
VERTICAL FLOAT SWITCH
3036 GAL /HR CAPACITY
20 FT MAX DELIVERY HEIGHT
26 FT MAX SUBMERSIBLE DEPTH
0.2" MAXIMUM SOLID HANDLING
MECHANICAL SEAL
15 FT CORD

PART# SP-600BD

SHIPPING INFORMATION
WEIGHT: 10LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 8"x8"x12"



WORKSHOP SERIES

TETHERED FLOAT SWITCH W/PIGGY BACK PLUG

115V, 60HZ

PART# SPCORD



WORKSHOP SERIES

WATER PUMP DISCHARGE HOSE KITS

TEMPERATURE RATING: 150° F

1" SIZE
50' LENGTH
80 PSI

PART# 85.400.084

2" SIZE
50' LENGTH
80 PSI

PART# 85.400.085

3" SIZE
50' LENGTH
65 PSI

PART# 85.400.086

4" SIZE
50' LENGTH
55 PSI

PART# 85.400.087



WATER PUMP DISCHARGE HOSE KITS

TEMPERATURE RATING: 150° F

2" SIZE
50' LENGTH
150 PSI

PART# 85.400.097

3" SIZE
50' LENGTH
150 PSI

PART# 85.400.098



SUCTION HOSE KITS

1" SIZE
20' LENGTH
ALUMINUM CAMLOCK
NYLON STRAINER

PART# 85.400.088

4" SIZE
20' LENGTH
ALUMINUM CAMLOCK
NYLON STRAINER

PART# 85.400.091

2" SIZE
20' LENGTH
ALUMINUM CAMLOCK
STEEL STRAINER

PART# 85.400.089

3" SIZE
20' LENGTH
ALUMINUM CAMLOCK
STEEL STRAINER

PART# 85.400.090



TRASH PUMP REPLACEMENT STRAINERS

2" SIZE
METAL

PART# 50.002.014

3" SIZE
PLASTIC

PART# 50.103.018

4" SIZE
PLASTIC

PART# 50.104.005



WATER PUMP METAL REPLACEMENT STRAINERS

2" SIZE
PART# 50.002.012

6" SIZE
PART# 50.006.0085



WATER PUMP PLASTIC REPLACEMENT STRAINERS

2" SIZE
PART# 50.002.400

3" SIZE
PART# 50.003.400

4" SIZE
PART# 50.004.400

6" SIZE
PART# 50.006.008



TYPE A ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.390.034	¾"	MALE COUPLER X FPT
90.390.100	1"	MALE COUPLER X FPT
90.390.114	1 ¼"	MALE COUPLER X FPT
90.390.112	1 ½"	MALE COUPLER X FPT
90.390.200	2"	MALE COUPLER X FPT
90.390.300	3"	MALE COUPLER X FPT
90.390.400	4"	MALE COUPLER X FPT

TYPE B ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.391.034	¾"	FEMALE COUPLER X MPT
90.391.100	1"	FEMALE COUPLER X MPT
90.391.114	1 ¼"	FEMALE COUPLER X MPT
90.391.112	1 ½"	FEMALE COUPLER X MPT
90.391.200	2"	FEMALE COUPLER X MPT
90.391.300	3"	FEMALE COUPLER X MPT
90.391.400	4"	FEMALE COUPLER X MPT

TYPE C ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.392.034	¾"	MALE BARB X FEMALE COUPLER
90.392.100	1"	MALE BARB X FEMALE COUPLER
90.392.114	1 ¼"	MALE BARB X FEMALE COUPLER
90.392.112	1 ½"	MALE BARB X FEMALE COUPLER
90.392.200	2"	MALE BARB X FEMALE COUPLER
90.392.300	3"	MALE BARB X FEMALE COUPLER
90.392.400	4"	MALE BARB X FEMALE COUPLER

TYPE D ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.393.034	¾"	FEMALE COUPLER X FPT
90.393.100	1"	FEMALE COUPLER X FPT
90.393.114	1 ¼"	FEMALE COUPLER X FPT
90.393.112	1 ½"	FEMALE COUPLER X FPT
90.393.200	2"	FEMALE COUPLER X FPT
90.393.300	3"	FEMALE COUPLER X FPT
90.393.400	4"	FEMALE COUPLER X FPT

TYPE E ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.394.034	¾"	MALE BARB X MALE COUPLER
90.394.100	1"	MALE BARB X MALE COUPLER
90.394.114	1 ¼"	MALE BARB X MALE COUPLER
90.394.112	1 ½"	MALE BARB X MALE COUPLER
90.394.200	2"	MALE BARB X MALE COUPLER
90.394.300	3"	MALE BARB X MALE COUPLER
90.394.400	4"	MALE BARB X MALE COUPLER

TYPE F ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.395.034	¾"	MALE COUPLER X MPT
90.395.100	1"	MALE COUPLER X MPT
90.395.114	1 ¼"	MALE COUPLER X MPT
90.395.112	1 ½"	MALE COUPLER X MPT
90.395.200	2"	MALE COUPLER X MPT
90.395.300	3"	MALE COUPLER X MPT
90.395.400	4"	MALE COUPLER X MPT

TYPE DC ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.396.034	¾"	DUST CAP
90.396.100	1"	DUST CAP
90.396.114	1 ¼"	DUST CAP
90.396.112	1 ½"	DUST CAP
90.396.200	2"	DUST CAP
90.396.300	3"	DUST CAP
90.396.400	4"	DUST CAP

TYPE DP ALUMINUM CAMLOCK



PART#	SIZE	THREAD
90.397.034	¾"	DUST PLUG
90.397.100	1"	DUST PLUG
90.397.114	1 ¼"	DUST PLUG
90.397.112	1 ½"	DUST PLUG
90.397.200	2"	DUST PLUG
90.397.300	3"	DUST PLUG
90.397.400	4"	DUST PLUG

TYPE A POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.720.034	¾"	MALE COUPLER X FPT
90.720.100	1"	MALE COUPLER X FPT
90.720.114	1 ¼"	MALE COUPLER X FPT
90.720.112	1 ½"	MALE COUPLER X FPT
90.737.040	2"	MALE COUPLER X FPT
90.720.300	3"	MALE COUPLER X FPT

TYPE B POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.721.034	¾"	FEMALE COUPLER X MPT
90.721.100	1"	FEMALE COUPLER X MPT
90.721.114	1 ¼"	FEMALE COUPLER X MPT
90.721.112	1 ½"	FEMALE COUPLER X MPT
90.737.300	2"	FEMALE COUPLER X MPT
90.721.300	3"	FEMALE COUPLER X MPT

TYPE C POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.722.034	¾"	MALE BARB X FEMALE COUPLER
90.722.100	1"	MALE BARB X FEMALE COUPLER
90.722.114	1 ¼"	MALE BARB X FEMALE COUPLER
90.722.112	1 ½"	MALE BARB X FEMALE COUPLER
90.737.360	2"	MALE BARB X FEMALE COUPLER
90.722.300	3"	MALE BARB X FEMALE COUPLER

TYPE D POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.723.034	¾"	FEMALE COUPLER X FPT
90.723.100	1"	FEMALE COUPLER X FPT
90.723.114	1 ¼"	FEMALE COUPLER X FPT
90.723.112	1 ½"	FEMALE COUPLER X FPT
90.737.240	2"	FEMALE COUPLER X FPT
90.723.300	3"	FEMALE COUPLER X FPT

TYPE E POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.724.034	¾"	MALE BARB X MALE COUPLER
90.724.100	1"	MALE BARB X MALE COUPLER
90.724.114	1 ¼"	MALE BARB X MALE COUPLER
90.724.112	1 ½"	MALE BARB X MALE COUPLER
90.737.160	2"	MALE BARB X MALE COUPLER
90.724.300	3"	MALE BARB X MALE COUPLER

TYPE F POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.725.034	¾"	MALE COUPLER X MPT
90.725.100	1"	MALE COUPLER X MPT
90.725.114	1 ¼"	MALE COUPLER X MPT
90.725.112	1 ½"	MALE COUPLER X MPT
90.737.100	2"	MALE COUPLER X MPT
90.725.300	3"	MALE COUPLER X MPT

TYPE DC POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.726.034	¾"	DUST CAP
90.726.100	1"	DUST CAP
90.726.114	1 ¼"	DUST CAP
90.726.112	1 ½"	DUST CAP
90.737.500	2"	DUST CAP
90.726.300	3"	DUST CAP

TYPE DP POLYPROPYLENE CAMLOCK



PART#	SIZE	THREAD
90.727.034	¾"	DUST PLUG
90.727.100	1"	DUST PLUG
90.727.112	1 ½"	DUST PLUG
90.737.440	2"	DUST PLUG
90.727.300	3"	DUST PLUG

Inverters

HIGH TECHNOLOGY IN A SMALL PACKAGE

FUEL EFFICIENT - The CPU senses how much demand is needed and powers up the machine to give just enough. This makes the machine fuel efficient, only using what is needed for the given task.

CLEAN ENERGY - The design of the units features clean power output with little distortion in its energy signature. This means that your sensitive electronics - such as computers, programmable thermostats, and televisions - will not be harmed in any way.

QUIET - The noise output, even at full power, is a fraction compared to conventional generators. This makes the inverter ideal for the workplace, fishing, or camping.

PORTABLE - Inverter generators are designed to be as lightweight and compact as possible. They tend to be smaller than a conventional generator and can be packed easily into any vehicle or camper/trailer.

Generators

RAW POWER IN A CONVENTIONAL PACKAGE

HIGH POWER OUTPUT - The simple design allows for higher maximum power output that makes our generators well suited to handle power tools, and other high demand devices.

ROBUST DESIGN - Built into a large roll cage frame, our generators are durable machines for many work environments.

LARGER FUEL TANKS - Though not as fuel efficient as inverters, they make up for it with larger tanks that gives them extended run time for long jobs.

PRICE - When cost saving is the top priority, conventional generators are a great alternative to inverter style generators.

1200 WATT INVERTER

60cc POWEREASE
RECOIL START
1200 RUNNING WATT OUTPUT
12V DC
1 x 120V DUPLEX (20A)
RATED AMP: 8.3A
MAX AMP: 9.16A
BREAKER: 8A
ULTRA QUIET-RUNNING
2 USB PORTS
AUTOMATIC THROTTLE SAVES FUEL
PARALLEL CAPABILITY
DECIBEL RATING: 57DB @ RATED LOAD
64DB @ FULL LOAD

NEW



PART# BE1200I

SHIPPING INFORMATION

WEIGHT: 33LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 20"x11"x17"

WORKSHOP SERIES



3600 WATT INVERTER

212cc POWEREASE
ELECTRIC START
3000 RUNNING WATT OUTPUT
2x USB PORTS
LED CONTROL PANEL
1 x 120V 20A Duplex
1 x 120V 30A Twistlock
12V DC 8.3A
RATED AMP: 25A
ULTRA QUIET-RUNNING
AUTOMATIC THROTTLE SAVES FUEL
9L/2.2 GAL FUEL TANK CAPACITY
PARALLEL CAPABILITY
DECIBEL RATING: 59DB @ RATED LOAD
53DB @ 1/4 LOAD

NEW



PART# BE3600IE

SHIPPING INFORMATION

WEIGHT: 107LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 32"x24"x30"

COMMERCIAL SERIES

PARALLEL CAPABILITY

Parallel Kit P/N: **85.571.903**



2100 WATT INVERTER

79cc POWEREASE
RECOIL START
1800 RUNNING WATT OUTPUT
1 x 120V DUPLEX (20A)
1 x 12V DC 8.3A DC
RATED AMP: 13.3A
ULTRA QUIET-RUNNING
2 USB PORTS
AUTOMATIC THROTTLE SAVES FUEL
4.2/1.1 GAL FUEL TANK CAPACITY
PARALLEL CAPABILITY
DECIBEL RATING: 59DB @ RATED LOAD
53DB @ 1/4 LOAD

NEW



PART# BE2100I

SHIPPING INFORMATION

WEIGHT: 48LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 21"x12"x19"

WORKSHOP SERIES

PARALLEL CAPABILITY

Parallel Kit P/N: **85.571.902**



Parallel Cord P/N: **85.591.902**



3500 WATT INVERTER

212cc POWEREASE
ELECTRIC START
3000 RUNNING WATT OUTPUT
1 x 120V DUPLEX (20A)
1 x 120V TWISTLOCK (30A)
12V 8A
RATED AMP: 25A
MAX AMP: 29.1A
RUNS MOST 13,500 BTU RV AC UNITS AND MORE
PARALLEL CAPABILITY
DECIBEL RATING: 60DB @ RATED LOAD
50DB @ 1/4 LOAD
AUTO THROTTLE
DIGITAL DISPLAY METER
LOCKING WHEEL SYSTEM

PART# I3500L

SHIPPING INFORMATION

WEIGHT: 107LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 32"x24"x30"

COMMERCIAL SERIES

PARALLEL CAPABILITY WHEN USING EXTERNAL PARALLEL BOX

Parallel Kit P/N: **85.591.901**



3500 WATT INVERTER

212cc POWEREASE
RECOIL START
3000 RUNNING WATT OUTPUT
2x USB PORTS
1 x 120V 20A Duplex
1 x 120V 30A Twistlock
12V DC 8.3A
RATED AMP: 13.3A
ULTRA QUIET RUNNING
AUTOMATIC THROTTLE SAVES FUEL
9L/2.2 GAL FUEL TANK CAPACITY
PARALLEL CAPABILITY
DECIBEL RATING: 59DB @ RATED LOAD
53DB @ 1/4 LOAD

NEW



PART# BE3500IP

SHIPPING INFORMATION

WEIGHT: 107LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 32"x24"x30"

COMMERCIAL SERIES

PARALLEL CAPABILITY

Parallel Kit P/N: **85.571.903**



3500 WATT GENERATOR

208cc POWEREASE
RECOIL START
LOW OIL SHUTDOWN
3500 MAX WATT OUTPUT
2800 RUNNING WATT OUTPUT
FUEL GAUGE
RECEPTACLES:
2 X 120V 20A DUPLEX
1 X 120V 30A TWISTLOCK
RATED AMP: 23.3A
MAX AMP: 29.1A
BREAKER: 24A

PART# BE3500PS

SHIPPING INFORMATION

WEIGHT: 110LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 24"x19"x19"

WORKSHOP SERIES



4200 WATT GENERATOR

223cc POWEREASE
 RECOIL START
 LOW OIL SHUTDOWN
 4200 MAX WATT OUTPUT
 3500 RUNNING WATT OUTPUT
 FUEL GAUGE
 9" FLAT FREE TIRES
 VOLTAGE SELECTOR
 RECEPTACLES:
 2 X 120V 20A DUPLEX
 1 X 120V/240V 4 PRONG TWISTLOCK
 RATED AMP: 29.1A/14.6A
 MAX AMP: 35A/17.5A
 BREAKER: 18.9A

FEATURES
 RECOIL START
 LOW OIL SHUTDOWN
 AUTOMATIC VOLTAGE REGULATOR (AVR)
 THD (TOTAL HARMONIC DISTORTION) 8.0
 CONT. AMPS (120V) 29A
 FUEL TANK CAPACITY: 15 L/ 3.9 GAL
 8" WHEEL KIT
 VOLTAGE SELECTOR
 FUEL GAUGE
 • CIRCUIT BREAKERS
 1 X 20A 120V *PUSH TO RESET
 1 X 14A DUAL POLE 240V *PUSH TO RESET



PART# BE4200PS

SHIPPING INFORMATION
WEIGHT: 120LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 24"x19"x19"



6500 WATT GENERATOR ELECTRIC START

389cc POWEREASE
 ELECTRIC START
 6500 MAX AC OUTPUT
 5500 RUNNING WATT OUTPUT
 RECEPTACLES:
 2 X 120V 20A DUPLEX
 1 X 120V TWISTLOCK
 1 X 240V TWISTLOCK
 12V DC 8.3A
 RATED AMP: 45.8A/22.9A
 MAX AMP: 54.1A/27A
 BREAKER: 23.3A
 LOW OIL SHUTDOWN
 AUTOMATIC VOLTAGE REGULATOR (AVR)
 9" FLAT FREE TIRES / HANDLES INCLUDED
 (REPLACEMENT HANDLE KIT P/N 85.571.087)

FEATURES
 NOISE LEVEL @ 7M: 74DB
 FUEL TANK CAPACITY: 25 L/ 6.6 GAL
 RUN TIME PER TANK: 7H @ FULL LOAD
 VOLT METER
 FUEL GAUGE
 CIRCUIT BREAKERS
 FLAT FREE TIRES
 BATTERY INCLUDED (P/N 85.571.095LI)
 AUTOMATIC IDLE DOWN



PART# BE-6500ER

SHIPPING INFORMATION
WEIGHT: 195LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 28"x23"x23"



9000 WATT GENERATOR ELECTRIC START

420cc POWEREASE
 ELECTRIC START
 9000 MAX AC OUTPUT
 7100 RUNNING WATT OUTPUT
 RECEPTACLES:
 3 X 120V 20A DUPLEX
 1 X 120V TWISTLOCK
 1 X 240V TWISTLOCK
 12V DC 8.3A
 RATED AMP: 59.2A/29.6A
 MAX AMP: 75A/37.5A
 BREAKER: 27A
 LOW OIL SHUTDOWN
 AUTOMATIC VOLTAGE REGULATOR (AVR)
 9" FLAT FREE TIRES / HANDLES INCLUDED
 (REPLACEMENT HANDLE KIT P/N 85.571.087)

FEATURES
 NOISE LEVEL @ 7M: 78DB
 FUEL TANK CAPACITY: 25 L/ 6.6 GAL
 RUN TIME PER TANK: 6.5H @ FULL LOAD
 VOLT METER
 FUEL GAUGE
 CIRCUIT BREAKERS
 FLAT FREE TIRES
 BATTERY INCLUDED (P/N 85.571.095LI)
 AUTOMATIC IDLE DOWN



PART# BE-9000ER

SHIPPING INFORMATION
WEIGHT: 212LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 28"x23"x23"



9400 WATT GENERATOR DUAL FUEL

GAS & PROPANE
 459cc POWEREASE
 ELECTRIC START
 9400 MAX WATT OUTPUT (GASOLINE)
 9000 MAX WATT OUTPUT (LPG)
 7500 RUNNING WATT OUTPUT (GASOLINE)
 7000 RUNNING WATT OUTPUT (LPG)
 RECEPTACLES:
 4 X 120V 20A DUPLEX
 1 X 120V 30A TWISTLOCK
 1 X 120/240V 50A
 RATED AMP (GASOLINE): 62.5A/31.3A
 MAX AMP (GASOLINE): 66.6A/33.3A
 RATED AMP (LPG): 58.3A/29.2A
 MAX AMP (LPG): 62.5A/31.3A
 MAIN BREAKER: 32A

FEATURES
 FUEL TANK CAPACITY: 26.5L/ 7 GAL
 RUN TIME PER TANK:
 8H @ FULL LOAD (GASOLINE)
 12H @ 1/2 LOAD (GASOLINE)
 LOW OIL SHUTDOWN
 AUTOMATIC VOLTAGE REGULATOR (AVR)
 9" FLAT FREE TIRES
 BATTERY INCLUDED
 HOUR METER



PART# BE9400DFS

SHIPPING INFORMATION
WEIGHT: 195LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 28"x23"x23"



*TANK NOT INCLUDED



12000 WATT GENERATOR ELECTRIC START

459cc POWEREASE
 ELECTRIC START
 LOW OIL SHUTDOWN
 12000 MAX OUTPUT
 9000 RUNNING WATT OUTPUT
 RECEPTACLES:
 1 X 120V/240V RATED VOLTAGE

FEATURES
 26.5L/7 GAL FUEL TANK CAPACITY
 RUN TIME PER TANK: 7H @ FULL LOAD
 HOUR METER
 FUEL GAUGE
 CIRCUIT BREAKERS
 9" FLAT FREE TIRES
 LOW OIL SHUTDOWN
 14A BATTERY INCLUDED



PART# BE12000ES

SHIPPING INFORMATION
WEIGHT: 300LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 32"x25"x30"



12000 WATT GENERATOR ELECTRIC START

622cc POWEREASE
 ELECTRIC START
 12000 MAX AC OUTPUT
 9500 RUNNING WATT OUTPUT
 RECEPTACLES:
 2 X 120V 20A DUPLEX
 1 X 120V 30A TWISTLOCK
 1 X 120V/240V 30A TWISTLOCK
 1 X 120V/240V 50A
 12V DC 8.3A
 RATED AMP: 79.2A/39.6A
 MAX AMP: 87.5A/43.8A
 BREAKER: 44A

FEATURES
 FUEL TANK CAPACITY: 40 L/ 11 GAL
 RUN TIME PER TANK: 6H @ FULL LOAD
 HOUR METER
 FUEL GAUGE
 CIRCUIT BREAKERS
 9" FLAT FREE TIRES
 LOW OIL SHUTDOWN
 BATTERY INCLUDED



PART# BE-12000ER


SHIPPING INFORMATION
WEIGHT: 330LBS
UNITS PER PALLET: 2
DIMENSIONS (LxWxH): 32"x25"x30"



**RV PLUG ADAPTER
125V NEMA L5-30P PLUG**

CONNECT YOUR RV'S 30A PLUG TO YOUR GENERATOR'S 30A TWIST-LOCK OUTLET
CONVERTS L5-30P TO AN RV TT-30R
DURABLE - UL LISTED FOR OUTDOOR USE
COMPACT RV ADAPTER PLUG

PART# 85.508.005



**50' HEAVY DUTY
EXTENSION CORD
LIGHT TRIPLE END**

10/3 SJTW CABLE
STANDARD 15A 120V PLUGS

PART# 85.508.006



**100' HEAVY DUTY
EXTENSION CORD
LIGHT SINGLE END**

10/3 SJTW CABLE
STANDARD 15A 120V PLUGS

PART# 85.508.007



**PARALLEL BOX
FOR I2000L
PART# 85.571.902**




**PARALLEL BOX
FOR I3000R
PART# 85.571.903**



**GENERATOR CORD
25FT, 3750 WATT**

MAX 30 AMPS, 125V
PLUG TYPE: (1) NEMA L5-30P
RECEPTACLE TYPE: (3) NEMA 5-15R
25 FT GENERATOR CORD
10 GAUGE AWG
SJTW INSULATION
OUTLETS EQUIPPED WITH WEATHER GUARD FOR OUTDOOR USE


PART# 85.508.001



**GENERATOR CORD
25FT, 7500 WATT**

MAX 30 AMPS, 250V
PLUG TYPE: (1) NEMA L14-30P
RECEPTACLE TYPE: (4) NEMA 5-20R
25 FT GENERATOR CORD
10 GAUGE AWG
SJTW INSULATION
OUTLETS EQUIPPED WITH WEATHER GUARD FOR OUTDOOR USE


PART# 85.508.002



**GENERATOR Y ADAPTER
3 FT**

MAX 30 AMPS, 250V
AWG: 10 GAUGE, SJTW
PLUG TYPE: (1) NEMA L14-30P
RECEPTACLE TYPE: (2) NEMA 5-20R
CONVERT 240 TWIST-LOCK INTO (2) STANDARD HOME OUTLETS
WEATHER-RESISTANT, THERMO-VINYL JACKET

PART# 85.508.004



**PARALLEL BOX
CONNECT 2 3500W
PART# 85.591.901**



GENERATOR COVER

MADE FROM DURABLE, WATER RESISTANT VINYL
ADJUSTABLE DRAWSTRING FOR A SECURE FIT
PROTECT YOUR GENERATOR FROM THE ELEMENTS

FITS 3100-4200 WATT GENERATOR
PART# 85.508.008



**25FT GENERATOR
CORD REEL**

360 TOP-SWIVEL HOOK
CASE PROVIDES EXTRA DURABILITY
16/3 SJTW CORD
5-15P PLUG
3 OUTLET 5-15R RECEPTACLE

PART# 85.508.025



**50FT GENERATOR
CORD REEL**

360 TOP-SWIVEL HOOK
CASE PROVIDES EXTRA DURABILITY
16/3 SJTW CORD
5-15P PLUG
1 OUTLET 5-15R RECEPTACLE

PART# 85.508.050



**PARALLEL CABLE
FOR I2000L & BE2100I
PART# 85.591.902**



GENERATOR COVER

MADE FROM DURABLE, WATER RESISTANT VINYL
ADJUSTABLE DRAWSTRING FOR A SECURE FIT
PROTECT YOUR GENERATOR FROM THE ELEMENTS

FITS 5200-10000 WATT GENERATOR
PART# 85.508.009



**INVERTER COVER
FITS 3500 WATT INVERTER**

MADE FROM DURABLE, WATER RESISTANT,
VINYL BACKED POLYESTER
ADJUSTABLE DRAWSTRING FOR A SECURE FIT
PROTECT YOUR GENERATOR FROM THE ELEMENTS

PART# 85.508.015



5 TON LOG SPLITTER

5 TON ELECTRIC LOG SPLITTER
115V, 60HZ
1300W POWER OUTPUT
12A RATED CURRENT
3400 RPM
2700 PSI
3.8L OIL CAPACITY
2.2" CYLINDER BORE

PART# LS5TELL



SHIPPING INFORMATION

WEIGHT: 110LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 48"x11"x18"

LOG SPLITTER COVER

MADE FROM DURABLE, WATER RESISTANT VINYL
ADJUSTABLE DRAWSTRING FOR A SECURE FIT
PROTECT YOUR LOG SPLITTER FROM THE ELEMENTS

FITS 25 TON LOG SPLITTER
PART# 85.509.001




25 TON HORIZONTAL & VERTICAL LOG SPLITTER

25" LOG LENGTH
3 POSITION CONTROL WITH AUTOMATIC RAM RETURN
EXTRA WIDE HEAVY DUTY LOG TRAYS
FULL BEAM
HEAVY DUTY TAPERED WHEEL BEARING
*4 WAY WEDGE OPTIONAL (P/N LS4LWEDGE-NS)

25 TON, 160cc HONDA GC160
PART# BE-LS25TLE5GC

*SHIPS IN A CRATE
*45 MINUTE ASSEMBLY TIME REQUIRED

VERTICAL OPTION →



NEW



DOT TIRES

SHIPPING INFORMATION

WEIGHT: 475LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 85"x43"x38"



WORKSHOP SERIES 7 GALLON PORTABLE AIR TANK

PRESSURE GAUGE
REGULATOR & REGULATOR PROTECTOR
AIR FILLED CHUCK & HOSE
AIR BLEED VALVE
CARRY HANDLE
ROLLOVER CAGE

PART# 67.000.700



SHIPPING INFORMATION

WEIGHT: 20LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 17"x12"x14"



WORKSHOP SERIES 11 GALLON PORTABLE AIR TANK

PRESSURE GAUGE
REGULATOR & REGULATOR PROTECTOR
AIR FILLED CHUCK & HOSE
AIR BLEED VALVE
CARRY HANDLE
ROLLOVER CAGE

PART# 67.001.100



SHIPPING INFORMATION

WEIGHT: 31LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 23"x13"x14"



WORKSHOP SERIES 60 GALLON STORAGE TANK

PART# AT6

NEW



SHIPPING INFORMATION

WEIGHT: 134LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 52"x23"x23"



WORKSHOP SERIES 6 GALLON HORIZONTAL COMPRESSOR

2.0 HP
6 GALLON
120V
5.3 CFM @ 40 PSI
4 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

FEATURES
CAST IRON PUMP CYLINDER
OIL LUBRICATED PUMP
6" FLAT FREE TIRES

PART# AC206



SHIPPING INFORMATION

WEIGHT: 25LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 23.5"x11"x25"



WORKSHOP SERIES 10 GALLON VERTICAL COMPRESSOR

2.0 HP
10 GALLON
120V
5.3 CFM @ 40 PSI
4 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

FEATURES
CAST IRON PUMP CYLINDER
PANEL INTEGRATED CONTROLS
OIL LUBRICATED PUMP
8" FLAT FREE TIRES

PART# AC2010



SHIPPING INFORMATION

WEIGHT: 80LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 37"x17"x17"



WORKSHOP SERIES 20 GALLON VERTICAL COMPRESSOR

2.0 HP
20 GALLON
120V
5.3 CFM @ 40 PSI
4 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

FEATURES
CAST IRON PUMP CYLINDER
OIL LUBRICATED PUMP
8" FLAT FREE TIRES

PART# AC2020



SHIPPING INFORMATION

WEIGHT: 180LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 20"x15"x53"



COMMERCIAL SERIES 1.6 GALLON (6L) BEAD SEATER

A BEAD SEATER PROVIDES A SIMPLE, FAST, SAFE AND ECONOMICAL WAY TO SEAT EVEN THE MOST DIFFICULT BEADS ON TIRES

PART# ACB6



SHIPPING INFORMATION
WEIGHT: 33LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 18"x17"x13"



COMMERCIAL SERIES 2.1 GALLON COMPRESSOR

2.0 HP
2.1 GALLON
120V
4.0 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

FEATURES
100% DUTY-CYCLE ELECTRIC MOTOR
BALL VALVE TANK DRAIN
CONRADER VALVE
METAL AIR FILTER

PART# AC203C



SHIPPING INFORMATION
WEIGHT: 43LBS
UNITS PER PALLET: 16
DIMENSIONS (LxWxH): 20"x9"x18"



COMMERCIAL SERIES 4.2 GALLON PORTABLE TWIN TANK COMPRESSOR

2.0 HP
4.2 GALLON
120V
4.0 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

FEATURES
100% DUTY-CYCLE ELECTRIC MOTOR
BALL VALVE TANK DRAIN
CONRADER VALVE
METAL AIR FILTER

PART# AC205C



SHIPPING INFORMATION
WEIGHT: 62LBS
UNITS PER PALLET: 18
DIMENSIONS (LxWxH): 20"x15"x17"



COMMERCIAL SERIES 5 GALLON CONTRACTOR DUTY COMPRESSOR

2.5 HP
5 GALLON
120V
6.9 CFM @ 40 PSI
6.5 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

FEATURES
CAST IRON PUMP
CYLINDER SPACE
FOLDABLE HANDLE
OIL LUBRICATED PUMP
86 DECIBELS
FLAT FREE TIRES

PART# AC255



SHIPPING INFORMATION
WEIGHT: 110LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 29"x22"x44"



COMMERCIAL SERIES 20 GALLON CONTRACTOR DUTY HORIZONTAL COMPRESSOR

3.0 HP
20 GALLON
120V
7 CFM @ 40 PSI
5.7 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR
BELT DRIVE

FEATURES
CAST IRON PUMP CYLINDER
OIL LUBRICATED PUMP
CONRADER VALVE
8" FLAT FREE WHEELS

PART# AC3220B



SHIPPING INFORMATION
WEIGHT: 160LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 35"x20"x32"



COMMERCIAL SERIES 2 GALLON OIL-FREE COMPRESSOR

0.75 HP
2 GALLON
120V
3.9 CFM @ 40 PSI
2.3 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

**QUIET
OPERATING**

FEATURES
QUIET OPERATING
LOW MAINTENANCE
OIL-FREE, CLEAN AIR SUPPLY
CONRADER VALVE

PART# AC072



SHIPPING INFORMATION
WEIGHT: 31LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 18"x14"x15"



COMMERCIAL SERIES 4 GALLON TWIN TANK OIL-FREE COMPRESSOR

1.0 HP
4 GALLON
120V
4.7 CFM @ 40 PSI
2.8 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

**QUIET
OPERATING**

FEATURES
QUIET OPERATING
LOW MAINTENANCE
OIL-FREE, CLEAN AIR SUPPLY
CONRADER VALVE

PART# AC104



SHIPPING INFORMATION
WEIGHT: 53LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 17"x17"x20"



COMMERCIAL SERIES 10 GALLON OIL-FREE COMPRESSOR

2.0 HP
10 GALLON
120V
7 CFM @ 40 PSI
5.3 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR

**QUIET
OPERATING**

FEATURES
QUIET OPERATING
LOW MAINTENANCE
OIL-FREE, CLEAN AIR SUPPLY
FLAT FREE TIRES
CONRADER VALVE

PART# AC210



SHIPPING INFORMATION
WEIGHT: 90LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 19"x16"x30"



COMMERCIAL SERIES 30 GALLON CONTRACTOR DUTY VERTICAL COMPRESSOR

3.0 HP
30 GALLON
120V
7 CFM @ 40 PSI
5.7 CFM @ 90 PSI
SINGLE STAGE COMPRESSOR
BELT DRIVE

FEATURES
CAST IRON PUMP CYLINDER
OIL LUBRICATED PUMP
CONRADER VALVE
8" FLAT FREE TIRES

PART# AC3230B



SHIPPING INFORMATION
WEIGHT: 190LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 25"x25"x50"



COMMERCIAL SERIES 60 GALLON AIR COMPRESSOR

5.0 HP TEFC MOTOR
60 GALLON
208/230V
12.5 CFM @ 90 PSI
CAST IRON PUMP CYLINDER
ASME TESTED POWDER COATED
STEEL TANK

FEATURES
FULLY ENCLOSED BELT GUARD
INCLUDES PRESSURE GAUGE

PART# AC5161B



SHIPPING INFORMATION
WEIGHT: 260LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 27"x20"x65"



COMMERCIAL SERIES 60 GALLON AIR COMPRESSOR

5.0 HP TEFC MOTOR
60 GALLON
208/230V
18 CFM @ 90 PSI
CAST IRON PUMP CYLINDER
ASME TESTED POWDER COATED STEEL TANK

FEATURES
FULLY ENCLOSED BELT GUARD
INCLUDES PRESSURE GAUGE

PART# AC5161BP



SHIPPING INFORMATION
WEIGHT: 280LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 30"x20"x66"



INDUSTRIAL SERIES 80 GALLON AIR COMPRESSOR

80 GALLON
TWO STAGE COMPRESSOR
HEAVY TWO STAGE SOLID CAST IRON PUMP
DISK AND SPRING VALVES
BEARINGS ON BOTH ENDS OF THE CRANKSHAFT
ASME TESTED POWDER COATED STEEL TANK
BELT DRIVE

FEATURES
TORRINGTON NEEDLE BEARINGS
AUTO START/STOP
HEAVY DUTY AIR FILTER
CENTRIFUGAL UNLOADER
ACCESS TO COMPRESSOR VALVES
WITHOUT COMPRESSOR HEAD REMOVAL

7.5 HP, 24 CFM @ 175 PSI
208/230V - 1 PHASE
PART# AC7580B

208/230/460V - 3 PHASE
PART# AC7580B3

10 HP, 36 CFM @ 175 PSI
208/230V - 1 PHASE
PART# AC1080B

208/230/460V - 3 PHASE
PART# AC1080B3

SHIPPING INFORMATION
WEIGHT: 445LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 32"x26"x78"



COMMERCIAL SERIES 5.0 HP, 80 GALLON AIR COMPRESSOR

80 GALLON
5.0 HP
17.5 CFM @ 175 PSI
TWO STAGE COMPRESSOR
HEAVY TWO STAGE SOLID CAST IRON PUMP
DISK AND SPRING VALVES
BEARINGS ON BOTH ENDS OF THE CRANKSHAFT
ASME TESTED POWDER COATED STEEL TANK
BELT DRIVE

FEATURES
TORRINGTON NEEDLE BEARINGS
AUTO START/STOP
HEAVY DUTY AIR FILTER
CENTRIFUGAL UNLOADER
ACCESS TO COMPRESSOR VALVES
WITHOUT COMPRESSOR HEAD REMOVAL

208/230V - 1 PHASE **PART# AC5080B** 208/230/460V - 3 PHASE **PART# AC5080B3**

SHIPPING INFORMATION
WEIGHT: 445LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 32"x26"x78"



INDUSTRIAL SERIES 120 GALLON AIR COMPRESSOR

10 HP
TWO STAGE COMPRESSOR
36 CFM @ 175 PSI
HEAVY TWO STAGE SOLID CAST IRON PUMP
DISK AND SPRING VALVES
BEARINGS ON BOTH ENDS OF THE CRANKSHAFT
ASME TESTED POWDER COATED STEEL TANK

208/230V - 1 PHASE
PART# AC10120B

208/230/460V - 3 PHASE
PART# AC10120B3



SHIPPING INFORMATION
WEIGHT: 482LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 42"x70"x50"



COMMERCIAL SERIES 8 GALLON PORTABLE GAS AIR COMPRESSOR

8 GALLON
13.8 CFM @ 90 PSI
12.7 CFM @ 100 PSI
SINGLE STAGE COMPRESSOR
BELT DRIVE
WHEEL BARROW

FEATURES
HEAVY CAST IRON PUMP
SINGLE FLAT FREE TIRE
PANEL INTEGRATED CONTROLS
CONRADER VALVE

196cc HONDA GX200 ENGINE
PART# AC658HB

PART# AC708RB



SHIPPING INFORMATION
WEIGHT: 175LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 45"x23"x30"



COMMERCIAL SERIES 8 GALLON PORTABLE AIR COMP / GEN COMBO

AIR COMPRESSOR
389CC HONDA GX390 ENGINE
ELECTRIC START
8 GALLON
16.4 CFM @ 90 PSI
16 CFM @ 175 PSI
CONRADER VALVE
SINGLE FLAT FREE TIRE

GENERATOR
MAX. AC OUTPUT 4000W
CONTINUOUS OUTPUT 2300W
CONTINUOUS WITH COMPRESSOR ON 3500W
RECEPTACLES: NEMA 5-15R
*BATTERY INCLUDED

PART# AC138HEG2

SHIPPING INFORMATION
WEIGHT: 400LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 52"x28"x34"



COMMERCIAL SERIES 8 GALLON PORTABLE GAS AIR COMPRESSOR

8 GALLON
20.5 CFM @ 90 PSI
18.5 CFM @ 100 PSI
TWO STAGE COMPRESSOR
BELT DRIVE
WHEEL BARROW

FEATURES
HEAVY CAST IRON PUMP
FLAT FREE TIRES
PANEL INTEGRATED CONTROLS
CONRADER VALVE

270CC HONDA GX270
PULL START
PART# AC908HB

389CC HONDA GX390
ELECTRIC START
PART# AC138HEB



SHIPPING INFORMATION
WEIGHT: 280LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 46"x30"x30"



COMMERCIAL SERIES 8 GALLON STATIONARY AIR COMP / GEN COMBO

AIR COMPRESSOR
389CC HONDA GX390 ENGINE
ELECTRIC START
8 GALLON
16.4 CFM @ 90 PSI
16 CFM @ 175 PSI
CONRADER VALVE

GENERATOR
MAX. AC OUTPUT 4000W
CONTINUOUS OUTPUT 2300W
CONTINUOUS WITH COMPRESSOR ON 3500W
RECEPTACLES: NEMA 5-15R
*BATTERY INCLUDED

PART# AC138HEG2S

SHIPPING INFORMATION
WEIGHT: 395LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 52"x28"x34"



COMMERCIAL SERIES 30 GALLON STATIONARY AIR COMPRESSOR

270cc HONDA GX270 ENGINE
PULL START
30 GALLON
16 CFM @ 175 PSI
TWO STAGE COMPRESSOR
HEAVY TWO STAGE SOLID CAST IRON PUMP
DISK AND SPRING VALVES
BEARINGS ON BOTH ENDS OF THE CRANKSHAFT
ASME TESTED POWDER COATED STEEL TANK

PART# AC930HB



SHIPPING INFORMATION
WEIGHT: 482LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 40"x20"x42"



COMMERCIAL SERIES 30 GALLON STATIONARY AIR COMP / GEN COMBO

AIR COMPRESSOR
389cc HONDA GX390 ENGINE
ELECTRIC START
30 GALLON
22 CFM @ 100 PSI
16 CFM @ 175 PSI

GENERATOR
CONTINUOUS OUTPUT 4000W
CONTINUOUS WITH COMPRESSOR ON 3500W
RECEPTACLES: NCMA 5-15R
*BATTERY NOT INCLUDED (P/N: 85.571.193)

PART# AC1330HEBG2S



SHIPPING INFORMATION
WEIGHT: 575LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 48"x31"x58"



INDUSTRIAL SERIES 30 GALLON STATIONARY AIR COMPRESSOR

389cc HONDA GX390 ENGINE
ELECTRIC START
30 GALLON
23 CFM @ 175 PSI
TWO STAGE COMPRESSOR
HEAVY TWO STAGE SOLID CAST IRON PUMP
DISK AND SPRING VALVES
BEARINGS ON BOTH ENDS OF THE CRANKSHAFT
ASME TESTED POWDER COATED STEEL TANK
BELT DRIVE

PART# AC1330HEB2



SHIPPING INFORMATION
WEIGHT: 482LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 40"x20"x42"



INDUSTRIAL SERIES 30 GALLON STATIONARY AIR COMP / WELD / GEN COMBO

19 CFM @ 175 PSI / 250 AMP WELDER / 5500 WATTS

COMPRESSOR FEATURES
389cc HONDA OHV GX390 ENGINE
ELECTRIC START W/ BATTERY
30 GALLON
22 CFM @ 100 PSI
19 CFM @ 175 PSI

GENERATOR
5500 MAX AC OUTPUT
5000 AC CONTINUOUS OUTPUT

WELDER FEATURES
AMP RANGE - 180 - 250A
DUTY CYCLE - 250AMPS @ 70%
DC VOLTAGE - 120 - 180A

PART# AC1330HB3000W



SHIPPING INFORMATION
WEIGHT: 585LBS
UNITS PER PALLET: 1
DIMENSIONS (LxWxH): 48"x31"x58"



2 PIECE MNPT AUTOMOTIVE "T" STYLE PLUG KIT

SIZE: 1/4" MNPT
PART# 42.000.039



2 PIECE FNPT AUTOMOTIVE "T" STYLE PLUG KIT

SIZE: 1/4" FNPT
PART# 42.000.040



MNPT AUTOMOTIVE "T" STYLE COUPLER

SIZE: 1/4" MNPT
PART# 42.000.041



FNPT AUTOMOTIVE "T" STYLE COUPLER

SIZE: 1/4" F NPT
PART# 42.000.042



1/4" 5 PIECE AUTOMOTIVE "T" STYLE KIT

SIZE: 1 X 1/4" FNPT COUPLER,
1 X 1/4" FNPT PLUG,
3 X 1/4" MNPT PLUG
PART# 42.000.043



S WIVEL CONNECTOR "M" STYLE

SIZE: 1/4" CONNECTOR
PART# 42.000.021



MALE BRASS COUPLINGS

SIZE: 1/4" MNPT X 1/4" MNPT
PART# 42.000.022



FEMALE BRASS COUPLINGS

SIZE: 1/4" FNPT X 1/4" FNPT
PART# 42.000.023



3 WAY MANIFOLD

SIZE: 1/4" FNPT
INLET: 3/8" FNPT
PART# 42.000.017



2 WAY MANIFOLD

5X: 1/4" FNPT
2X: 1/4" MNPT PLUGS
PART# 42.000.018



BRASS AIR INLINE REGULATOR

INLET: 1/4" FNPT
OUTLET: 1/4" MNPT
PART# 42.000.034



17PCS PNEUMATIC ACCESSORY KIT

PART# 42.000.020

- 2 X 1/4" FEMALE COUPLER
- 2 X 1/4" MALE PLUG
- 2 X 1/4" FEMALE PLUG
- 1 X 1/4" FEMALE ADAPTER NIPPLE
- 2 X 1/4" MALE ADAPTER NIPPLE
- 1 X PENCIL TYPE TIRE GAUGE
- 1 X BLOW GUN
- 1 X SAFETY NOZZLE
- 1 X DUAL TIRE CHUCK
- 1 X TAPERED NOZZLE
- 1 X TEFLON TAPE
- 2 X SPORT BALL NEEDLE



150 PSI HEAVY DUTY LEVER AIR GUN - 1/4" FNPT OUTLET

AIR GUN & WAND
ZINK-ALLOY GUN BODY WITH SATIN FINISH
24" **PART# 42.000.011** 36" **PART# 42.000.012**
48" **PART# 42.000.013**



AIR COMBS - 5 VENT HOLES


CLEANS HARD TO REACH PLACES
12" **PART# 42.000.035** 24" **PART# 42.000.036**
36" **PART# 42.000.037** 48" **PART# 42.000.052**



125 PSI BLOW GUN

INLET: 1/4" FNPT
OUTLET: 1/4" FNPT
STANDARDIZED RUBBER NOZZLE

PART# 42.000.014



HAND CRANK HOSE REEL

50'
3/8" (9.5MM) ID
1/4" ENDS
HEAVY-DUTY STEEL FRAME STRUCTURE
KINK RESISTANT XSTREAM HI-FLEX HOSE
SPRING TENSION BRAKE, SOLID BRASS SWIVEL
3' LEADER HOSE FOR CONNECTING TO AIR COMPRESSOR
360° SWIVEL FITTING
300 PSI MAX
PART# 42.010.043



RETRACTABLE STEEL HOSE REEL

50'
1/4" NPT ID
SPRING POWERED AUTO REWIND
KINK RESISTANT XSTREAM HI-FLEX HOSE
250 PSI MAX
PART# 42.010.023



PISTOL GRIP BLOW GUN

PRECISE TRIGGER GRIP TO MANAGE AIR FLOW
NARROW TIP TO ACCESS HARD TO REACH AREAS

4" 1/4" FNPT **PART# 42.000.015** 20" 1/4" FNPT **PART# 42.000.016**



2 PIECE MNPT INDUSTRIAL "M" STYLE PLUG KIT

SIZE: 1/4" MNPT
PART# 42.000.044



2 PIECE FNPT INDUSTRIAL "M" STYLE PLUG KIT

SIZE: 1/4" FNPT
PART# 42.000.045



AIR HOSE REEL WITH XSTREAM HI-FLEX HOSE

50'
3/8" (9.5MM) ID
OIL, HEAT, OZONE AND ABRASION RESISTANT HOSE
FLEXIBLE IN ALL WEATHER, COMPACT DESIGN
3000 PSI MAX
PART# 42.000.058



WHIP HOSE WITH BALL SWIVEL

3/8" ID WITH BALL VALVE
1/4" MNPT FITTING
BALL SWIVEL TILTS 30°
INCREASE LONGEVITY IN MAIN HOSE
EXTREME ALL WEATHER FLEXIBILITY (-40°F - 150°F)
3000 PSI MAX
PART# 42.000.030



MNPT INDUSTRIAL "M" STYLE COUPLER

SIZE: 1/4" MNPT
PART# 42.000.046



FNPT INDUSTRIAL "M" STYLE COUPLER

SIZE: 1/4" FNPT
PART# 42.000.047



1/4" 5 PIECE INDUSTRIAL "M" KIT

SIZE: 1/4"
PART# 42.000.019



1/4" XSTREAM HI-FLEX AIR HOSE

FITTING : 1/4" MNPT
PSI: 300
SIZE : 25'
PART# 42.010.030
SIZE : 50'
PART# 42.010.031



3/8" XSTREAM HI-FLEX AIR HOSE

FITTING : 1/4" MNPT
PSI: 300
SIZE : 25'
PART# 42.010.033
SIZE : 50'
PART# 42.010.034



HOSE CLAMPS



HOSE BARB SPLICER KIT



MNPT M X M HOSE BARB KIT



1/4" XSTREAM HI-FLEX BULK HOSE PROGRAM

250'
1/4" MNPT
-40F
PSI: 300
PART# 42.010.032



3/8" XSTREAM HI-FLEX BULK HOSE PROGRAM

250'
1/4" MNPT
-40F
PSI: 300
PART# 42.010.035



BRASS AIR TIRE CHUCK



FOOT AIR TIRE CHUCK




TIRE CHUCK



MNPT AIR HOSE END ASSEMBLY KIT


FOR USE WITH 1/4" AIR HOSE
PART# 42.010.038
FOR USE WITH 3/8" AIR HOSE
PART# 42.010.039



COMPLETED VIEW

MNPT AIR HOSE SPLICER ASSEMBLY KIT

FOR USE WITH 1/4" AIR HOSE
PART# 42.010.036
FOR USE WITH 3/8" AIR HOSE
PART# 42.010.037



COMPLETED VIEW

POLYURETHANE COIL HOSE

25' X 3/8" MNPT
PART# 42.000.028

25' X 1/4" MNPT
PART# 42.000.027



10-220 PSI AIR INFLATOR WITH GAUGE

2"
 1/4" FNPT OUTLET
 RUBBER PROTECTED GAUGE
 14" FLEXIBLE HOSE WITH LOCKING HEAD
 BUILT IN BLEED VALVE FOR RELIEVING EXCESS PRESSURE

PART# 42.000.010



1/4" MINI REGULATOR

PART# 42.010.010



3/8" REGULATOR

3/8"
PART# 42.010.011

1/2"
PART# 42.010.012



POCKET BLOW GUN

1/4" INDUSTRIAL INLET PLUG
 CLEANS HARD TO REACH PLACES

PART# 42.000.032



ALUMINUM PENCIL TIRE GAUGE

READS FROM 10-50 PSI

ZINC HEAD
PART# 42.000.033

PLASTIC HEAD
PART# 42.000.038



1/4" MINI AIR FILTER

PART# 42.010.000



1/2" AIR FILTER

3/8"
PART# 42.010.001

1/2"
PART# 42.010.002



HVLP SPRAY GUN

29-51 PSI
 180-250 MM SPRAY WIDTH
 600CC CAPACITY
 4.6-7.1 CFM
 STAINLESS STEEL NEEDLE & NOZZLE
 PRECISE AIR CAP SET
 1.4MM & 2MM TIP SIZES

PART# 42.100.001



INDUSTRIAL HVLP SPRAY 2 GUNS

29-51 PSI
 180-250 MM SPRAY WIDTH
 600CC CAPACITY
 4.6-7.1 CFM
 ENGINEERED TO PRODUCE UNIFORM SPRAY PATTERNS
 1.3MM TIP
 1.8MM TIP

PART# 42.100.000



1/4" MINI AIR FILTER / REGULATOR

PART# 42.010.020



AIR FILTER / REGULATOR

3/8"
PART# 42.010.021

1/2"
PART# 42.010.022



1/4" FILTER REGULATOR CONFIGURATION BRACKETS

- MAX CFM: 21
- MAX PSI: 150
- PSI OUTPUT: 5-150
- TEMP: 32-140°F

FILTER
PART# 42.010.000

CONNECTOR
PART# 42.010.014

REGULATOR
PART# 42.010.010



3/8" FILTER REGULATOR CONFIGURATION BRACKETS

- MAX CFM: 88
- MAX PSI: 215
- PSI OUTPUT: 5-150
- TEMP: 32-140°F

FILTER
PART# 42.010.001

CONNECTOR
PART# 42.010.013

REGULATOR
PART# 42.010.011



1/2" FILTER REGULATOR CONFIGURATION BRACKETS

- MAX CFM: 140
- MAX PSI: 250
- PSI OUTPUT: 5-150
- TEMP: 32-140°F

FILTER
PART# 42.010.002

CONNECTOR
PART# 42.010.015

REGULATOR
PART# 42.010.012



GAUGES

- RATED IN BARS AND PSI
- MALE THREADS ON BACK
- 1-1/2" FACE


FOR 1/4" REGULATORS
PSI: 160
INLET: 1/8"
PART# 85.410.160

FOR 3/8" & 1/2" REGULATORS
PSI: 200
INLET: 1/8"
PART# 85.410.200



WORK HARD - KEEP WARM

The cold of winter is inevitable, so we offer a wide selection of heating options for work and agricultural needs. From the lightweight and convenient tank top propane heaters to the heavy duty kerosene heaters. You will be able to keep warm in any environment.



16,000 BTU LPG TANK TOP HEATER

- 16,000 BTU
- RADIANT STYLE HEAT
- HEATS 400 SQ'
- WIND RESISTANT
- MATCH LIGHT IGNITION

- FEATURES**
- SAFETY TIP-OVER SWITCH
 - REAR BURNER SAFETY GUARD
 - HOSE & REGULATOR INCLUDED
 - RUST PROOF CHROME EMITTER GUARD

PART# HLTT16

SHIPPING INFORMATION
WEIGHT: 15LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 12"x12"x14"



32,000 BTU LPG TANK TOP HEATER

- 32,000 BTU
- RADIANT STYLE HEAT
- HEATS 800 SQ'
- SWIVEL & TILT BURNER HEAD
- WIND RESISTANT
- MATCH LIGHT IGNITION

- FEATURES**
- SAFETY TIP-OVER SWITCH
 - REAR BURNER SAFETY GUARD
 - HOSE & REGULATOR INCLUDED
 - RUST PROOF CHROME EMITTER GUARD

PART# HLTT32

SHIPPING INFORMATION
WEIGHT: 30LBS
UNITS PER PALLET: 24
DIMENSIONS (LxWxH): 12"x12"x14"



62,000 BTU LPG FORCED AIR HEATER

62,000 BTU
HEATS 1500 SQ'
ADJUSTABLE HEIGHT ANGLE
10' HOSE AND REGULATOR INCLUDED
OVER-HEAT SHUT-OFF
120V

FEATURES
FULLY ENCLOSED GAS CONTROLS
CONTINUOUS ELECTRONIC IGNITION
VARIABLE HEAT SETTINGS
MAX OPERATING HOURS 14

PART# HL062B



SHIPPING INFORMATION
WEIGHT: 19LBS
UNITS PER PALLET: 30
DIMENSIONS (LxWxH): 18"x8"x14"



127,000 BTU LPG FORCED AIR HEATER

127,000 BTU
HEATS 3100 SQ'
ADJUSTABLE HEIGHT ANGLE
10' HOSE AND REGULATOR INCLUDED
OVER-HEAT SHUT-OFF
120V

FEATURES
FULLY ENCLOSED GAS CONTROLS
CONTINUOUS ELECTRONIC IGNITION
VARIABLE HEAT SETTINGS
MAX OPERATING HOURS 3

PART# HL127B



SHIPPING INFORMATION
WEIGHT: 29LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 25"x8"x18"



127,000 BTU KEROSENE FORCED AIR HEATER

127,000 BTU
FORCED AIR
BUILT-IN THERMOSTAT
HEATS 3100 SQ'
DIGITAL TEMPERATURE READ OUT
& LED DIAGNOSTICS
FLAT FREE TIRES
EASY-LIFT HANDLES
120V

FEATURES
AUTOMATIC SAFETY SHUT-OFF SYSTEM
POWER ON/OFF SWITCH
FUEL GAUGE
EXTENSION CORD WRAP
10 GALLON FUEL TANK
MAX OPERATING HOURS 10

PART# HK127B

SHIPPING INFORMATION
WEIGHT: 56LBS
UNITS PER PALLET: 8
DIMENSIONS (LxWxH): 37"x17"x20"



150,000 BTU LPG FORCED AIR HEATER

150,000 BTU
HEATS 3100 SQ'
ADJUSTABLE HEIGHT ANGLE
10' HOSE AND REGULATOR INCLUDED
OVER-HEAT SHUT-OFF
120V

FEATURES
FULLY ENCLOSED GAS CONTROLS
CONTINUOUS ELECTRONIC IGNITION
VARIABLE HEAT SETTINGS
MAX OPERATING HOURS 30

PART# HL150F



SHIPPING INFORMATION
WEIGHT: 29LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 25"x8"x15"



PROPANE TORCHES

HLT010
FOR PLUMBING & HOUSEHOLD USE
ADJUSTABLE FLAME CONTROL
FOR SOLDERING & BRAZING
SOLID BRASS CONSTRUCTION FOR DURABILITY

HLT020
CONTINUOUS RUN-LOCK
FOR SOLDERING & BRAZING
PRESSURE REGULATED
CAST ALUMINUM BODY

MANUAL START
PENCIL FLAME
PROPANE

PART# HLT010



SHIPPING INFORMATION
WEIGHT: 3LBS
UNITS PER BOX: 16
DIMENSIONS (LxWxH): 2"x5"x9"

TRIGGER START
SWIRL FLAME
PROPANE

PART# HLT020

SHIPPING INFORMATION
WEIGHT: 3LBS
UNITS PER BOX: 10
DIMENSIONS (LxWxH): 2"x12"x15"



177,000 BTU KEROSENE FORCED AIR HEATER

177,000 BTU
FORCED AIR
BUILT-IN THERMOSTAT
HEATS 4300 SQ'
DIGITAL TEMPERATURE READ OUT
& LED DIAGNOSTICS
FLAT FREE TIRES
EASY-LIFT HANDLES
120V

FEATURES
AUTOMATIC SAFETY SHUT-OFF SYSTEM
POWER ON/OFF SWITCH
FUEL GAUGE
EXTENSION CORD WRAP
13 GALLON FUEL TANK
MAX OPERATING HOURS 9

PART# HK177B

SHIPPING INFORMATION
WEIGHT: 64LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 42"x18"x20"



77,000 BTU KEROSENE FORCED AIR HEATER

77,000 BTU
FORCED AIR
BUILT-IN THERMOSTAT
HEATS 1700 SQ'
EASY-LIFT HANDLE
120V

FEATURES
AUTOMATIC SAFETY SHUT-OFF SYSTEM
POWER ON/OFF SWITCH
FUEL GAUGE
EXTENSION CORD WRAP
5 GALLON FUEL TANK
MAX OPERATING HOURS 9

PART# HK077B



SHIPPING INFORMATION
WEIGHT: 28LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 31"x13"x17"



217,000 BTU KEROSENE FORCED AIR HEATER

217,000 BTU
FORCED AIR
BUILT-IN THERMOSTAT
HEATS 5300 SQ'
DIGITAL TEMPERATURE READ OUT
& LED DIAGNOSTICS
FLAT FREE TIRES
EASY-LIFT HANDLES
120V

FEATURES
AUTOMATIC SAFETY SHUT-OFF SYSTEM
POWER ON/OFF SWITCH
FUEL GAUGE
EXTENSION CORD WRAP
13 GALLON FUEL TANK
MAX OPERATING HOURS 9

PART# HK217B

SHIPPING INFORMATION
WEIGHT: 64LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 42"x18"x20"



18" WALLMOUNT FAN

120 VOLTS, 60 HZ
7 AMP
RUGGED HANGING BAR
POWDER COATED STEEL FRAME
3 BLADE PULL CHAIN
10FT GROUNDED
THREE-PRONG POWER CORD
ENCLOSED, DUST PROOF,
ENERGY EFFICIENT MOTOR
3853 CFM
PART# FW18



SHIPPING INFORMATION
WEIGHT: 13LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 24"x7"x21"



30" PEDESTAL FAN

0.2HP
226 WATTS
1.9 AMP
3 BLADE
OSCILLATING
2 SPEED
8750 CFM
PART# FP30



SHIPPING INFORMATION
WEIGHT: 64LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 44"x34"x8"



24" DRUM FAN

0.17HP
220 WATTS
1.96 AMP
3 BLADE
2 SPEED
WHEELED
7700 MAX CFM
PART# FD24



SHIPPING INFORMATION
WEIGHT: 35LBS
UNITS PER PALLET: 12
DIMENSIONS (LxWxH): 30"x34"x12"



36"/42" DRUM FAN

2 SPEED
WHEELED
0.33HP
423 WATTS
8.8 AMP
3 BLADE
11,200 MAX CFM
PART# FD36



SHIPPING INFORMATION
WEIGHT: 64LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 39"x40"x15"

0.5HP
586 WATTS
5.5 AMP
4 BLADE
15,400 MAX CFM
PART# FD42

SHIPPING INFORMATION
WEIGHT: 84LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 45"x46"x15"



42" BELT-DRIVEN DRUM FAN

1.0HP
735 WATTS
6 AMP
4 BLADE
BELT DRIVE
2 SPEED
WHEELED
17,700 MAX CFM
PART# FD42B



SHIPPING INFORMATION
WEIGHT: 108LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 53"x51"x15"



48" BELT-DRIVEN DRUM FAN

1.5HP
1120 WATTS
9 AMP
4 BLADE
BELT DRIVE
2 SPEED
WHEELED
19,500 MAX CFM
PART# FD48B



SHIPPING INFORMATION
WEIGHT: 108LBS
UNITS PER PALLET: 6
DIMENSIONS (LxWxH): 53"x51"x15"



RMW SERIES VERTICAL DRIVE | AXIAL



MODEL : RMW22G24
GPM : 2.2
PSI : 2400
HP : 4 - 7
RPM : 3400
SHAFT : 7/8"
MOTOR : GAS
HEAD : ALUMINUM

PART# 85.129.016B



SHIPPING INFORMATION
WEIGHT: 7LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 10"x10"x9"

VRX SERIES DIRECT DRIVE | AXIAL



MODEL : VRX2527
GPM : 2.5
PSI : 2700
HP : 5 - 7
RPM : 3400
SHAFT : 7/8"
MOTOR : GAS
HEAD : BRASS

PART# 85.140.071B

REPLACES
EXCEL OIL LESS
PUMP



SHIPPING INFORMATION
WEIGHT: 10LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 10"x10"x9"

RMV SERIES DIRECT DRIVE | AXIAL



MODEL : RMV25G30D
GPM : 2.5
PSI : 3000
HP : 5 - 7
RPM : 3400
SHAFT : 3/4"
MOTOR : GAS
HEAD : BRASS

PART# 85.120.035B



SHIPPING INFORMATION
WEIGHT: 8LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 10"x10"x9"

BXD SERIES DIRECT DRIVE | AXIAL



MODEL : BXD2528G
GPM : 2.5
PSI : 2800
HP : 5 - 7
RPM : 3400
SHAFT : 3/4"
MOTOR : GAS
UNLOADER : BUILT-IN

PART# 85.149.081B



SHIPPING INFORMATION
WEIGHT: 10LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 10"x10"x9"

BWDK SERIES DIRECT DRIVE | TRIPLEX



MODEL : BWDK3027G
GPM : 3.0
PSI : 2700
HP : 5.5 - 7
RPM : 3400
SHAFT : 3/4"
MOTOR : GAS
UNLOADER : BUILT-IN

PART# 85.149.085B



SHIPPING INFORMATION
WEIGHT: 15LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

RC SERIES DIRECT DRIVE | TRIPLEX



MODEL : RCV3G25D
GPM : 3.0
PSI : 2700
HP : 5.5 - 7
RPM : 3400
SHAFT : 3/4"
MOTOR : GAS
UNLOADER : EXTERNAL

PART# 85.129.005B



SHIPPING INFORMATION
WEIGHT: 15LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

LWD SERIES DIRECT DRIVE | TRIPLEX



MODEL : LWD3025G
GPM : 3.0
PSI : 2500
HP : 5.5 - 7
SHAFT : 3/4"
MOTOR : GAS
UNLOADER : EXTERNAL

PART# 85.149.004B



SHIPPING INFORMATION
WEIGHT: 16LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

TP SERIES TRIPLEX



MODEL : TP2530J34
GPM : 2.88
PSI : 2500
HP : 5.5 - 7
RPM : 3450
SHAFT : 3/4"
MOTOR : GAS
UNLOADER : EXTERNAL

PART# 85.139.020SPB



SHIPPING INFORMATION
WEIGHT: 16LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

4DNX SERIES DIRECT DRIVE | TRIPLEX



MODEL : 4DNX27G
GPM : 2.7
PSI : 3000
HP : 5.5 - 7
RPM : 3400
SHAFT : 3/4"
MOTOR : GAS
UNLOADER : BUILT-IN
PART# 85.119.030B



SHIPPING INFORMATION
WEIGHT: 16LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

RSV SERIES
DIRECT DRIVE | TRIPLEX



MODEL : RSV4G40
GPM : 4.0
PSI : 4000
HP : 8 - 15
RPM : 3400
SHAFT : 1"
MOTOR : GAS
UNLOADER : BUILT-IN

PART# 85.129.037B



SHIPPING INFORMATION
WEIGHT: 20LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

ZWD SERIES
DIRECT DRIVE | TRIPLEX



MODEL : ZWD4040G
GPM : 4.0
PSI : 4000
HP : 8 - 15
SHAFT : 1"
MOTOR : GAS
UNLOADER : EXTERNAL

PART# 85.149.022B



SHIPPING INFORMATION
WEIGHT: 24LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

66DX SERIES
DIRECT DRIVE | TRIPLEX



MODEL : 66DX40GG1
GPM : 4.0
PSI : 4000
HP : 8 - 15
RPM : 3400
SHAFT : 1"
MOTOR : GAS
UNLOADER : EXTERNAL

PART# 85.119.025B



SHIPPING INFORMATION
WEIGHT: 24LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

FW2 SERIES
BELT DRIVE | TRIPLEX



MODEL : FW23540
GPM : 3.5
PSI : 4000
RPM : 1450
SHAFT : 24MM
UNLOADER : PUMP MOUNT

PART# 85.149.031B



SHIPPING INFORMATION
WEIGHT: 30LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

ZWDK SERIES
DIRECT DRIVE | TRIPLEX



MODEL : ZWDK4042G
PSI : 4200
GPM : 4.0
HP : 8 - 15
RPM : 3400
SHAFT : 1"
MOTOR : GAS
UNLOADER : BUILT-IN

PART# 85.149.079B



SHIPPING INFORMATION
WEIGHT: 24LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

RR SERIES
DIRECT DRIVE | TRIPLEX



MODEL : RRV4G36D
GPM : 4.0
PSI : 4000
HP : 8 - 15
RPM : 3400
SHAFT : 1"
MOTOR : GAS
UNLOADER : EXTERNAL

PART# 85.129.042B



SHIPPING INFORMATION
WEIGHT: 24LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

TS SERIES
TRIPLEX



MODEL : TSS-1511
GPM : 4.0
PSI : 3500
RPM : 1450
SHAFT : 24MM
UNLOADER : PUMP MOUNT

PART# 85.139.005B



SHIPPING INFORMATION
WEIGHT: 30LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

FW2 SERIES
BELT DRIVE | TRIPLEX



MODEL : FW25035
GPM : 5.0
PSI : 3000
HP : 8 - 15
RPM : 1450
SHAFT : 24MM
UNLOADER : PUMP MOUNT

PART# 85.149.090B



SHIPPING INFORMATION
WEIGHT: 30LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

67DX SERIES
DIRECT DRIVE | TRIPLEX



MODEL : 67DX39G
GPM : 3.9
PSI : 4000
HP : 8 - 15
RPM : 3400
SHAFT : 1"
MOTOR : GAS
UNLOADER : BUILT-IN

PART# 85.119.031B



SHIPPING INFORMATION
WEIGHT: 21LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

EZ SERIES
TRIPLEX



MODEL : EZ4040G
GPM : 4.0
PSI : 4000
HP : 8 - 15
RPM : 3400
SHAFT : 1"
MOTOR : GAS
UNLOADER : EXTERNAL

PART# 85.139.021B



SHIPPING INFORMATION
WEIGHT: 24LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

5CP SERIES
BELT DRIVE | TRIPLEX



MODEL : 5CP3120
GPM : 4.0
PSI : 3500
RPM : 1645
SHAFT : 20MM
UNLOADER : PUMP MOUNT

PART# 85.119.021AB



SHIPPING INFORMATION
WEIGHT: 30LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

TW SERIES
TRIPLEX



MODEL : TW5050
GPM : 5.0
PSI : 5000
RPM : 1450
HP : 24
SHAFT : 24MM
UNLOADER : BLOCK MOUNT

PART# 85.149.059B



SHIPPING INFORMATION
WEIGHT: 30LBS
UNITS PER PALLET: 20
DIMENSIONS (LxWxH): 14"x14"x10"

MAKE CLEANING EASY

Cut your cleaning time by up to 70% compared to standard lances & nozzles with a Whirl-A-Way™ rotary system or a standard water broom. These products are designed to reduce over spraying and water consumption.



14" WHIRL-A-WAY

PSI : 4000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 14" DIAMETER
 NOZZLE SET : 85.225.015BEP2

FEATURES
 2 NOZZLE ROTARY ARM

PART# 85.403.014



SHIPPING INFORMATION

WEIGHT: 8LBS
 UNITS PER PALLET: 24
 DIMENSIONS (LxWxH): 7"x16"x15"

WORKSHOP SERIES

16" WHIRL-A-WAY

PSI : 4000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 16" DIAMETER
 NOZZLE SET : 2X 85.225.020

FEATURES
 2 NOZZLE ROTARY ARM

PART# 85.403.003



SHIPPING INFORMATION

WEIGHT: 21LBS
 UNITS PER PALLET: 16
 DIMENSIONS (LxWxH): 22"x33"x11"

COMMERCIAL SERIES

30" STAINLESS STEEL

PSI : 5000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 30" DIAMETER
 NOZZLE SET : 3X 85.225.020

FEATURES
 3 NOZZLE ROTARY ARM

PART# 85.403.032

SHIPPING INFORMATION

WEIGHT: 42LBS
 UNITS PER PALLET: 5
 DIMENSIONS (LxWxH): 37"x34"x14"

INDUSTRIAL SERIES



NEW

30" STAINLESS STEEL 2 IN 1 WHIRL-A-WAY

PSI : 5000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 30" DIAMETER
 NOZZLE SET : 3X 85.225.020

FEATURES
 DUAL GUN
 3 NOZZLE ROTARY ARM
 4 NOZZLE WATER BROOM

PART# 85.403.031

SHIPPING INFORMATION

WEIGHT: 42LBS
 UNITS PER PALLET: 5
 DIMENSIONS (LxWxH): 37"x34"x14"

INDUSTRIAL SERIES



NEW

20" WHIRL-A-WAY

PSI : 4000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 20" DIAMETER
 NOZZLE SET : 2X 85.225.020

FEATURES
 2 NOZZLE ROTARY ARM

PART# 85.403.007



SHIPPING INFORMATION

WEIGHT: 28LBS
 UNITS PER PALLET: 16
 DIMENSIONS (LxWxH): 33"x22"x11"

COMMERCIAL SERIES

20" WHIRL-A-WAY WITH CASTORS

PSI : 4000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 20" DIAMETER
 NOZZLE SET : 2X 85.225.020

FEATURES
 2 NOZZLE ROTARY ARM

PART# 85.403.011



SHIPPING INFORMATION

WEIGHT: 30LBS
 UNITS PER PALLET: 20
 DIMENSIONS (LxWxH): 33"x22"x11"

COMMERCIAL SERIES

30" STAINLESS STEEL 4 IN 1 WHIRL-A-WAY

PSI : 5000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 30" DIAMETER
 NOZZLE SET : 3X 85.225.020

FEATURES
 DUAL GUN
 3 NOZZLE ROTARY ARM
 4 NOZZLE WATER BROOM
 SIDE CLEANER
 SPOT/GUM REMOVER NOZZLE

PART# 85.403.030

SHIPPING INFORMATION

WEIGHT: 42LBS
 UNITS PER PALLET: 5
 DIMENSIONS (LxWxH): 37"x34"x14"

INDUSTRIAL SERIES




NEW

BALL VALVE KIT

ALLOWS YOU TO SWITCH BETWEEN WHIRL-A-WAY AND WAND WITHOUT HAVING TO SHUT THE UNIT DOWN

PSI : 5000
 TEMP : 180°F
 OUTLET : 3/8" QC PLUG
 INLET : 3/8" QC COUPLER

PART# 85.300.044



20" STAINLESS STEEL WHIRL-A-WAY

PSI : 4000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 20" DIAMETER
 NOZZLE SET : 2X 85.225.020

FEATURES
 2 NOZZLE ROTARY ARM

PART# 85.403.009



SHIPPING INFORMATION

WEIGHT: 31LBS
 UNITS PER PALLET: 16
 DIMENSIONS (LxWxH): 33"x22"x11"

COMMERCIAL SERIES

24" STAINLESS STEEL WHIRL-A-WAY

PSI : 4000
 TEMP : 180°F
 GPM : 8.0
 SIZE : 24" DIAMETER
 NOZZLE SET : 3X 85.225.020

FEATURES
 3 NOZZLE ROTARY ARM

PART# 85.403.010



SHIPPING INFORMATION

WEIGHT: 34LBS
 UNITS PER PALLET: 16
 DIMENSIONS (LxWxH): 33"x26"x12"

COMMERCIAL SERIES

12" / 16" WATER BROOM

USED FOR CLEANING VAST SURFACES QUICKLY. COMES IN BUBBLE PACK READY FOR DISPLAY

PSI : 4000
 CONNECTION : 1/4" QUICK -DISCONNECT PLUG

GPM : 3.0
 SIZE : 12" WIDE
 NOZZLE SET : 3 OF PART# 85.265.013
PART# 85.400.060

SHIPPING INFORMATION
 WEIGHT: 2LBS
 UNITS PER BOX: 10

GPM : 4.0
 SIZE : 16" WIDE
 NOZZLE SET : 4 OF PART# 85.265.013
PART# 85.400.061

SHIPPING INFORMATION
 WEIGHT: 2.5LBS
 UNITS PER BOX: 10



16" UNDER CAR WATER BROOM

PSI : 4000
 GPM : 6.0
 SIZE : 16" WIDE
 NOZZLE SET : 4 OF PART# 85.265.013
 CONNECTION : 1/4" QUICK -DISCONNECT PLUG

PART# 85.400.062

90 DEGREE ELBOWS

SHIPPING INFORMATION
 WEIGHT: 3LBS
 UNITS PER BOX: 5



FIBERGLASS TELESCOPING WAND

PSI : 4000
TEMP : 200°F
GPM : 8.0
LENGTH : 12 FT
STAGE: 3 POLES

PART# 85.206.012L PART# 85.206.018L

SHIPPING INFORMATION
WEIGHT: 11LBS
UNITS PER PALLET: 55
DIMENSIONS (LxWxH): 79"x8"x3"

FEATURES
LEVER LOCKS



RETRACTS
TO 7FT
LENGTH



PSI : 4000
TEMP : 200°F
GPM : 8.0
LENGTH : 24 FT
STAGE: 4 POLES

PART# 85.206.424L

SHIPPING INFORMATION
WEIGHT: 11LBS
UNITS PER PALLET: 55
DIMENSIONS (LxWxH): 79"x8"x3"

3-STAGE ALUMINUM SUPER DUTY TELESCOPING WAND

PSI : 4000
TEMP : 200°F
GPM : 8.0
LENGTH : 18 FT

PART# 85.205.018ALSHD PART# 85.205.024ALSHD

INCLUDES
LONG WAND BELT KIT



SHIPPING INFORMATION
WEIGHT: 18LBS
UNITS PER PALLET: 55
DIMENSIONS (LxWxH): 105"x8"x3"

GUTTER CLEANERS

GUTTER CLEANER
W/ M22 FITTING
PART# 85.400.033

GUTTER CLEANER W/ QUICK
CONNECT FITTING
PART# 85.400.007



THREADS INTO **BE** TELESCOPING
WANDS TO ELIMINATE SWINGING

LONG WAND BELT KIT

THE LONG WAND BELT KIT GREATLY REDUCES
STRAIN AND FATIGUE ON YOUR BACK, ALLOWING
YOU TO WORK LONGER AND GET MORE DONE
PART# 85.400.019



STEEL INSULATED WANDS

PSI : 5000
TEMP : 210°F
GPM : 8.0
THREAD : 1/4" MNPT



36" 47" 59" 79"
PART# 85.202.026 PART# 85.202.027 PART# 85.202.028 PART# 85.202.029

STAINLESS STEEL INSULATED WANDS

PSI : 5000
TEMP : 210°F
GPM : 8.0
THREAD : 1/4" MNPT



36" 47" 59" 79"
PART# 85.202.026S PART# 85.202.027S PART# 85.202.028S PART# 85.202.029S

ALUMINUM WANDS

BARE LANCE, 1/4" ALUMINUM MNPT SCHEDULE 80 PIPE

PSI : 4000
TEMP : 300°F
GPM : 12
THREAD : 1/4" MNPT




3 FT 4 FT 5 FT 6 FT 7 FT 8 FT
PART# 85.202.093 PART# 85.202.094 PART# 85.202.095 PART# 85.202.096 PART# 85.202.097 PART# 85.202.098

1/4" PLUG FOR ALUMINUM WAND

USE THIS EXTENDED SHOULDER PLUG WITH ANY ALUMINUM
WAND ABOVE TO ADD STRENGTH

PSI : 5000
MATERIAL : STAINLESS STEEL
SIZE : 1/4" FNPT

PART# 85.300.161



1/4" COUPLER FOR ALUMINUM WAND

USE THIS EXTENDED SHOULDER PLUG WITH ANY
ALUMINUM WAND ABOVE TO ADD STRENGTH

PSI : 4000
MATERIAL : BRASS/STAINLESS STEEL SLEEVE
SIZE : 1/4" FNPT

PART# 85.300.162



2050 PSI ACCESSORY KIT

FOR USE WITH PRESSURE WASHERS UP TO 2050 PSI. THIS KIT CONNECTS WITH 14MM AND 15MM M22 SCREW-TYPE CONNECTIONS.

PARTS INCLUDED :
 REAR LOAD GUN WITH SPLIT LANCE
 M22 FITTINGS
 VARI-NOZZLE
 25 FT HOSE
 MAX TEMP. 140°F

PART# 85.400.320



3700 PSI ACCESSORY KIT

THE IDEAL KIT FOR USE WITH GAS PRESSURE WASHERS UP TO 3000 PSI. THIS KIT CONNECTS WITH AN M22 SCREW-TYPE FITTING.

PARTS INCLUDED :
 FRONT LOAD GUN (2950 PSI)
 SPLIT LANCE
 VARI-NOZZLE #3
 25 FT HOSE (3000 PSI) WITH M22 FITTING
 MAX TEMP. 140°F

PART# 85.400.327



3700 PSI REPLACEMENT GUN WAND ASSEMBLY

36" SPLIT LANCE, COMFORT GRIP HANDLE & REAR LOAD ENTRY

PSI : 3700
GPM : 8.0
TEMP : 140°F
LENGTH : 36"
INLET : 3/8" FNPT
OUTLET : 1/4" QUICK-CONNECT

PART# 85.205.050



INCLUDES Quick-connect PLUG AND M22 FITTING

PIVOTING WAND ATTACHMENT

PSI : 4200
GPM : 8.0
TEMP : 135°F
LENGTH : 27"
INLET : M22
OUTLET : 1/4" QUICK-CONNECT

PART# 85.202.085



GUN & WAND ASSEMBLIES

COMPLETE ASSEMBLY BUILT WITH A BE SPRAY GUN AND WAND WITH QUICK-CONNECT COUPLERS.

PSI : 5000
TEMP : 210°F
GPM : 8.0

36"	47"
PART# 85.205.026	PART# 85.205.027
59"	79"
PART# 85.205.028	PART# 85.205.029



HOT WATER GUN & WAND ASSEMBLY

COMPLETE ASSEMBLY BUILT WITH A PA VEGA SPRAY GUN AND WAND WITH QUICK DISCONNECT COUPLERS.

PSI : 5000
TEMP : 320°F
GPM : 8.0
LENGTH: 36"

PART# 85.205.064



GUN & DOUBLE WAND

1/4" ZINC PLATED PIPE WITH MOLDED GRIP. CONTROL HANDLE ALLOWS EASY SOAP OR CHEMICAL APPLICATION.

PSI : 5000
GPM : 10.5
TEMP : 300°F
LENGTH : 47"

DUAL LANCE WITH HOT WATER GUN (109H)
 1X 1/4" QC, 1X MEG NOZZLE
 INLET: 3/8" QC PLUG
 OUTLETS: 2X 1/4" FNPT
PART# 85.205.090



DOUBLE WAND

1/4" ZINC PLATED PIPE WITH MOLDED GRIP. CONTROL HANDLE ALLOWS EASY SOAP OR CHEMICAL APPLICATION.

PSI : 5000
GPM : 10.5
TEMP : 300°F
LENGTH : 47"

47" DUAL LANCE
 1X 1/4" QC, 1X MEG NOZZLE
 INLET: 3/8" QC PLUG
 OUTLETS: 2X 1/4" FNPT
PART# 85.202.090



FLEX WAND ASSEMBLY WITH WEEPING SPRAY GUN

COMES WITH 85.215.030 MEG NOZZLE - SIZE 030. A WEEPING GUN CONTINUOUSLY DRIPS WATER TO AVOID FREEZING IN WINTER

PSI : 3000
LENGTH : 27.5"
INLET : 1/4" MNPT
OUTLET : 1/4" FNPT (INCLUDES MEG NOZZLE)

PART# 85.205.081



RUBBER CASING FLEX WAND

SIZE : 1/4" MNPT X 1/4" MNPT
PSI : 3000
LENGTH : 18"
COLOR : BLACK
PART# 85.202.062



SCREW TYPE LANCE HANDLE

FITS ON ANY STANDARD PRESSURE WASHER LANCE FOR EXTRA HOLD.

MATERIAL : RUBBER
PART# 85.202.045



**INDUSTRIAL COLD WATER
SPRAY GUN**

PSI : 5000
TEMP : 210°F
GPM : 10.5
OUTLET : 1/4" FNPT
INLET : 3/8" FNPT

PART# 85.202.109



**INDUSTRIAL HOT WATER
SPRAY GUN**

PSI : 5000
TEMP : 320°F
GPM : 10.5
OUTLET : 1/4" FNPT
INLET : 3/8" FNPT

PART# 85.202.109H



VARIABLE NOZZLE

PUSH/PULL FOR HIGH/LOW PRESSURE. TWIST TO ADJUST SPRAY PATTERN FROM 0°-50°

PSI : 2500
NOZZLE : #3
PART# 85.210.007
NOZZLE : #4
PART# 85.210.002



ROTARY NOZZLE

SPRING LOADED NOZZLE
INLCUDES INLINE FILTER (85.211.006)

PSI : 3700
NOZZLE : 3.0 ORIFICE
PART# 85.210.130



**WEEPING
SPRAY GUN**

THIS GUN IS IDEAL FOR COLDER CLIMATES. IT CONTINUOUSLY DRIPS WATER TO AVOID FREEZING IN WINTER.

PSI : 5000
TEMP : 300°F
GPM : 10
OUTLET : 1/4" FNPT
INLET : 3/8" FNPT

PART# 85.202.068



**EASY PULL
SPRAY GUN**

PSI : 5000
TEMP : 300°F
GPM : 12
OUTLET : 1/4" FNPT
INLET : 3/8" FNPT

PART# 85.202.020

ANTI-FATIGUE
FEATURE



ROTARY NOZZLE

PSI : 3200
GPM : 3.0

PART# RJ-3030-CS



ROTARY NOZZLE

SPRING LOADED NOZZLE
INLCUDES INLINE FILTER (85.211.006)

PSI : 5000
NOZZLE : 3.5 ORIFICE
PART# 85.210.135

PSI : 5000
NOZZLE: 4.0 ORIFICE
PART# 85.210.140

PSI : 5000
NOZZLE : 4.5 ORIFICE
PART# 85.210.145

PSI : 5000
NOZZLE: 5.0 ORIFICE
PART# 85.210.150



**LINEAR 2 HORIZONTAL
SPRAY GUN**

PSI : 5000
TEMP : 320°F
GPM : 10.5
OUTLET : 1/4" FNPT
INLET : 3/8" FNPT

PART# 85.202.202



**HORIZONTAL
SPRAY GUN**

PSI : 5000
TEMP : 210°F
GPM : 10.5
OUTLET : 1/4" FNPT
INLET : 3/8" FNPT

PART# 85.202.063



LONG RANGE SOAPER NOZZLE

SPRAYS SOAP UP TO 20 FT!

PART# 85.210.009



MULTI FUNCTION NOZZLE

6 DIFFERENT SPRAY PATTERNS: 0°, 15°, 25°, 40°, SOAP & RINSE

NOZZLE: 3.0
4HP-7HP WASHERS
PART# 85.210.600

NOZZLE: 3.5
7HP-11HP WASHERS
PART# 85.210.601

NOZZLE: 4.0
13HP-15HP WASHERS
PART# 85.210.602



QUICK-CONNECT SPRAY NOZZLES

- 0 DEGREE** 85.201. ... + SIZE (#20 - 100)
 - 15 DEGREE** 85.216. ... + SIZE (#20 - 100)
 - 25 DEGREE** 85.226. ... + SIZE (#20 - 100)
 - 40 DEGREE** 85.241. ... + SIZE (#20 - 100)
- EX. 85.201.030 = QUICK-CONNECT, 0 DEGREE, #3 NOZZLE



1/4" MEG SPRAY NOZZLES

- 0 DEGREE** 85.200. ... + SIZE (#20 - 100)
 - 15 DEGREE** 85.215. ... + SIZE (#20 - 100)
 - 25 DEGREE** 85.225. ... + SIZE (#20 - 100)
 - 40 DEGREE** 85.240. ... + SIZE (#20 - 100)
- EX. 85.225.045 = MEG, 25 DEGREE, #4.5 NOZZLE




GUM BLASTER NOZZLE

- PSI :** 3200
 - GPM :** 3.0
 - 6 HIGH INTENSITY IMPACT STREAMS
 - 1/4" QC SPRAY TIP
- PART#**
 85.201.030G / 85.201.030GBEP
 85.201.035G / 85.201.035GBEP
 85.201.040G / 85.201.040GBEP
 85.201.045G / 85.201.045GBEP
 85.201.050G / 85.201.050GBEP



QUICK-CONNECT CHEMICAL NOZZLE

- USED TO APPLY SOAP AND CHEMICALS
- SNLET :** 1/4" QUICK-CONNECT
- MATERIAL :** PLASTIC **PART# 85.266.401**
- MATERIAL :** BRASS **PART# 85.266.400**



MEG CHEMICAL NOZZLE

- USED TO APPLY SOAP AND CHEMICAL
- NLET :** 1/4" QUICK-CONNECT
- MATERIAL :** BRASS
- PART# 85.240.300**



QUICK-CONNECT NOZZLE SET W/ HOLDER & CLIP

- QUICK-CONNECT NOZZLES KITS HAVE A 0°, 15°, 40° & SOAPER NOZZLE.
 - FITS MOST PRESSURE WASHERS WITH A 1/4" QUICK-CONNECT OUTLET.
 - INCLUDES NOZZLE CLIP & NOZZLE HOLDER.
 - INCLUDES RETAIL PACKAGING.
- GPM : 3.0** **PART# 35.210.034BEP** **GPM : 3.5** **PART# 35.210.037BEP** **GPM : 4.0** **PART# 35.210.040BEP**



VR54 UNLOADER

- PSI :** 2900
- GPM :** 8.0
- TEMP :** 194°F
- INLET :** 3/8" MNPT
- OUTLET :** 3/8" MNPT
- BYPASS :** 3/8" FNPT
- PART# 85.300.003**



VRT3 UNLOADER
EASY START, THERMAL VALVE SAFETY VALVE

- PSI :** 4500
- GPM :** 8.0
- TEMP :** 194°F
- INLET :** 3/8" MNPT
- OUTLET :** 3/8" FNPT
- BYPASS :** 3/8" FNPT
- PART# 85.300.032**



VRT3 UNLOADER
ADJUSTABLE CHEMICAL INJECTOR EASY START, THERMAL VALVE

- PSI :** 4500
- GPM :** 8.0
- TEMP :** 194°F
- INLET :** 3/8" MNPT
- OUTLET :** 3/8" MNPT
- BYPASS :** 3/8" FNPT
- PART# 85.300.036**



VRT3 UNLOADER

- PSI :** 4500
- GPM :** 8.0
- TEMP :** 194°F
- INLET :** 3/8" FNPT
- OUTLET :** 3/8" FNPT
- BYPASS :** 3/8" FNPT
- PART# AL607**



VRT3 UNLOADER
EASY START, THERMAL VALVE

- PSI :** 4500
- GPM :** 8.0
- TEMP :** 194°F
- INLET :** 3/8" MNPT
- OUTLET :** 3/8" FNPT
- BYPASS :** 3/8" FNPT
- PART# 85.300.037**



VHP39 UNLOADER

- PSI :** 5650
- GPM :** 10.5
- TEMP :** 194°F
- INLET :** 3/8" FNPT
- OUTLET :** 3/8" FNPT
- BYPASS :** 3/8" FNPT
- PART# 85.300.038**



VRT100 UNLOADER

- PSI :** 5075
- GPM :** 26.4
- TEMP :** 195°F
- INLET :** 1/2" FNPT
- OUTLET :** 1/2" FNPT
- BYPASS :** 1/2" FNPT
- PART# 85.300.033**



PA ZERO UNLOADER

- PSI :** 4050
- GPM :** 10
- TEMP :** 195°F
- INLET :** 3/8" FNPT
- OUTLET :** 3/8" FNPT
- BYPASS :** 3/8" FNPT
- PART# 85.300.019**



FLOW SENSITIVE UNLOADER



PULSAR 4 UNLOADER

- PSI :** 4500
- GPM :** 8
- TEMP :** 195°F
- INLET :** 3/8" FNPT
- OUTLET :** 3/8" FNPT
- BYPASS :** 3/8" FNPT
- PART# 85.300.017**



UNLOADER KIT PUMP PLUMBING KIT

- UNLOADER :** 85.300.037
- PSI :** 4500
- INLET :** 3/8" MNPT
- OUTLET :** 3/8" FNPT
- BYPASS :** 3/8" FNPT
- PART# 85.400.118**



CONVERT BOLT-ON UNLOADER ASSEMBLY TO UNIVERSAL SET-UP!

UNLOADER COMPONENTS

- 3/8" BYPASS HOSE, 36" LENGTH **PART# 85.202.078**
- 1/2" MNPT WATER INLET FILTER **PART# 85.300.055**
- 3/8" MNPT COUPLER **PART# 85.300.108**
- MALE 3/8" X MALE 3/8" NPT ADAPTER **PART# 85.755.006**
- 3/8" MNPT HOSE BARB FOR BYPASS HOSE **PART# 85.710.066**
- 1/4" MNPT HOSE BARB FOR BYPASS HOSE **PART# 85.710.046**

JETTER VALVE

INSTALLS ONTO THE PUMP HEAD TO ALLOW A PRESSURE WASHER TO HAVE PULSATING PRESSURE FOR DRAIN CLEANING.

PSI : 3000

LWDK COMET PUMP
PART# 85.400.119

HW/ZWD COMET PUMP
PART# 85.400.219

TT/TP GENERAL PUMP
PART# 100315



SEWER JETTER HOSE

NYLON BRAIDED HOSE
SMOOTH COVER
PSI : 3000
FITTING : 1/8" MNPT
TEMP : 195°F
HOSE DIAMETER : 3/16"

50'
PART# 85.236.050

100'
PART# 85.236.100

150'
PART# 85.236.150



1/4" THERMOPLASTIC HOSE

NYLON BRAID, SMOOTH COVER

PSI : 3200
LENGTH : 25'
FITTINGS : M22 F X F
TEMP : 140°F

PART# 85.225.229N



1/4" RUBBER HOSE

SINGLE WIRE BRAID, WRAPPED COVER

LENGTH : 25'
TEMP : 212°F

FITTINGS : 3/8" MNPT SWIVEL
3/8" QC STEEL PLUG
PART# 85.225.125

FITTINGS : 3/8" MNPT
SWIVEL
X M22 F
PART# 85.225.128

FITTINGS : 3/8" QC BRASS
COUPLER, STEEL PLUG
PART# 85.225.228



DRAIN CLEANING LASER NOZZLE

ALLOWS YOU TO EFFECTIVELY CLEAR CLOGGED DRAIN PIPES. THE NOZZLE IS BUILT WITH ONE FRONT JET AND THREE REAR FACING JETS.

PSI : 4000
TEMP : 300°F

ORIFICE : 045
SIZE : 1/8"
PART# 85.210.146

ORIFICE : 065
SIZE : 1/8"
PART# 85.210.158

ORIFICE : 045
SIZE : 1/4"
PART# 85.210.248

ORIFICE : 065
SIZE : 1/4"
PART# 85.210.258




ROTATING NOZZLE

BACKWARD PORTS DRIVE NOZZLE FORWARD WHILE FLUSHING DEBRIS.

PSI : 3000
FITTING : 1/8" FNPT
TEMP : 210°F
ORIFICE : 055

PART# 85.210.158NPT



3/8" RUBBER HOSE

SINGLE WIRE BRAID, WRAPPED COVER

PSI : 4000
TEMP : 310°F

LENGTH : 50'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.150

LENGTH : 50'
FITTINGS : F X M22 BRASS FITTINGS
PART# 85.238.162

LENGTH : 50'
FITTINGS : 3/8" QC BRASS
COUPLER, STEEL PLUG
PART# 85.238.153

LENGTH : 100'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.110

LENGTH : 100'
FITTINGS : 3/8" QC BRASS
COUPLER, STEEL PLUG
PART# 85.238.111



3/8" NON-MARKING RUBBER HOSE

SINGLE WIRE BRAID, WRAPPED COVER

PSI : 4000
TEMP : 310°F

LENGTH : 50'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.154

LENGTH : 50'
FITTINGS : 3/8" QC BRASS
COUPLER, STEEL PLUG
PART# 85.238.155

LENGTH : 100'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.113

LENGTH : 100'
FITTINGS : 3/8" QC BRASS
COUPLER, STEEL PLUG
PART# 85.238.115



REDUCER BUSHING

CONNECTS 3/8" HIGH PRESSURE HOSE TO 1/4" SEWER JETTING HOSE.

MNPT : 3/8"
FNPT : 1/8"

PART# 85.708.008



FOOT ACTUATED VALVE

FOOT CONTROLLED VALVES ALLOW BOTH HANDS TO BE FREE TO CONTROL THE SEWER HOSE. PULLING SEWER HOSE BACK AND FORTH FLUSHES THE PIPES.

PSI : 3000
GPM : 8
INLET : 3/8" FNPT
OUTLET : 1/4" FNPT

PART# 85.202.130



JETTER SETUP FOR PRESSURE WASHERS



3/8" RUBBER HOSE

DOUBLE WIRE BRAID, WRAPPED COVER

PSI : 6100
TEMP : 310°F

LENGTH : 50'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.250

LENGTH : 50'
FITTINGS : 3/8" QC SS
COUPLER & PLUG
PART# 85.238.251

LENGTH : 100'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.210

LENGTH : 100'
FITTINGS : 3/8" QC SS
COUPLER & PLUG
PART# 85.238.211

IDEAL FOR
HOT WATER



3/8" NON-MARKING RUBBER HOSE

DOUBLE WIRE BRAID, WRAPPED COVER

PSI : 6100
TEMP : 310°F

LENGTH : 50'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.254

LENGTH : 50'
FITTINGS : 3/8" QC SS
COUPLER & PLUG
PART# 85.238.255

LENGTH : 100'
FITTINGS : 3/8" MNPT
SWIVEL X RIGID
PART# 85.238.213

LENGTH : 100'
FITTINGS : 3/8" QC SS
COUPLER & PLUG
PART# 85.238.215

IDEAL FOR
HOT WATER



5/16" XSTREAM HI-FLEX ULTRA FLEXIBLE PRESSURE WASHER HOSE

25' LENGTH
3100 MAX PSI
140°F TEMP

M22 FITTING Q/C FITTING
PART# 42.010.046 **PART# 42.010.047**



Xstream hi-flex

3/8" XSTREAM HI-FLEX ULTRA FLEXIBLE PRESSURE WASHER HOSE

50' LENGTH
4000 MAX PSI
3/8" MNPT FITTING
140°F TEMP

PART # 42.010.048



Xstream hi-flex

1/4" XSTREAM HI-FLEX HYBRID POLYMER AIR HOSE

1/4" MNPT
MIN TEMP: -40°F
MAX TEMP: 140 °F

25' 50'
PART# 42.010.030 **PART# 42.010.031**



Xstream hi-flex

3/8" XSTREAM HI-FLEX HYBRID POLYMER AIR HOSE

1/4" MNPT
MIN TEMP: -40°F
MAX TEMP: 140°F

25' 50'
PART# 42.010.033 **PART# 42.010.034**



Xstream hi-flex

5/8" XSTREAM HI-FLEX HYBRID GARDEN HOSE

5/8" MNPT
150 PSI
MIN TEMP: -40°F
MAX TEMP: 140°F
KINK RESISTANT
35% LIGHTER THAN RUBBER
SPRING ENDS WITH NICKEL PLATED BRASS FITTINGS FOR LONG LIFE

50'
PART# 90.358.051

100'
PART # 90.358.101



Xstream hi-flex

3/4" XSTREAM HI-FLEX HYBRID GARDEN HOSE

3/4" MNPT
MIN TEMP: -40°F
MAX TEMP: 140°F
KINK RESISTANT
35% LIGHTER THAN RUBBER
SPRING ENDS WITH NICKEL PLATED BRASS FITTINGS FOR LONG LIFE

50'
PART# 90.375.051

100'
PART # 90.375.101



Xstream hi-flex

STAINLESS STEEL BALL VALVES

FULL PORT STAINLESS STEEL BALL VALVE

PSI : 1000
THREAD : FNPT

91.200.001	1/4"
91.200.002	3/8"
91.200.003	1/2"
91.200.004	3/4"
91.200.005	1"
91.200.006	1 1/4"
91.200.007	1 1/2"
91.200.008	2"
91.200.010	3"



BRASS BALL VALVES

FULL PORT BRASS BALL VALVE

PSI : 600
THREAD : FNPT

91.000.001	1/4"
91.000.002	3/8"
91.000.003	1/2"
91.000.004	3/4"
91.000.005	1"
91.000.006	1 1/4"
91.000.007	1 1/2"
91.000.008	2"
91.000.010	3"
91.000.012	4"



BALL VALVES BLACK CARBON STEEL

RESTRICTED PORT BALL VALVE

PSI : 2000
THREAD : FNPT

91.300.001	1/4"
91.300.002	3/8"
91.300.003	1/2"
91.300.004	3/4"
91.300.005	1"
91.300.006	1 1/4"



STEEL BALL VALVES

FULL PORT STEEL BALL VALVE

PSI : 7250
TEMP : 180°F
THREAD : 3/8" FNPT

MATERIAL : STAINLESS STEEL
PART# 85.300.046S

MATERIAL : STEEL
PART# 85.300.046



2.5" PRESSURE GAUGE KIT

EASY QUICK-CONNECT SETUP INSTALLS ON OUTLET OF PUMP TO MEASURE SYSTEM PERFORMANCE

PSI : 5000
SIZE : 2.5"
INLET : 3/8" QUICK-CONNECT PLUG
OUTLET : 3/8" QUICK-CONNECT COUPLER

PART# 85.305.001



2.5" GLYCERIN PRESSURE GAUGE

INSTALL ON OUTLET OF PUMP TO MEASURE SYSTEM PERFORMANCE. DO NOT CUT THE PLASTIC TIP WHEN USING THE PRESSURE GAUGE.

INLET : 1/4" MNPT
SIZE : 2.5"

85.300.100	100 PSI
85.300.200	200 PSI
85.300.300	300 PSI
85.300.600	600 PSI
85.301.000	1000 PSI
85.302.000	2000 PSI
85.303.000	3000 PSI
85.305.000	5000 PSI



TEFLON TAPE

SIZE : W 1/2" X L 480"
ROLLS/BOX : 12

PART# 85.400.110



LOW PRESSURE HIGH DRAW CHEMICAL INJECTOR

ADJUSTABLE HIGH DRAW CHEMICAL INJECTOR DRAWS UP TO 20% CHEMICAL.

PSI : 4500
TEMP : 195°F
MATERIAL : BRASS
INLET : 3/8" MNPT
OUTLET : 3/8" MNPT

ORIFICE : 1.8MM
GPM : 2 - 3
PART# 85.300.093

ORIFICE : 2.1MM
GPM : 3 - 5
PART# 85.300.094

ORIFICE : 2.3MM
GPM : 5 - 8
PART# 85.300.095




PIVOT COUPLER

ADJUSTABLE HIGH PRESSURE COUPLER WITH 3 POSITIONS

PSI : 4000

PART# 85.300.172



COUPLER O-RINGS

ONLY AVAILBLE IN PACKAGES OF 100

TYPE : EPDM
WATER : COLD
SIZE : 3/8"
PART# 85.309.103C

TYPE : EPDM
WATER : COLD
SIZE : 1/4"
PART# 85.309.102C

TYPE : VITON
WATER : HOT
SIZE : 3/8"
PART# 85.309.103VC

TYPE : VITON
WATER : HOT
SIZE : 1/4"
PART# 85.309.102VC



HIGH PRESSURE CHEMICAL INJECTOR

PLACED ON THE INLET SIDE OF PUMP. USED TO PROVIDE SOAP DISCHARGE AT PRESSURE WASHER'S MAXIMUM PRESSURE.

TEMP : 180°F
GPM : 8.0

PART# 85.400.003



LOW PRESSURE CHEMICAL INJECTOR

PLACED ON THE OUTLET SIDE. UNIQUE SIPHONING DESIGN DRAWS CHEMICALS OR SOAP TO AID IN YOUR CLEANING FLEXIBILITY.

PSI : 4000
TEMP : 195°F
GPM : 2 - 5.0
INLET : 3/8" QC
OUTLET : 3/8" PLUG

PART# 85.400.000



QUICK-CONNECT COUPLERS

MATERIAL : BRASS
PSI : 4000

SIZE : 1/4" FNPT PART# 85.300.102 SIZE : 3/8" FNPT PART# 85.300.103 SIZE : 1/4" MNPT PART# 85.300.107 SIZE : 3/8" MNPT PART# 85.300.108



PLUGS

MATERIAL : COATED STEEL

SIZE : 1/4" FNPT PART# 85.300.101 SIZE : 3/8" FNPT PART# 85.300.104 SIZE : 1/4" MNPT PART# 85.300.109 SIZE : 3/8" MNPT PART# 85.300.105



WATER INLET FILTER

GPM : 8.0
INLET : 3/4" FGHT
OUTLET : 1/2" MNPT

PORT : YES
PART# 85.300.055

PORT : NO
PART# 85.300.054

Y-STRAINER
INLET : 1/2" FNPT
PORT : 1/4"
PART# 85.300.065



WATER INLET FILTER ALUMINUM

PSI : 170
GPM : 10
INLET : 3/4" FGHT
OUTLET : 1/2" MNPT
PORTS : DUAL 1/4" FNPT W/ PLUGS

PART# 85.300.058



QUICK-CONNECT COUPLERS

MATERIAL : STAINLESS STEEL
PSI : 6000

SIZE : 1/4" FNPT PART# 85.300.102S SIZE : 3/8" FNPT PART# 85.300.103S SIZE : 1/4" MNPT PART# 85.300.107S SIZE : 3/8" MNPT PART# 85.300.108S



PLUGS

MATERIAL : STAINLESS STEEL

SIZE : 1/4" FNPT PART# 85.300.101S SIZE : 3/8" FNPT PART# 85.300.104S SIZE : 1/4" MNPT PART# 85.300.109S SIZE : 3/8" MNPT PART# 85.300.105S



M22 SCREW-TYPE X MNPT

INSULATED KNOB
INLET : MNPT
THREAD : M22 X 1 1/2


SIZE : 1/4"
PART# 85.300.135
SIZE : 3/8"
PART# 85.300.136



M22 SCREW-TYPE X FNPT

INSULATED KNOB
INLET : FNPT
THREAD : M22 X 1 1/2

SIZE : 1/4"
PART# 85.300.124
SIZE : 3/8"
PART# 85.300.125




THERMOSTAT WITH IMMERSED PROBE

PSI : 4000
COIL LENGTH : 59"
PROBE : 4" COPPER, 1/2" MNPT
AMPERES : 15A

TEMP : 300°F
PART# 85.400.070

TEMP : 194°F
PART# 85.400.071




THERMAL VALVE

PSI : 200
TEMP : 145°F

SIZE : 1/4" MNPT
PART# 85.300.022

SIZE : 3/8" MNPT
PART# 85.300.023

SIZE : 1/2" MNPT
PART# 85.300.024



M22 SCREW-TYPE X FNPT

INLET : FNPT
THREAD : M22 X 1 1/2
PSI : 4000


SIZE : 3/8"
PART# 85.300.127
SIZE : 1/4"
PART# 85.300.126



M22 SCREW-TYPE X MNPT

INLET : MNPT
THREAD : M22 X 1 1/2
PSI : 4000

SIZE : 3/8"
PART# 85.300.133
SIZE : 1/4"
PART# 85.300.132



SAFETY RELIEF VALVE

PSI : 6000
TEMP : 195°F
INLET : 3/8" MNPT

PART# 85.300.042



EZ START VALVE

INLET : 3/8" MNPT
OUTLET : 1/4" HOSE BARB

PART# 85.300.035



M22 X M22 MNPT

SIZE : M22M X M22M

PART# 85.300.166



M22 X M22 FNPT

SIZE : M22F X M22F

PART# 85.300.146



SPARK PLUG

REPLACEMENT FOR BPR6ES SPARK PLUG

ENGINE : FITS HONDA GX & GC ENGINES
PART# 85.519.001



AIR FILTERS

FITS HONDA GX160 OR GX200 ENGINE
PART# 85.550.002

FITS HONDA GX240 OR GX270 ENGINE
PART# 85.550.003

FITS HONDA GX340 OR GX390 ENGINE
PART# 85.550.004



PRESSURE SWITCH

3 WIRE
 PSI : 4100
 TEMP : 195°F
 ACTIVATED PRESSURE : 580 PSI
 INLET : 1/4" MNPT
 VOLTAGE : 250
 AMPS : 15A

PART# 85.300.082



FLOW SWITCH

2 WIRE
 PSI : 4500
 TEMP : 175°F
 GPM : 8.0
 INLET : 3/8" BSP
 OUTLET : 3/8" BSP
 VOLTAGE : 250
 AMPS : 3A

PART# 85.300.014



CLEANING SOLUTIONS

ORDER QTY : MULTIPLES OF 4
 VOLUME : 1 GALLON

CAR WASH PART# 85.490.050 **HOUSE & SIDING** PART# 85.490.051 **DECK & FENCE** PART# 85.490.052 **HEAVY DUTY DEGREASER** PART# 85.490.053



HIGH INTENSITY AUTO WASH

ORDER QTY : MULTIPLES OF 4
 VOLUME : 1 LITRE

PART# 85.490.060



NYLON BRUSH

TEMP : 140°F

ROTATING BRUSH
 2000 PSI
 1/4 QC PLUG OR MALE M22
PART# 85.400.008



NYLON BRUSH

TEMP : 140°F

3000 PSI
 1/4" MALE MNPT
PART# 85.400.011



FOAM LANCE WITH HIGH INTENSITY FOAMER

PSI : 2900
 TEMP : 140°F
 GPM : 6.5
 INLET : 1/4" BSP
 NOZZLE : 1.55MM

PART# 85.490.047

INCLUDED:
 • Q/C FITTING
 • M22 FITTING
 • AR FITTING
 • KARCHER FITTING
 • TEFLON TAPE
 • 1.8MM NOZZLE



500ml High Intensity Auto Wash (85.490.060)

FOAM LANCE

PSI : 2900
 TEMP : 140°F
 GPM : 6.5
 INLET : 1/4" BSP
 NOZZLE : 1.55MM

PART# 85.400.048

INCLUDED:
 • Q/C FITTING
 • M22 FITTING
 • AR FITTING
 • KARCHER FITTING
 • TEFLON TAPE
 • 1.8MM NOZZLE



HOSE REEL

PSI : 4000
 HOSE SIZE : 3/8"
 TEMP : 160°F

50' AND 75'
 REPLACEMENT SWIVEL: 85.402.004
 SWIVEL REPAIR KIT: 85.402.009

HOSE CAPACITY : 50'
 DIMENSIONS : 13" X 11.75" X 11"
PART# 85.402.050

HOSE CAPACITY: 75'
 REPLACEMENT SWIVEL: 85.402.004
 SWIVEL REPAIR KIT: 85.402.009

100' AND 200'
 REPLACEMENT SWIVEL: 85.402.005S
 SWIVEL REPAIR KIT: 85.402.009S

HOSE CAPACITY : 100'
 DIMENSIONS : 17" X 18" X 13.5"
PART# 85.402.050

HOSE CAPACITY : 200'
 DIMENSIONS : 20" X 15.75" X 17.25"
PART# 85.402.000



SANDBLAST KIT

HEAVY DUTY
 PSI: 5000
 GPM: 3/8" MNPT
 NOTE: 0° MEG NOZZLE (85.200.____) IS NOT INCLUDED
PART# 9001-9



PUMP SAVER

ANTI-FREEZE SOLUTION

VOLUME : 16 OZ
 ORDER QTY : 12 PER BOX

PART# 85.490.046



PUMP OIL & SMALL ENGINE OIL

VOLUME : 1 LITRE
 ORDER QTY : 12 PER BOX

PUMP OIL
PART# 85.490.000

ENGINE OIL
PART# 85.490.002



NOZZLE SETS

NOZZLE SET #25
PART# 85.210.025BEP

NOZZLE SET #030
PART# 85.210.030BEP

NOZZLE SET #35
PART# 85.210.035BEP

NOZZLE SET #040
PART# 85.210.040BEP

NOZZLE SET #045
PART# 85.210.045BEP

NOZZLE SET #050
PART# 85.210.050BEP

NOZZLE SET #055
PART# 85.210.055BEP



COUPLER KITS

COUPLER KIT 3/8" FNPT PKGD
PART# 85.400.201

COMPLETE 1/4" & 3/8" FNPT
 KIT COUPLER/PLUG
PART# 85.400.202



SOAP INJECTOR

SOAP INJ (MULTI FLOW) KIT
PART# 85.400.000

SOAP INJ (LOW PRESS) KIT
PART# 85.400.001

SOAP NOZZLE (LONG RANGE) KIT
PART# 85.210.009



GAUGE

GAUGE, KIT 5000 P.S.I.
PART# 85.305.001



PLUGS

1/4"QD FNPT
PART# 85.300.101BEP

1/4"QD FNPT SS
PART# 85.300.101SBEP

3/8"QD FNPT
PART# 85.300.104BEP

PLUG, 3/8"QD FNPT SS
PART# 85.300.104SBEP

PLUG, 3/8"QD MNPT
PART# 85.300.105BEP

3/8"QD MNPT SS
PART# 85.300.105SBEP

1/4"QD MNPT
PART# 85.300.109BEP

1/4"QD MNPT SS
PART# 85.300.109SBEP



VALVES

THERMAL VALVE 3/8"
PART# 85.300.023BEP

THERMAL VALVE 1/2"
PART# 85.300.024BEP

SAFETY VALVE 3/8"
PART# 85.300.042BEP



FILTER

FILTER, INLET, BLUE, MXF, PKG
PART# 85.300.058BEP



GHA ADAPTERS

ADAPTER KIT, 3/8" MALE
PART# 85.300.119BEP

ADAPTER KIT, 1/2" MALE
PART# 85.300.120BEP



COUPLERS

COUPLER, 1/4"QC FNPT
PART# 85.300.102BEP

COUPLER, 1/4"QC FNPT SS
PART# 85.300.102SBEP

COUPLER, 3/8"QC FNPT
PART# 85.300.103BEP

COUPLER, 3/8"QC FNPT SS
PART# 85.300.103SBEP

COUPLER, 1/4"QC MNPT
PART# 85.300.107BEP

COUPLER, 1/4"QC MNPT SS
PART# 85.300.107SBEP



O-RINGS

O-RING KIT
PART# 85.400.200



FITTINGS

M22 FEMALE, 1/4" FNPT
PART# 85.300.124BEP

M22 FEMALE, 3/8" FNPT
PART# 85.300.125BEP

M22 MALE, 1/4" FNPT
PART# 85.300.126BEP

M22 MALE, 3/8" FNPT
PART# 85.300.127BEP

M22 MALE, 1/4" MNPT PKGD
PART# 85.300.132BEP

M22 MALE, 3/8" MNPT
PART# 85.300.133BEP

M22 FEMALE, 1/4" MNPT
PART# 85.300.135BEP

M22 FEMALE, 3/8" MNPT
PART# 85.300.136BEP



FITTINGS

NIPPLE, 3/8"Q/CXM22
PART# 85.300.142BEP

COUPLER, M22FXM22F
PART# 85.300.146BEP

PLUG, GARDEN HOSE
PART# 85.300.137BEP

COUPLER, GARDEN HOSE BRASS
PART# 85.300.138BEP

HOSE, SOAP 3' W/FILTER
PART# 85.400.005BEP

INJECTOR, CHEM M X M
PART# 85.300.090BEP

KIT, GUTTER CLEANER
PART# 85.400.033BEP

TAPE, TEFLON 1/2"
PART# 85.400.101BEP

SPARK PLUG, BE BPRGES
PART# 85.519.001BEP



ADJUSTABLE SPRAY GUN

PREMIUM GARDEN HOSE GUN, WITH ADJUSTABLE BRASS TIP WITH BRASS PLUNGER AND NUT. ZINC ALLOY BODY AND COMFORTABLE SOFT GRIP.

INLET : 3/4" FGHT

PART# 90.300.010



8 PATTERN SPRAY GUN

PREMIUM GARDEN HOSE GUN, WITH ADJUSTABLE BRASS TIP AND EIGHT FUNCTION SPRAY HEAD. ZINC ALLOY BODY AND COMFORTABLE SOFT GRIP.

INLET : 3/4" FGHT

PART# 90.300.011



COMMERCIAL TRIGGER NOZZLE

INLET : 3/4" FGHT
PSI : 200 PSI

PART# 90.300.020



ADJUSTABLE TIP TRIGGER NOZZLE

INLET : 3/4" FGHT
PSI : 200 PSI

PART# 90.300.022



COMMERCIAL POWERSPRAY NOZZLE

INLET : 3/4" FGHT
PSI : 200 PSI

PART# 90.300.024



COMMERCIAL FIREMAN'S NOZZLE

INLET : 3/4" FGHT
PSI : 200 PSI

PART# 90.300.026



COMMERCIAL 10 PATTERN NOZZLE

INLET : 3/4" FGHT
PSI : 200 PSI

PART# 90.300.023



COMMERCIAL WASH-DOWN GUN

POWERFUL AND DURABLE GARDEN HOSE GUN.

PSI : 350
TEMP : 195°F
GPM : 16
OUTLET : 3/4" FNPT

PART# 85.205.020



BRASS GARDEN HOSE SHUT OFF VALVE

PSI : 100
INLET : 3/4" FGHT
OUTLET : 3/4" MGHT
MATERIAL : BRASS

PART# 91.900.075



DUAL SHUT-OFF VALVE

PSI : 60
INLET : 3/4" FGHT
OUTLET : 2 X 3/4" MGHT
MATERIAL : POLY

PART# 90.303.001



GARDEN HOSE SHUT-OFF VALVE

PSI : 60
INLET : 3/4" FGHT
OUTLET : 3/4" MGHT
MATERIAL : POLY

PART# 90.303.000



GARDEN HOSE SHUTOFF VALVE

PSI : 100
INLET : 3/4" FGHT
OUTLET : 2 X 3/4" MGHT
MATERIAL : BRASS

PART# 91.900.073



GARDEN HOSE SHUT-OFF VALVE

PSI : 60
INLET : 3/4" FGHT
OUTLET : 3/4" MGHT
MATERIAL : POLY

PART# GHV-1



ADAPTER

INLET : 1/2" FNPT
OUTLET : 3/4" GHA FGHT
PART# 85.300.129



ADAPTER

INLET : 1/2" FBSP
OUTLET : 3/4" FGHT
PART# 85.300.144



ADAPTER

INLET : 1/2" FNPT
OUTLET : 3/4" MGHT

PART# 85.300.130



ADAPTER GARDEN HOSE HEX

INLET : 3/4" FGHT
FILTER : S.S MESH#60
MATERIAL : BRASS

OUTLET : 1/2" MNPT
PART# 85.300.131



ADAPTER GARDEN HOSE HEX

INLET : 3/4" FGHT
FILTER : S.S MESH#60
MATERIAL : BRASS

OUTLET : 3/8" MNPT
PART# 85.300.128



ADAPTER GARDEN HOSE HEX

INLET : 3/4" FGHT
FILTER : S.S MESH#60
MATERIAL : BRASS

OUTLET : 3/8" MNPT
PART# 85.300.119

OUTLET : 1/2" MNPT
PART# 85.300.120



EZ-GRIP ADAPTER GARDEN HOSE HEX

INLET : 3/4" FGHT
FILTER : S.S MESH#60
MATERIAL : BRASS

OUTLET : 3/8" MNPT
PART# 85.300.121

OUTLET : 1/2" MNPT
PART# 85.300.122



GARDEN CONNECTION

CONNECTION : 3/4" MGHT X GARDEN TYPE PLUG
MATERIAL : BRASS

PART# 85.300.165



MALE GARDEN COUPLER

CONNECTION : MGH
MATERIAL : PLASTIC

PART# 85.300.167



FEMALE QUICK-CONNECT

CONNECTION : 3/4" FGHT

PART# 90.303.002



5 PIECE QUICK-CONNECT SET

PART# 90.300.025



5/8" HOSE COUPLER

SIZE : 5/8" BARB X 3/4" MGHT
MATERIAL : BRASS

PART# 90.303.003



5/8" HOSE COUPLER

SIZE : 5/8" BARB X 3/4" FGHT
MATERIAL : BRASS

PART# 90.303.004



3/4" HOSE COUPLER

SIZE : 3/4" BARB X 3/4" MGHT
MATERIAL : BRASS

PART# 90.303.005



3/4" HOSE COUPLER

SIZE : 3/4" BARB X 3/4" FGHT
MATERIAL : BRASS

PART# 90.303.006



1/2" FEMALE COUPLER TO GARDEN HOSE

CONNECTION : 3/4" FGHT X 1/2" COUPLER
MATERIAL : BRASS

PART# 85.300.138



GARDEN HOSE TO 1/2" PLUG

CONNECTION : 3/4" MGHT X 1/2" PLUG
MATERIAL : BRASS

PART# 85.300.137



FILTER WASHER

SIZE : 1" 00
MATERIAL : #60

PART# 85.308.120



GARDEN HOSE WASHER

SIZE : 1" 00
SCREEN MATERIAL : RUBBER

PART# 85.308.121



1L SPRAYER

10 PSI
1 NOZZLE
1.0 LITRE SPRAYER

PART# 90.702.001



2L SPRAYER

10 PSI
1 NOZZLE
2.0 LITRE SPRAYER

PART# 90.702.002



6L SPRAYER

55 PSI
2 NOZZLE
6.0 LITRE SPRAYER

PART# 90.702.006



8L SPRAYER

55 PSI
2 NOZZLE
8.0 LITRE SPRAYER

PART# 90.702.008



FEATURES

SINGLE CONICAL SPRAY TIP HANDLE ACTION • PISTON PUMP • ERGONOMIC HANDLE • LARGE MOUTH FOR EASY FILLING • PRESSURE RELIEF VALVE

16L BACKPACK SPRAYER

LIGHTWEIGHT AND EASY TO USE
INCLUDES 4 SPRAY TIPS
LARGE OPENING LID
CARRY HANDLE & LANCE CLIP
LEVER ACTION PISTON PUMP
QUICK FITTING HARNESS
QUALITY VITON SEALS
BUILT-IN SCREENS

PART# 90.704.016



FEATURES

LEVER ACTION PUMP

WIDE MOUTH LID

LANCE CLIP

4 SPRAY TIPS

QUICK FITTING HARNESS & PADDED STRAPS

FLAT FAN SPRAY

CONICAL SPRAY TIP

4-HOLE ADJUSTABLE SPRAY TIP

DUAL CONICAL SPRAY TIP

16L PORTABLE SPRAYER

LIGHTWEIGHT AND EASY TO USE
HANDLE ACTION PISTON PUMP
SINGLE CONICAL SPRAY TIP
EASY TO USE SPOT SPRAY WAND
LARGE LID OPENING FOR EASY FILLING
PRESSURE RELIEF VALVE
ERGONOMIC HANDLE
PULL-TYPE HANDCART DESIGN

PART# 90.710.016



FEATURES

SINGLE CONICAL SPRAY TIP

ERGONOMIC HANDLE

HANDLE ACTION PISTON PUMP

LARGE MOUTH FOR EASY FILLING
PRESSURE RELIEF VALVE

PULL-TYPE HANDCART DESIGN,
NO LIFTING REQUIRED

15 & 25 GALLON SPOT SPRAYERS

1.0 GPM
12V PUMP
15' HOSE
SPRAY GUN

15 GALLON
PART # 90.700.150

25 GALLON
PART # 90.700.250



15 & 25 GALLON TRAILER SPRAYERS

2.0 GPM
12V PUMP
15' HOSE
SPRAY GUN

15 GALLON
PART # 90.800.150

25 GALLON
PART # 90.800.250



PRESSURE WASHER ACCESSORY RACK

PART# 85.900.500

*For presentation only, actual display may differ in appearance from the image shown

SET YOUR SHOWROOM WITH A COMPLETE RANGE OF BE ACCESSORIES



QTY	ITEM	DESCRIPTION
5	85.201.040BEP	NOZZLE, Q/C 0 DEG-040 PKG
5	85.216.040BEP	NOZZLE, Q/C 15 DEG-040 PKG
5	85.226.040BEP	NOZZLE, Q/C 25 DEG-040 PKG
5	85.241.040BEP	NOZZLE, Q/C 40 DEG-040 PKG
5	85.201.035BEP	NOZZLE, Q/C 0 DEG-035 PKG
5	85.216.035BEP	NOZZLE, Q/C 15 DEG-035 PKG
5	85.226.035BEP	NOZZLE, Q/C 25 DEG-035 PKG
5	85.241.035BEP	NOZZLE, Q/C 40 DEG-035 PKG
5	85.300.109BEP	PLUG, 1/4"QD MNPT PKG
5	85.300.101BEP	PLUG, 1/4"QD FNPT PKG (ST)
5	85.300.102BEP	COUPLER, 1/4"QC FNPT PKG
5	85.300.107BEP	COUPLER, 1/4"QC MNPT PKG
5	85.266.400BEP	NOZZLE, Q/C BRASS SOAP PKG
5	85.300.103BEP	COUPLER, 3/8"QC FNPT PKG
5	85.300.108BEP	COUPLER, 3/8"QC MNPT PKG
5	85.400.200	KIT, O-RING PKGD
5	85.300.105BEP	PLUG, 3/8"QD MNPT PKG (ST)
5	85.300.104BEP	PLUG, 3/8"QD FNPT PKG (ST)
4	85.202.108BEP	GUN, 5000 PSI PKG
3	85.210.170	ROTARY NOZZLE ASSY, #3.0
3	85.210.020	ROTARY NOZZLE ASSY,#4.0
3	85.400.005BEP	HOSE, SOAP3' W/FILTER PKGD
5	85.210.030BEP	NOZZLE SET, #030 PACKAGED
5	85.210.040BEP	NOZZLE SET, #040 PACKAGED
1	85.205.026	GUN,WAND&COUP 900MM108GUN
1	85.238.151	HOSE, 50FT 3/8" PACKAGED
1	85.238.156	HOSE, 50FT 3/8" GRAY, BOX
5	85.400.101BEP	TAPE, TEFLON 1/2" PKG
3	85.550.005BEP	GAS CAP, FOR GX MODELS
5	85.519.001BEP	SPARK PLUG, BE BPRGES PKG
1	85.550.002	FILTER, AIR (GX160/GX200)
1	85.550.003	FILTER, AIR (GX270)
1	85.550.004	FILTER, AIR (GX340/GX390)
3	85.305.001	GAUGE, KIT 5000 P.S.I.
3	85.400.060	WATER BROOM ASSEMBLY, 3GPM
12	85.490.000	OIL, PUMP 1 LTR
6	85.490.046	PUMP SAVER
1	85.490.054	DETERGENT, MULTI-PACK
3	85.400.001	KIT, SOAP INJ (LOW PRESS)
5	85.400.033BEP	KIT, GUTTER CLEANER, PKG
1	85.900.000A	STAND ASSY, DISPLAY(WIRE)

DISPLAY RACK WITH SIGNAGE

PART# 85.900.003

*For presentation only, actual display may differ in appearance from the image shown



BE Display Signs Included



Warranty

All BE products come with a comprehensive warranty on primary parts such as engines, pumps & frames. See the following pages for details specific to your BE product.

OVERVIEW

BE Pressure Inc. (operating as BE Power Equipment) warrants that each new product will be free of any manufacturer defects in workmanship for the set warranty period of the product. Warranty applies to the original purchaser of the product and cannot be transferred.

This warranty does not cover normal wear items, including but not limited to: seals, packings, valves, o-rings, spark plugs etc. Warranty does not include normal maintenance like oil changes, filters or valve adjustments. Nor does it include misuse of product.

Warranty approval is at the sole discretion of BE Pressure Inc.

In no event shall BE Pressure Inc. be liable for any indirect, incidental or consequential damages from the sale or use of the product. This disclaimer applies both during and after the term of this warranty. BE Pressure Inc. disclaims liability for any implied warranties, including implied warranties of merchantability and fitness for a specific purpose, after the applicable term of this warranty.

Shipping Claims

1. Freight Damage - is defined by product arriving with observable damage to package and/or product.
 - 1.1 Freight damages MUST be reported with 48 hours of receipt
 - 1.2 Damaged packaging must be photographed immediately for records
 - 1.3 If freight company is arranged by dealer, then it is incumbent on them to contact their own freight company and file a claim directly with them
 - 1.4 If freight was arranged by BE Pressure Inc., then contact BE Pressure Inc. with the following information (regardless of receipt or refusal of shipment)
 - 1.1.1 Purchase Order of product
 - 1.1.2 Pictures of damage
 - 1.1.3 List of products effects
 - 1.1.1.1 Model Number of product
 - 1.1.1.2 Serial Number of product

BE Pressure Inc. will advise on course of action to remedy situation.

2. Hidden Damage - is defined by product arriving and the package having no visible signs of damage. Upon opening the packing damage is noted with the product.
 - 2.1 Hidden damage MUST be reported within 48 hours of noticing the damage.
 - 2.2 Hidden damage claims cannot be reported on items received more than 6 months prior.
 - 2.3 When hidden damage is discovered, contact BE Pressure Inc. with the following information.
 - 2.3.1 Purchase Order of product
 - 2.3.2 Pictures of damage
 - 2.3.3 Model number of product
 - 2.3.4 Serial Number of Product

BE Pressure Inc. will advise on course of action to remedy situation.

Missing Parts

1. Items missing from Purchase Order MUST be reported within 48 hours of receiving shipment
 - 1.1 When missing products are noticed, contact BE Pressure Inc. with the following information
 - 1.1.1 Purchase Order of product
 - 1.1.2 Model number of products that are believed to be missing from shipment

BE Pressure Inc. will advise on course of action to remedy situation

2. Items missing from inside the product box
 - 2.1 When missing products are noticed, contact BE Pressure Inc. with the following information
 - 2.2.1 Purchase Order of product
 - 2.2.2 Model and Serial number of products
 - 2.2.3 Items missing from package

BE Pressure Inc. will advise on course of action to remedy situation

Warranty Claim Submission Procedure

When there is a perceived fault with a product please provide the following information to BE Pressure Inc. via the online warranty claim form.

1. Dealer Information (Contact name and number)
2. Product Model Number, and Serial Number (hour reading of machines with hour meter, or estimate of hours)
3. Electronic Copy of Customer Invoice
4. Explanation of defect or how it is not performing properly
 - 4.1 Troubleshooting steps already taken
5. Pictures of product including
 - 5.1 Picture of whole unit showing condition
 - 5.2 Picture of serial number
 - 5.3 Close up picture of problem area (leaking oil, water, broken part, etc)

Return Shipping for Warranty Consideration

Applies when shipping a product to determine if it is warrantable

1. Return authorization MUST be acquired prior to sending back product
2. Any item returned without authorization will not be received
3. Shipping is paid and arranged by sender
4. All items that are deemed not warrantable will be subject to a \$30 inspection fee
5. If item is warrantable, inspection fee will be waived
6. If item is warrantable, BE Pessure Inc. will repair, credit or replace at their expense
7. If item is not warrantable, customer will be notified and given the following options
 - 7.1 Abandon item (\$30 inspection fee still applies)
 - 7.2 Item can be fixed and returned at customers expense (Quote provided by BE)
 - 7.3 Item can be sent back as is at customers expense

Return for Credit

Only applies to new items still in original packaging.

1. Return authorization MUST be acquired prior to sending back product
2. Any item returned without authorization will not receive credit
3. Shipping is paid and arranged by sender
4. All items are subject to a 20% restocking fee
5. Any items returned in used condition will not be credited.

Custom ordered and built products cannot be returned, no exceptions

Top Repair Issues that are not warrantable:

1. Unit has been tipped over (oil contaminates spark plug and air filter)
2. Unit has been run on little or no oil
3. Unit has been run with old / stale fuel
4. Lack of maintenance, (ex. Oil Changes, Air Filter, Valve Adjustments)



- WARRANTY POLICIES - TIME FRAMES & LIMITATIONS

Pressure Washers

Frames: Lifetime

Engines:

- Honda GX - 3 years, Honda GC - 2 years
Must contact local Honda Power Equipment for warranty
- Baldor Motors - 2 years for manufacturer defects
Must contact Baldor for warranty
- Powerease engines and motors - 2 years for manufacturer defects or 1000 hours, whichever comes first

Pumps: Axial - 1 year, Triplex - 5 years**

Coil: (Hot Water Pressure Washer) - 3 years

Burner: (Hot Water Pressure Washer) - 3 years

Accessories: (eg hose reels, hose, gun, wand, tip, injector, couplers, unloaders, wheels etc) 90 Days

Generators

Frames: Lifetime

Engines:

- Honda GX - 3 years
Must contact local Honda Power Equipment for warranty
- Powerease engines - 2 years or 1000 hours, whichever comes first

Alternator/Control Panel: 1 year for manufacturer defects

Water, Chemical, Trash Pumps

Frames: Lifetime

Engines:

- Honda GX - 3 years, Honda GC - 2 years
Must contact local Honda Power Equipment for warranty
- Powerease Engines - 2 years or 1000 hours, whichever comes first

Pump Body: 2 years for manufacturer defects

Submersible Pump: 1 year for manufacturer defects

Compressors

Tanks: 2 years

Engines:

- Honda GX - 3 years
Must contact local Honda Power Equipment for warranty
- Baldor Motors - 2 years for manufacturer defects
Must contact Baldor for warranty
- Powerease Engines and Motors - 2 years or 1000 hours, whichever comes first

Pumps: 2 years for manufacturer defects

Log Splitters

Frames: Lifetime

Engines:

- Honda GX - 3 years, Honda GC - 2 years
Must contact local Honda Power Equipment for warranty
- Powerease Engines - 2 years or 1000 hours

Hydraulics: 1 year for manufacturer defects

Combo Units (Compressor/Welder/Generator)

Tanks: 2 years for manufacturer defects

Engines:

- Honda GX - 3 years
Must contact local Honda Power Equipment for warranty
- Kohler Engines Command Pro - 3 years
Must contact Kohler for warranty

Compressor Pump: 2 years for manufacturer defects

Generator: 1 year for manufacturer defects

Welder: 1 year for manufacturer defects

Fans

Fan Cover: 1 year for manufacturer defects

Motor: 1 year for manufacturer defects

Fan Blades: 90 days for manufacturer defects

Vacuums

1 Year for manufacturer defects

Heaters

1 year for manufacturer defects

Batteries

1 year starting at the time of purchase from dealer

Parts and Accessories

(ex. hose reels, hose, gun, wand, tip, couplers, unloaders, etc) 90 Days



MANUFACTURING FACILITIES

Abbotsford, BC, Canada

30585 Progressive Way,
Abbotsford BC, V2T 6W3

Tel: **1-800-663-8331**
Fax: **1-604-504-0924**

Sydney, Australia

15 Hudson Place
Mulgrave, NSW, 2756

Tel: **+61 (2) 4577-2144**
Fax: **+61 (2) 4577-3184**

Shakopee, MN, USA

4301 - 12th Avenue E
Shakopee MN, 55379

Tel: **1-800-663-8331**
Fax: **1-952-426-3695**

Shanghai, China

No. 1688, Xingping 1st Rd.
Pinghu Economic-Technology
Development Zone, Jiaxing

Manufacturing & Distribution

SALES & DISTRIBUTION

Kitchener, ON, Canada

45 Washburn Dr Unit B
Kitchener ON, N2R 1S1

Tel: **1-800-663-8331**
Fax: **1-519-624-7510**

West Palm Beach, FL, USA

5483 Leeper Drive, West
Palm Beach, Florida, 33407

Tel: **1-800-663-8331**
Fax: **1-561-688-9247**

Portland, OR, USA

29121 Kinsman Road
Wilsonville OR, 97070

Tel: **1-800-663-8331**
Fax: **1-503-570-6129**

Wildomar, CA, USA

24305 Prielipp Rd
Bldg. 5 #101, Wildomar
CA, 92595

Tel: **1-800-663-8331**
Fax: **1-951-677-2148**

Hamilton, New Zealand:

8 Perclo Place, Te Rapa,
Hamilton, 3200

Tel: **3-64 (7) 849-0000**
Fax: **+64 (7) 849-4894**

Perth, West Australia

Unit 1-37 Harlond Ave
Malaga, WA, 6090

Tel: **+61 (8) 9249-4139**
Fax: **+61 (8) 9467-0508**

Chongqing, China

#5-2310, No 174
Changjiang Rd.
Yuzhong District.

Sourcing Office

Reggio Emilia, Italy

Tel: **+ 39 (0) 347-2388510**

BEPOWEREQUIPMENT

.COM

FOLLOW US ON



Catalog
Made in Canada

POWERED by
HONDA™