# <u>AUTUMN FLYER 2018</u>



Sale Pricing in Effect September 1 – November 30, 2018

**Distributed by** 

Wells Industrial Supplies Ltd. 102 - 20120 64th Ave Langley Ph: 604-534-5456



### FR-TECH® 88/12 SAFETY WEAR

### FR-Tech<sup>®</sup> Flame Resistant 7 oz Hi-Viz Safety Coveralls

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2000 and NFPA 2112-2012 certified to UL
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 10 cal/cm<sup>2</sup> ARC 2

PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V2540310	7704	Royal	36-60	\$142.75
V254031T	7704T	Royal Talls	40T-60T	\$159.85
V2540350	7702	Hi-Viz Orange	36-60	\$142.75
V254035T	7702T	Hi-Viz Orange Talls	40T-60T	\$159.85

# <image>

### FR-TECH® 88/12 SAFETY WEAR

### FR-Tech<sup>®</sup> Flame Resistant 7 oz Hi-Viz Safety Overalls

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2000 and NFPA 2112-2012 certified to UL
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 10 cal/cm<sup>2</sup> ARC 2

PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V2540450	7714	Royal	S-5XL	\$135.65
V2540480	7712	Hi-Viz Orange	S-5XL	\$135.65







### FR-TECH<sup>®</sup> 88/12 SAFETY WEAR

AVAILABLE OCTOBER 1, 2018

### FR-Tech® Flame Resistant 7 oz Safety Shirts

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2000 and NFPA 2112-2012 certified to UL
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 10 cal/cm<sup>2</sup> ARC 2

PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V2540430	7741	Khaki	S-4XL	\$68.75
V2540440	7742	Navy	S-4XL	\$68.75
V2540460	7743	Hi-Viz Orange	S-4XL	\$125.00









• 600 denie	or's Vests	ester, PU co	ated	
	107-15 Clas	s 1 Type O		
ANSI/ISEA		ss 1 Type 0 Colour	Sizes	Sale
ANSI/ISEA     Snap front			Sizes S-5XL	Sale \$77.25

### **Hi-Viz Surveyor's Safety Vests**





<ul> <li>Stretchy F with hook</li> <li>2" premiuni</li> <li>13" long</li> </ul>	li-Viz arm ba and loop clo	sure h 2" reflective tape	
- paon poi	gabie terma		
PROD. NO.	MOD. NO.	Colour	Sale
			Sale \$3.50

• CSA Z96-1	0 gsm) tricol 5 Class 3 Le	: polyester in		
PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V1023560	6691	Hi-Viz Yellow/ Green	S/M, L/XL, 2/3XL, 4/5XL	\$24.35

<ul> <li>Hi-Viz Sa</li> <li>Premium 1</li> <li>Adjustable and chest :</li> <li>Startech™</li> <li>Quick-rele</li> </ul>	I.5" elastic elastic wais straps reflective ta	st band			
PROD. NO.	MOD. NO.	Colour	Size	Sale	
V1041050	5496	Hi-Viz Orange	Fit-All	\$10.65	
V1041060	5497	Hi-Viz Yellow/ Green	Fit-All	\$10.65	



• Premium p	ts			
• CSA Z96-1	5 Class 2 le		.nd R	
PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V1023750	6945	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL	\$18.30
V1023760		Hi-Viz Yellow/		













PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V1081350	5626	Hi-Viz Orange	S-5XL	\$43.50
V1081360	5628	Hi-Viz Yellow/ Green	S-5XL	\$43.50
V1082350	5627	Hi-Viz Orange	S-5XL	\$42.75
V1082360	5629	Hi-Viz Yellow/ Green	S-5XL	\$42.75

### Safety Poly/Cotton Coveralls

	-
• 7 oz (230 GSM) poly/cotton	
<ul> <li>5514/5514T - CSA Z96-15</li> </ul>	
Class 3 Level 2	

Class 3 Level 2 • 5516/5516T - CSA Z96-15

Class 1 Loval 2

Class 1 Leve	el 2			
PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V2020510	5514	Orange	36-60	\$71.35
V202051T	5514T	Orange	40T-60T	\$78.30
V2020580	5516	Navy	36-60	\$71.35
V202058T	5516T	Navy	40T-60T	\$78.30



Women's Poly/Cotton Drop Stitch Hi-Viz T-Shirts • 5.3 oz (180 GSM) poly/cotton knit						
<ul> <li>5.3 oz (180 GSM) poly/cotton knit</li> <li>Drop stitched for ultimate breathability</li> <li>Cotton yarn inside for ultra cool comfort</li> <li>Meets CSA Z96-15 Class 2 level 2 and ANSI/ISEA 107-15 Class 2 Type P and R</li> </ul>						
PROD. NO.	MOD. NO.	Colour	Women's Sizes	Sale		
V1052550	6908	Hi-Viz Orange	XS-3XL	\$24.90		
V1052560	6909	Hi-Viz Yellow/ Green	XS-3XL	\$24.90		

### Hi-Viz PVC/Poly/PVC **Rain Jacket and Bib Pant** Hi-viz PVC/poly/PVC 0.35 mm durable waterproof material • 5106 - CSA Z96-15 Class 2 Level 2 and ANSI 107-15 Class 3 Type P and R V3032050 • 5108 - CSA Z96-15 Class 3 Level 2 when worn with CSA Class 2 Level 2 top featuring reflective arm bands and ANSI 107-15 Class E Supplemental Type V3032150 PROD. NO. MOD. NO. Colour Sizes Sale V3032050 5106 Hi-Viz Orange S-4XL \$57.95 V3032150 5108 Hi-Viz Orange S-4XL \$42.75

• 7 oz (230 • 6617/6617 Class 2 Le • 6615/6615	Safety Poly/Cotton Dveralls 7 oz (230 GSM) poly/cotton 6617/66177 - CSA 296-15 Class 2 Level 2 6615/6615T - CSA 296-15 Class 1 Level 2		M	M
PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V2030110	6617	Orange	36-60	\$68.50
V203011T	6617T	Orange	40T-60T	\$74.00
V2030180	6615	Navy	36-60	\$68.50
V203018T	6615T	Navy	40T-60T	\$74.00



<ul> <li>Premium 1 polyester f</li> <li>6924/692! Class 2 Le ANSI/ISEA Type P and</li> <li>6925BK - Class 1 Le</li> </ul>	10.5 oz (360 leece 5 - CSA Z96 vel 2 and . 107-15 Clas I R CSA Z96-15	-15 ss 3	die	
PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V1060350	6924	Hi-Viz Orange	S-5XL	\$65.95
V1060460	6925	Hi-Viz Yellow/ Green	XS-5XL	\$65.95
V1060471	6925BK	Black	S-5XL	\$65.95



<ul> <li>Poly/Co</li> <li>7 oz (240</li> </ul>	Hi-Viz Industrial Wash Safety Coveralls - Poly/Cotton • 7 oz (240 GSM) poly/cotton • Suitable for industrial wash • CSA Z96-15 Class 3 Level 2 and ANSI/ISEA 107-15 Class 3 Level 2			
and ANSI/				
and ANSI/	ISEA 107-15		Sizes	Sale
and ANSI/ Class 3 Ty	ISEA 107-15 vpe P and R		<b>Sizes</b> 36-60	Sale \$88.30

<ul> <li>Sanforized less than 1</li> </ul>	5 GSM) poly, I for shrinka <u>c</u> % t-press, wrin	/cotton je of		
PROD. NO.	MOD. NO.	Colour	Sizes	Sale

### SAFETY APPAREL



Petro-Ga								
Standard S for Arc and • ARC 2 rati EBTAS 40. • NFPA 70E • Meets CGS	on Nomex® ASTM F1891 Specification d Flame Resi ng: ATPV 13 8 cal/cm <sup>2</sup> , H and CSA Z4 SB 155.20-2	-06 s stant Rainwe 3 cal/cm², AF 80.6%	ar for		<ul> <li>14 o</li> <li>Dupu</li> <li>Mee</li> <li>Spec</li> <li>Resi</li> <li>ARC</li> <li>EBT/</li> <li>Mee</li> <li>for P</li> </ul>	Z/yd²   2 2 2 2 2 2 2 2 2 2 2 2 2 3 2 2 3 2 3	rd <sup>®</sup> FR Bi Nomex® ASTM F1891 ons for Arc : Rainwear ng: ATPV 13 8 cal/cm <sup>2</sup> , H SB 155.20-2 ion Against	leoprene c -06 Stand and Flame .3 cal/cm <sup>2</sup> AF 80.6% 000 Work <sup>,</sup>
PROD. NO.	MOD. NO.	Colour	Sizes	Sale	PROD	. NO.	MOD. NO.	Colour
V2246450	J160 400	Orange	S-4XL	\$535.55	V224	6750	P160 041	Orange
		1/1	Klow W					
		The second	R		• 8 07	/vd² P	VC on Dupo	nt™
	VC on Dupo SB 155.20, 2	nt™ Nomex® 2000 Type 3	/Kevlar®		Nom	iex®/ł	VC on Dupo (evlar® SB 155.20, 2	
			/Kevlar® Sizes	Sale	Nom	iex®/ł ts CGS	Kevlar®	
Meets CG	SB 155.20, 2	:000 Type 3		Sate \$311.60	Nom • Mee	iex®/ł ts CGS I. <b>NO</b> .	Kevlar® SB 155.20, 2	:000 Type
Meets CG:     PROD. NO.     V2449320  Flame Re PU Strette Waterpro  FR treated Meets CG:     CSA Z96- Class 3 wil	100% polyu BB 155.20-2 J162 310DH Sistant Ch Hi-Viz Sof Jacket 100% polyu SB 155.20-2 I5 Class 2 Le nen worn wit	colour Colour International Crange	Sizes XS-4XL	\$311.60	Nom • Mee PROD V244 Flam PU S Wate • FR tt 1005 • Mee Type • CSA and worr and featu and	exe%/f ts CGS N. NO. 8450 e Re tretd erpro reated % poly ts CGS 296-1 Class : x with Class : x wing r ANSI/I	Kevlar® BB 155.20, 2 MOD. NO. P162 041 Sistant Sh Hi-Viz of Bib Pa	Noo Type Colour Internation Orange nts ly 000 evel 2 then Level 2 op bands
PROD. NO. V2449320 Flame Re PU Streto Naterpro	100% polyu BB 155.20-2 J162 310DH Sistant Ch Hi-Viz Sof Jacket 100% polyu SB 155.20-2 I5 Class 2 Le nen worn wit	Colour International Orange	Sizes XS-4XL	\$311.60	Nom • Mee PROD V244 Flam PU S Wate • FR tt 1005 • Mee Type • CSA and worr and featu and	ex®/H ts CGS N.NO. 8450 e Re tretc crpro reated % poly ts CGS 3 Z96-1 Class s 1 with Class s 1 with Class s 1 with S S S S	Kevlar® SB 155.20, 2 MOD. NO. P162 041 Sistant ch Hi-Viz of Bib Pa urethane/po SB 155.20-2 15 Class 3 Le 3 Level FR to CSA Class 2 2 Level FR to effective arm SEA 107-15	Noo Type Colour Internation Orange nts ly 000 evel 2 then Level 2 op bands
PROD. NO. V2449320 Flame Re PU Stretc Naterpro FR treated Meets CG: CSA 296- Class 3 will leg bands)	100% polyu BB 155.20, 2 MOD. NO. J162 310DH Sistant Ch Hi-Viz Jof Jacket Jacket 15 Class 2 La En worn wit and ANSI/IS	Colour International Orange Standard Colour Colour International Orange Standard Colour Colou	Sizes XS-4XL	\$311.60	Nom • Mee PROD V244 Flam PU S Wate • FR tt 1005 • Mee Type • CSA and worr and featu and Clas	ex@/ł ts CGS I. NO. 8450 e Re tretc tretc created % poly ts CGS 296-1 Class 3 296-1 Class 3 296-1 Using r with Class 5 Jiring r Will Class 5 Jiring r Will No.	Kevlar® SB 155.20, 2 MOD. NO. P162 041 Sistant Sista	tooo Type Colour Internation Orange nts ly 000 evel 2 then Level 2 Dp n bands Type

Dupont™ I Meets FR Specificati	ASTM F1891 ons for Arc a	d			
EBTAS 40. Meets CGS	ng: ATPV 13 8 cal/cm², H SB 155.20-2				
PROD. NO.	MOD. NO.	Colour	Sizes	Sale	
V2246750	P160 041	Orange	S-4XL	\$331.00	
8 oz/yd² P Nomex®/i Meets CG	SB 155.20, 2	nt™ 000 Type 3			
PROD. NO.	MOD. NO.	Colour	Sizes	Sale	
V2448450	P162 041	International Orange	XS-4XL	\$160.60	
lame Re	sistant				



- ne/poly 5.20-2000

PROD. NO.	MOD. NO.	Colour	Sizes	Sale
V3520250	5893	Hi-Viz Orange	XS-7XL	\$85.95
V3520260	5895	Hi-Viz Yellow/ Green	XS-4XL	\$85.95

ER





• 14 oz/yd² low smoke Neoprene on Dupont<sup>™</sup> Nomex® • Drawstring and toggle, hook and loop connection to jacket

PROD. NO.	MOD. NO.	Colour	Size	Sale
V2246120	H160 501	Orange	Fit-All	\$59.00

### Utili-Gard® FR Hood



FR



• 8 oz/yd² PVC on Dupont™ Nomex® / Dupont™ Kevlar® · Fits easily over a hard hat

PROD. NO.	MOD. NO.	Colour	Size	Sale
V2440620	H162 502	International Orange	Fit-All	\$35.30



V3520160

Green

XS-4XL

\$116.80



					<ul> <li>Inherently fla arc rated Fla</li> <li>ATPV 40 cal</li> </ul>
<ul> <li>ATPV 40 c Protective</li> </ul>	al/cm² (Arc	Thermal		1	Protective Va • ARC 4 Arc R • Super soft, v
PROD. NO.	MOD. NO.	Colour	Size	Sale	PROD. NO.
V4530270	C304	Black	Fit-All	\$45.45	V4530170
	ned Hard				Fleece-Line
<ul> <li>5 oz (170 l twill shell</li> <li>300 g flee</li> <li>Helmet str button clos</li> </ul>	GSM) poly/ca ce lined aps with	otton			<ul> <li>5 oz (170 GS twill shell</li> <li>300 g fleece</li> <li>Helmet strap button closu</li> </ul>
twill shell • 300 g flee • Helmet str	GSM) poly/ca ce lined aps with	otton	Size	Sale	<ul> <li>5 oz (170 GS twill shell</li> <li>300 g flecce</li> <li>Helmet strap</li> </ul>
twill shell • 300 g flee • Helmet str button close	GSM) poly/c ce lined aps with sure			Sale \$15.45	<ul> <li>5 oz (170 GS twil shell</li> <li>300 g fleece</li> <li>Helmet strap button closu</li> </ul>
twill shell 300 g flee Helmet str button clos PROD. NO. V4040180 Quilted H Polar Flee Boa lined Fooler fror	GSM) poly/cr ce lined aps with sure MOD. NO. 564N	Colour Navy	Size		<ul> <li>5 oz (170 GS twill shell</li> <li>300 g fleece</li> <li>Helmet strap button closu</li> <li>PROD. NO. I</li> </ul>
twill shell 300 g flee Helmet str button clos PROD. NO. V4040180 Quilted H Polar Flee Boa lined Fooler fror	GSM) poly/c ce lined aps with sure MOD. NO. 564N OOOded ece Shirts	Colour Navy	Size		<ul> <li>5 oz (170 GS twill shell</li> <li>300 g fleece</li> <li>Helmet strap button closu</li> <li>PROD. NO.</li> <li>V4040280</li> </ul> Flame Resi Modacrylic <ul> <li>4-way stretc Flame-Gard<sup>T</sup></li> <li>Permanent fl resistant fab will not wash</li> <li>Flame resist: comfort com</li> </ul>
twill shell • 300 g flee • Helmet str button clos PROD. NO. V4040180 Quilted H Polar Flee • Boa lined • Fooler fror • Mock hoor	GSM) poly/co ce lined aps with sure MOD. NO. 564N ooded ece Shirts die inner with	Colour Navy	Size Fit-All	\$15.45	<ul> <li>5 oz (170 GS twill shell</li> <li>300 g fleece</li> <li>Helmet strap button closu</li> <li>PROD. NO.</li> <li>V4040280</li> <li>Flame Resi Modacrylic</li> <li>4-way stretc Flame-Gard"</li> <li>Permanent fl resistant fab will not wash</li> <li>Flame resist. comfort com</li> <li>ARC 2 and a</li> </ul>



<ul> <li>Inherently arc rated F</li> <li>ATPV 40 c Protective</li> <li>ARC 4 Arc</li> </ul>	flame resista flame - Gard™ al/cm² (Arc <sup>°</sup> Value) Rating Cate o, warm and o	ant and ' blend Thermal gory			1
PROD. NO.	MOD. NO.	Colour	Size	Sale	
V4530170	C300	Black	Fit-All	\$27.35	



	Flame Resistant Modacrylic Underwear				
V2591470 • 4-way stretch Flame-Gard™ material • Permanent flame resistant fabric, will not wash out • Flame resistance and comfort combined • ARC 2 and antistatic					
PROD. NO.	MOD. NO.	Colour	Sizes	Sale	
V2591470	4401	Heather Grey	XS-4XL	\$92.65	
V2592470	4402	Heather Grey	XS-4XL	\$89.20	

Ē

### overall

- 100% FR treated SMS (Spunbound
- Melt-Blown) non-woven material Complies with Chemical Protective Coveralls Category III EN ISO 13982-1 Type 5 – Protection Against Hazardous
- Dry Particles Complies with Chemical Protective Coveralls Category III EN ISO 13034
- Type 6 Protection Against Light Splashes and Light Sprays of Liquid Chemicals Ideal for protection from asbestos,
- paint spray, dust and noxious splashes PROD. NO. MOD. NO. Colour Sizes Sale

V7014540	2075	Blue	S-5XL	\$7.85

Double La	ayer Neck	Warmer			
<ul> <li>Inherently arc rated F</li> <li>ATPV 40 c Protective</li> <li>ARC 4 Arc</li> </ul>	flame resista lame-Gard™ al/cm² (Arc <sup>™</sup> Value) Rating Cate , warm and c	' blend Thermal gory		3	
PROD. NO.	MOD. NO.	Colour	Size	Sale	
V4530370	C307	Black	Fit-All	\$18.25	









### **GLOVES & BOOTS**





### **Fitter's Cowsplit Glove**

<ul> <li>Grey supe cowsplit o</li> <li>Inside elas rubberized</li> <li>By dozen o</li> </ul>	ne-piece pal stic, I cuff	m		
PROD. NO.	MOD. NO.	Colour	Size	Sale
V5022100	547	Yellow Stripe	1	\$3.95

### **Insulated Fitter's Cowsplit Glove**







### **Insulated Fitter's Cowgrain Glove**



### Mechanic's Style Ergonomic Glove





### **Fitter's Cowsplit Glove**



### **Insulated Fitter's Cowgrain Glove**



### Mechanic's Style Thinsulate® Lined **Ergonomic Glove**

<ul> <li>Gold goatg one-piece</li> <li>Thinsulate</li> <li>Hang carde</li> <li>1 dz/pkg</li> </ul>	palm ® lined				
PROD. NO.	MOD. NO.	Colour	Sizes	Sale	
V5040900	891	Black Spandex Back	S-XL	\$23.65	





### TRAFFIC SAFETY



### FALL PROTECTION

### PeakPro Plus Harness with Positioning Belt - 5D - Class APE

- · Newly designed premium padded harness with belt
- · Aluminum hardware to prevent corrosion and reduce weight
- Stab Lock buckles for quick and easy donning and doffing
- Webbing designed to show red when damaged to facilitate inspections
- Upgraded padding for added comfort and durability
- Certified to both CSA Z259.10 and ANSI Z359.11 standards
- Integrated Trauma Straps

PROD. NO.	MOD. NO.	Sale
V8005171	FBH-7011G-S	\$366.50
V8005172	FBH-7011G-M	\$366.50
V8005173	FBH-7011G-L	\$366.50
V8005174	FBH-7011G-XL	\$366.50
V8005175	FBH-7011G-XXL	\$366.50



### PeakPro Harness - 1D - Class A - Stab Lock Chest Buckle

- Certified to both CSA Z259.10
- and ANSI Z359.11 standards
- High visibility colour
- Two-tone colour scheme for ease of donning
- · Padded shoulder, back and leg straps for all-day comfort
- Fully adjustable for a universal fit
- 5 points of adjustment ensuring a good fit (2 leg, 2 torso, 1 chest)
- Integrated Trauma Straps
- V8006100 FBH-60110A

SALE \$147.95

### Contractor Harness - 1D - Class A - Pass-Thru Buckles

- Certified to both CSA Z259.10
- and ANSI Z359.11 standards
- High visibility colourFully adjustable for a universal fit
- 5 points of adjustment ensuring a good fit (2 leg, 2 torso, 1 chest)
- Pass-Thru leg and chest buckles for quick donning
- V8002000 FBH-10000A

SALE



### Compliance Harness - 1D - Class A - Pass-Thru Buckles

- Certified to both CSA Z259.10 and ANSI Z359.11 standards
- High visibility colour
- 3 points of adjustment ensuring a good fit (2 leg, 1 chest)
- Pass-Thru leg and chest buckles for quick donning
- Sub-pelvic strap for added safety and support
- V8001000 FBH-10002A

\$38.50

\$56.25

- Contractor Harness 1D
- Class A Pass-Thru Chest Buckle

SALE

- Grommeted Leg Straps
- Certified to both CSA Z259.10 and ANSI Z359.11 standards
- · High visibility colour
- Fully adjustable for a universal fit
- 5 points of adjustment ensure a good fit (2 leg, 2 torso, 1 chest)
- Pass-Thru chest buckle and grommeted leg straps for quick donning

V8002200 FBH-10020A

SALE






\$50.75

### FALL PROTECTION



V845423012	Image: wide wide wide wide wide wide wide wide	KLE VALUE V	E V845533060LE
PROD. NO.	MOD. NO.	Description	Sale
V845423012	SRL-40302-12	SRL with 1" (25 mm) Webbing - Plastic Housing - Type 2 - Snap Hook - 12' (3.5 m)	\$247.75
V845423018	SRL-40302-18	SRL with 1" (25 mm) Webbing - Plastic Housing - Type 2 - Snap Hook - 18' (5.5 m)	\$385.95
V845523006LE	SRL-50302-6LE	LE SRL with 1" (25 mm) Webbing - Aluminum Housing - Type 2 - Snap Hook - 6' (1.8 m)	\$164.95
V845525006LE	SRL-50502-6LE	LE SRL with 1" (25 mm) Webbing - Aluminum Housing - Type 2 - Snap Hook - 6' (1.8 m)	\$280.50
V845526006LE	SRL-50602-6LE	LE SRL with 1" (25 mm) Webbing - Aluminum Housing - Type 2 - Snap Hook - 6' (1.8 m)	\$330.95
V845533010LE	SRL-53302-10LE	LE SRL with 3/16" (5 mm) Galvanized Steel Cable - Aluminum Housing - Type 2 - Snap Hook - 10' (3 m)	\$231.95
V845533020LE	SRL-53302-20LE	LE SRL with 3/16" (5 mm) Galvanized Steel Cable - Aluminum Housing - Type 2 - Snap Hook - 20' (6 m)	\$414.95
V845533040LE	SRL-53302-40LE	LE SRL with 3/16" (5 mm) Galvanized Steel Cable - Aluminum Housing - Type 2 - Snap Hook - 40' (12 m)	\$683.95
V845533060LE	SRL-53302-60LE	LE SRL with 3/16" (5 mm) Galvanized Steel Cable - Aluminum Housing - Type 2 - Snap Hook - 60' (18 m)	\$727.95

### NOTE: "LE" in above part number denotes Leading Edge



### WHAT IS A "LEADING EDGE SRL"?


- SRL Leading Edge (LE) devices are SRLs that have enhanced design features for use in leading edge applications; they provides additional protection against the sharp or abrasive surfaces found on many construction sites and are capable of withstanding a fall over a leading edge
- Unlike standard SRL's, SRL LE units are designed for use in both vertical and horizontal applications; the ability to work in a horizontal position vastly increases the versatility of LE units

### **SRL LE APPLICATIONS**

- Boom lifts, scissor lifts (need to tie off at your feet)
- · Roofers on sloped or flat roofs (no overhead anchor points)
- Steel erectors (possibility of lifeline coming in contact with an edge during a fall situation)

### FALL PROTECTION





\*Please note: All products are available individually, or in bulk 10-packs which are then master packed 5 packs (50 pieces) per carton. **Save by purchasing in both 10 packs and master packs of 50.** 

# sellstrom.

### **NEW** PERSONAL PROTECTIVE EQUIPMENT (PPE)



### **NEW** PERSONAL PROTECTIVE EQUIPMENT (PPE)

# sellst.rom



Welding Blanket - 24 oz Acrylic **Uncoated Fibreglass** 



- · Resistant to 1,000°F
- Brass grommets at 18" centres
- · Certified to meet ANSI/FM 4950

PROD. NO.	Colour	Dimensions	Sale
\$97612	White	6' x 6'	\$45.63
\$97613	White	6' x 8'	\$59.38

### Welding Blanket - 25 oz Vermiculite **Coated Fibreglass**



- · Industry-strength vermiculite coating boasts
- advanced abrasion resistance · Increased resistance to high temperatures
- · Brass grommets at 18" centres
- Certified to meet ANSI/FM 4950

PROD. NO.	Colour	Dimensions	Sale
S97616	Black	6' x 6'	\$74.94
S97617	Black	6' x 8'	\$102.44

1	* • •		
-	4		
1			
	-	_	
1	1		-

14 mil transparent vinyl material
Sewn hem with grommets on 12" centres

**Welding Curtains** 

with frame

- 7/8" round tube steel frame, with 24" extension
- Meets ANSI/FM 4950 and NFPA 701

PROD. NO.	Colour	Dimensions	Sale
\$97330	Orange	6' x 6'	\$104.38
\$97333	Orange	6' x 8'	\$116.88
\$97336	Yellow	6' x 6'	\$104.38
\$97339	Yellow	6' x 8'	\$116.88
\$97342	Green	6' x 6'	\$104.38
\$97345	Green	6' x 8'	\$116.88

### Welding Blanket - 24 oz Acrylic **Coated Fibreglass**



• Efficient coating and fabric are fire-resistant

- · Functions optimally in applications such as vertical welding curtains for spark containment, flash barriers and heat shields
- · Brass grommets at 18" centres
- · Certified to meet ANSI/FM 4950

PROD. NO.	Colour	Dimensions	Sale
\$97608	Yellow	6' x 6'	\$49.94
\$97609	Yellow	6' x 8'	\$66.19

### Welding Blanket - 18 oz Silica Cloth



- · Provides superior thermal insulation and
- resists melting up to 3,000 °F
- Brass grommets at 18" centres
- Certified to meet ANSI/FM 4950

PROD. NO.	Colour	Dimensions	Sale
\$97604	Tan	6' x 6'	\$104.94
\$97605	Tan	6' x 8'	\$143.69



- Resistant to 1,000°F
- · Brass grommets at 18" centres
- Certified to meet ANSI/FM 4950

PROD. NO.	Colour	Dimensions	Sale
\$97600	White	6' x 6'	\$34.94
\$97601	White	6' x 8'	\$43.69

### Welding Blanket - 16 oz Acrylic **Coated Fibreglass**



- · Efficient coating and fabric are fire-retardant and incombustible
- · Provides high visibility for safety and resistance to sparks,
- abrasion, water and most chemicals
- · Major applications for this product include vertical welding curtains for spark and spray containment, arc flash barriers and fire-retardant weather barrier material and grinding shields
- · Brass grommets at 18" centres
- · Certified to meet ANSI/FM 4950

PROD. NO.	Colour	Dimensions	Sale
\$97620	Salmon	6' x 6'	\$49.94
\$97621	Salmon	6' x 8'	\$68.13

### Welding Blanket - 16 oz Carbon Felt



- · Scratch-free with minimal heat transfer, making it an invaluable tool for high-temperature thermal insulation applications
- · Designed to handle those tough situations in which both high heat resistance and flexibility are required, and available with or without fibreglass reinforcement
- · High-quality fabric is also incombustible
- · Brass grommets at 18" centres
- Certified to meet ANSI/FM 4950

PROD. NO.	Colour	Dimensions	Sale	
\$97624	Black	6' x 6'	\$103.13	
\$97625	Black	6' x 8'	\$131.25	

# sellstrom.

### Advantage Plus Series XM300 Safety Glasses

- The XM300 safety glass is lightweight, stylish, comfortable and affordable
- High-impact optically correct wrap style unitary polycarbonate lens offers superior coverage
- Stylish black/green co-molded temples and soft nose piece offers all-day comfort

001111000					
PROD. NO.	Colour	Tint	Coating	Sale	
\$71100	Black/Green	Clear	Hard Coated	\$3.50	
\$71101	Black/Green	Smoke	Hard Coated	\$4.50	

### **B5 Safety Glasses**



- Sellstrom B5 safety glasses are specifically for use in welding and fabrications shops
- Available in Shade 5 IR for soldering, brazing and cutting operations

SALE

- Made with anti-scratch polycarbonate lenses
- S74751

H225 Ear Muff

NRR Rating

25 dB


### Premium Sealed XPS502 Sealed Safety Glasses

- Features flexible, soft temples that are permanently attached to the frame using a heavy-duty ratcheting (up or down) temple adjustment hinge
- Allows the user to adjust temples for maximum comfort and protection
- Includes a fire-resistant cloth strap that conveniently attaches to the temples

PROD. NO.	Colour	Tint	Coating	Sale
S71910	Black/Orange	Clear	Hard Coated	\$10.95
\$71911	Black/Orange	Smoke	Hard Coated	\$10.95



- · Reusable can be washed and reused dozens of times
- 100 pairs/box
   \$23420



### HP427 Premium Ear Muff



- The XP460 offers a sporty, stylish heavy-duty frame and temple design
- Our only full frame premium safety glass
- High-impact optically correct two-piece PC lenses
   offer superior coverage

### S72400

SALE \$9.50

# <text><text><text><image><list-item><list-item>

 Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/outside of the knee for added knee and leg protection Metal rivet hinge ensures long lasting protection while kneeling or walking · On the outside, pads feature a perfectly placed curved non-marking Grip Strip · On the inside, pads offer a long lasting 5/8" closed cell foam pad for maximum comfort and protection S96110

- · Comfortable, lightweight and economically priced
- Dielectric protect you from electric shocks and shorts
- · Cup pads are soft and comfortable ideal for extended use

S23401

### SALE \$8.50

\$32.25

SALE

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**XP460 Safety Glasses** 

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

# sellstrom.

