Wells Industrial Supplies Ltd.

#102 - 20120 64th Ave. Langley B.C. V2Y1M8

Tel: 604-534-5456 Fax: 604-534-9992

email: info@wellsindustrial.ca

CONNERCIAL & CONNE

COMPLETE SUPPLY SOLUTIONS

























Thank You For Your Business!

1	Tools and Equipment
68	Trailer, Towing and Accessories
93	Lighting
107	Electrical
116	Hard Parts
140	Safety
169	Paint
176	Chemicals and Lubricants
203	Janitorial and Sanitation

Contents by Vendor

2000 Flushes 178	Energizor Lighting 02	Lufkin47	Sea Foam199
3-IN-ONE 178	Energizer - Lighting93 Erickson69	Masterlock	Shop-Vac
31 Inc79	Firestone77	Mechanix Wear137	SKF
3M Canada149	FPPF185	Megapro35	Slick 50 197
AGS175	Furgale	Meguiar's 184	Slime
Alliance Mercantile 147,	Garant14	Milton 58	SprayNine 194
211	Gates	Mityvac9	Sprayon
AMS Automotive/	Gearwrench	Molyslip187	Spot Shot 178
Rhino PAC37	Gilmour55	Mothers188	Stant
Ancra 71	Gojo205	Mr. Heater 21	Stens
Armor All179	Great Canadian Sox 151	Muck Boots146	Stewart Warner 102
Armstrong 46	Great Plains26	Nicholson50	STP 180
Associated 41	Grote95	NLS189	SWS94
Bernzomatic	Groupe BBH 152	Nuera75	Sylvania92
Black Magic197	Gumout197	Nuvue	Tanaka13
Brady 141	H.K. Porter 51	OLFA59	Terra Footwear 159
Buyers	Hein-Werner 18	Omega15	The Bone 40
Cantech	Hella97	Permatex193	Torin Jacks 10
Car-Freshner 206	Hitachi23	Phillips & Temro116	Trico
Champion119	Honeywell 153	Phillips Industries 106	Tridon 130
Channellock	Hopkins69	Pico107	Truper 61
Cliplight91	Ingersoll Rand54	Plombco	Ultra Lube/Lubrimatic 130
Cold Fire	Irwin31	Plumb	United Abrasives113
Cole Hersee112	J-B Weld186	Port-A-Cool	US Forge27
Coleman53	Jiffco 171	Porto-Power20	Veyance127
CRC 173	Ken-Tool57	Powerbright111	Victor Technologies 1
Crescent	Kodiak159	Prime Wire 104	W. Ralston 201
Donaldson117	Krylon 167	Probuilt	Warn11
Dupli-Color & VHT 172	Kutmaster3	Purdy 166	WD-40177
DV Systems5	Leatherman	Rain-X 195	Weller51
Dynaline80	Lincoln7	Raw Power 131	Weatherhead 121
E.F. Walter 150	Lite Ladders29	Red Ram160	Wipeco200
Eiko90	Loctite	Richlu161	Wiss
Emhart Teknologies 123	Luber-Finer136		Xcelite
O .		Rubbermaid203	Aceille 52
Energizer - Electrical 105	Lucas Oil191	Scepter 63	

VICTOR TECHNOLOGIES Code: 395

Website: www.victortechnologies.com



VICTOR GAS APPARATUS

VICTOR FIREPOWER CUTTING AND WELDING OUTFITS

Includes hose, goggles and striker

PART NO.	DESCRIPTION
0384-2551	FP250-510FC Medium Duty Outfit
0384-2652	FP350-510FC Heavy Duty Outfit



Part #0384-2045

VICTOR GAS APPARATUS

PERFORMER MEDIUM DUTY OUTFIT

100FC Torch Handle, CA 1350 Cutting Attachment, 540/510 ESS3 **EDGE** Regulators



Part #1-4200-7

THERMAL DYNAMICS PLASMA CUTTING SYSTEMS

NEW! CUTMASTER 42 PLASMA MACHINE

- 40 amp system 115 volt to 230 volt input power
- Cuts all day at 1/4" with the power to cut 5/8"
- Vent2Shield Technology allows the use of considerably smaller air compressors
- · Compact and light weight, only 26 pounds
- Industry leading four year warranty

THERMAL ARC MIG WELDERS

NEW! THERMAL ARC FABRICATOR 1811 MULTI PROCESS WELDER

- Three process capability MIG (GMAW/FCAW), STICK (SMAW) and TIG (GTAW)
- · Only weighs 32 pounds!
- Includes Fabricator 181i, Tweco 180 amp MIG Gun, Victor Argon
- Regulator & 10 ft Hose, Tweco Electrode Holder & Ground Clamp, Drive Rolls & Contact Tips, Sample Electrodes, Shoulder Strap, Operators Manual & Set-Up DVD

Three Year Warranty



VICTOR GAS APPARATUS

VICTOR CUTSKILL CUTTING AND WELDING OUTFITS

• Includes hose, goggles and striker

PART NO.	DESCRIPTION
0384-2530	D250-510 Medium Duty Outfit
0384-2646	D350-510 Heavy Duty Outfit



Part #0384-2036

VICTOR GAS APPARATUS

JOURNEYMAN HEAVY DUTY OUTFIT

• H 315FC Torch Handle, CA 2460 Cutting Attachment, 540/510 ESS4 **EDGE Regulators**



THERMAL ARC AUTO DARKENING CANADA WELDING HELMET

PART NO.	DESCRIPTION
W4012000	Black Helmet
W4011900	Claret Helmet
W4011800	Canada Helmet



THERMAL ARC PORTABLE INVERTER DC WELDERS THERMAL ARC 161 STL STICK/TIG WELDING SYSTEM

Designed to provide increased control and superior arc performance for tackling more demanding DC Stick and Lift TIG welding applications. It is capable of delivering up to 125 amps on 115 volt circuits for stick welding and 160 amps for TIG. When used on 208 - 230 volt circuits, maximum output is 160 amps for either welding process.

• 161 STL power supply, Victor Argon Regulator & 10 ft hose

- Tweco Electrode Holder & Ground Clamp
- TIG Torch with integrated controls
- Sample Electrodes, Carry Case, Operators Manual & DVD

DESCRIPTION
161 STL Package
Optional Foot Control 15 ft



THERMAL ARC 95S DC WELDERS

- · High 95 amp welding output
- Highly efficient inverter design
- Simple and easy
- Ultra-light for maximum portability (10 lb)
- · Versatile, multi-process stick/TIG capability
- Excellent, smooth and stable arc performance
- Ready to weld package includes 95S Inverter power supply, Tweco Electrode Holder & Ground Clamp, 20 amp, Adaptor Plug and Cable, Sample Electrodes, Operating Manual
- Stick/TIG package includes 10 ft TIGTorch with Accessory Kit & Argon Regulator





VICTOR TECHNOLOGIES Code: 395

Website: www.victortechnologies.com



FIREPOWER ARC WELDING ELECTRODES



ER 308L STAINLESS STEEL MIG WIRE

PART NO.	SPOOL SIZE	WIRE SIZE
1440-0245	2 lb	0.030"



ER5356 ALUMINUM MIG WIRE

PART NO.	SPOOL SIZE	WIRE SIZE
1440-0240	1 lb	0.030"
1440-0241	1 lb	0.035"
1440-0445	3 lb	0.035"



E71T-GS FLUX CORE WIRE

PART NO.	SPOOL SIZE	WIRE SIZE
1440-0230	2 lb	0.030"
1440-0231	10 lb	0.030"
1440-0235	2 lb	0.035"
1440-0236	10 lb	0.035"



ER70S-6 SOLID MIG WIRE

PART NO.	SPOOL SIZE	WIRE SIZE
1440-0210	2 lb	0.023"
1440-0211	11 lb	0.023"
1440-0212	33 lb	0.023"
1440-0215	2 lb	0.030"
1440-0216	11 lb	0.030"
1440-0217	33 lb	0.030"
1440-0220	2 lb	0.035"
1440-0221	11 lb	0.035"
1440-0222	33 lb	0.035"

TYPE 6010

- Premium AWS Class E-6010
- Mild steel type
- Deep penetration, welds through rust, scale, oil and dirt
- · Excellent for pipe welding, root
- DC, reverse polarity
- 60,000 PSI tensile strength
- · All position electrode

TYPE 6011

- Premium AWS Class E-6011
- Mild steel type
- Deep penetration, welds through rust, scale, oil and dirt • Excellent for low heat applications
- Use when you are unable to prepare the welding surface
- AC or DC, reverse polarity
- 60,000 PSI tensile strength
- · All position electrode

TYPE 6013

- Premium AWS Class E-6013
- Mild steel type
- Designed for general purpose
- · Best used with clean or prepared welding surface
- AC or DC, reverse polarity
- · 60,000 PSI tensile strength
- All position electrode

TYPE 7014

- Premium AWS Class E-7014
- Iron powder type
- Designed for high deposition and high electrode travel speed
- Medium to low penetration
- · Best used with clean or prepared welding surface
- AC or DC, reverse polarity
- 70,000 PSI tensile strength
- · All position electrode

TYPE 7018

- Premium AWS Class E-7018
- · Low Hydrogen Type
- Designed to produce x-ray quality welds
- Medium penetration
- · Best used with clean or prepared welding surface
- AC or DC, either polarity
- 70,000 PSI tensile strength
- All position electrode

TYPE 6010	1 LB BOX	5 LB BOX	10 LB BOX	50 LB BOX
Rod Size	Part No.	Part No.	Part No.	Part No.
3/32"	-	1440-0474	-	-
1/8"	-	1440-0473	-	-
5/32"	-	1440-0475	-	-

TYPE 6013	1 LB BOX	5 LB BOX	10 LB BOX	50 LB BOX
Rod Size	Part No.	Part No.	Part No.	Part No.
3/32"	1440-0145	1440-0146	1440-0147	1440-0148
1/8"	1440-0134	1440-0135	1440-0136	1440-0137
5/32"	1440-0124	1440-0125	1440-0126	1440-0127

TYPE 6011	1 LB BOX	5 LB BOX	10 LB BOX	50 LB BOX
Rod Size	Part No.	Part No.	Part No.	Part No.
3/32"	1440-0115	1440-0116	1440-0117	1440-0118
1/8"	1440-0105	1440-0106	1440-0107	1440-0108
5/32"	1440-0095	1440-0096	1440-0097	1440-0098

TYPE 7014	1 LB BOX	5 LB BOX	10 LB BOX	50 LB BOX
Rod Size	Part No.	Part No.	Part No.	Part No.
3/32"	1440-0205	1440-0206	1440-0207	1440-0208
1/8"	1440-0200	1440-0201	1440-0202	1440-0203
5/32"	1440-0150	1440-0151	1440-0152	1440-0153

TYPE 7018	1 LB BOX	5 LB BOX	10 LB BOX	50 LB BOX
Rod Size	Part No.	Part No.	Part No.	Part No.
3/32"	1440-0195	1440-0196	1440-0197	1440-0198
1/8"	1440-0185	1440-0186	1440-0187	1440-0188
5/32"	1440-0180	1440-0181	1440-0182	1440-0183



KUTMASTER Code: 586

Website: www.kutmaster.com



RED RESCUE KNIFE

Tanto blade

KUTMASTER

Part #91-C780CP

TACKLE BOX

• 6" and 8" cushioned

grip fillet knives

Ceramic cross

stick sharpener

· Quicksnip line clipper

. 6' tape measure

• 14" cutting board

· Bait knife

FILLET KNIFE KIT

- · Dual grind piercing edge
- · 420 high carbon stainless steel







Part #91-RT405CP

OUTDOORSMAN'S KIT

- · Heavy duty utility field saw
- 7-1/4" hi-tech liner lock knife
- · 4" gut hook field dressing knife
- · Hi-tech fixed blade taper ground knife

Part #91-C199CP

G10 LINER LOCKBlack titanium coated blade

· Razor sharp tapered edge

· Vented multi coloured handle

Part #91-RT815CP

BASE CAMP CUTLERY SET

- 7" santuku
- 5-1/2" fillet
- 4-3/4" boning knife
- 3" paring knife
- 8-1/2" game shears
- 12-3/4" plastic cutting board





HI-TECH ALUMINUM LOCKBACK

- Spring activated locking design
- 420 stainless steel blade
- Nylon belt loop pouch



Part #91-RT191CP

BODY LOCK KNIFE

- Realtree AP HD® camo handle
- 420 stainless steel blade
- · Heavy duty black embroidered nylon sheath



Part #91-C5080CP

30 FUNCTION CAT WRENCH HEAD WITH NYLON POUCH

- T-handle design for added turning torque
- Locking blades
- · 420 grade stainless steel



Part #91-C199CP

HUNTER'S COMBO KIT

- 3 piece knife kit with sheath
- 4.25" gut hook, 3.75" caping and 5" boning / fillet knife
- 420 stainless steel blades
- Slip resistant handles
- Heavy duty nylon pouch



SHOP VAC CANADA LTD. Code: 154

Website: www.shopvac.ca

SHOP VAC WET/DRY VAC



Part #587-24

4 GAL (IMP) PORTABLE CONTRACTOR

- 4 Gallon (IMP)
- 18.2 Litres
- 5.5 peak HP
- Portable Wet/Dry Vac
- Convertible Blower Port
- Lock-On® Hose
- 1.5" Accessories
- 3 Year Warranty



6.5 GAL (IMP) INDUSTRIAL S. STAGE

- 6.5 Gallon (IMP)
- Single Stage
- 29.5 Litres
- 6.5 peak HP
- Industrial Wet/Dry Vac
- Accessory Basket
- Lock-On® Hose
- 1.25" Accessories
- 1 Year Warranty



6.5 GAL (IMP) QUIET PLUS SERIES

- 6.5 Gallon (IMP)
- 30.3 Litres
- 3 peak HP
- Wet/Dry Vac
- Blower Port
- 1.25" Accessories
- · 2 Year Warranty



Part #962-11

8 GAL (IMP) ULTRA CONTRACTOR SERIES

- 8 Gallon (IMP)
- 36.4 Litres
- 6.5 peak HP
- Stainless Steel Wet/Dry Vac
- 3 Wheel Dolly with Transport Handle
- · Accessory Basket
- Convertible Blower Port
- Lock-On® Hose
- 2.5" Accessories
- 3 Year Warranty




ULTRA SERIES

- Wet/Dry Vac
- · Accessory Basket
- Lock-On® H

•	iank	Drain	

- 2.5" Accessories
- Convertible Blower Port
 3 Year Warranty

PART NO.	DESCRIPTION
962-09	10 Gallon (IMP), 5 peak HP
962-16	16.5 Gallon (IMP), 6.5 peak HP



REGULAR FILTER BAG

PART NO.	DESCRIPTION
906-61	Fits 5 - 8 U.S. gal, 18.9 - 30.3 litres
906-62	Fits 10 - 14 U.S. gal, 37.8 - 53 litres
906-63	Fits 15 – 22 U.S. gal, 56.8 – 83.2 litres



HIGH EFFICIENCY FILTER BAG

PART NO.	DESCRIPTION
906-71	Fits 5 - 8 U.S. gal, 18.9 - 30.3 litres
906-72	Fits 10 - 14 U.S. gal, 37.8 - 53 litres



Part #903-04

REGULAR CARTRIDGE FILTER

· Fits Shop Vac's 5 U.S. gallon and larger



Part #906-32

MULTI PURPOSE FLOOR NOZZLE

- · Settings for carpet and floor
- Fits 1-1/4" hose



Part #905-85

FOAM FILTER

· Wet pickup filter

SYSTEMS

DV SYSTEMS Code: 695

Website: www.dvsystems.ca

Part #IS7-100120-03

SDI INDUSTRIAL COMPRESSOR 230/60/1, 7.5 HP



- S Series Industrial Compressor 7.5 hp
- Cast iron, two stage, four cylinder pump with oil sight gauge
- · Stainless steel disc valves
- Industrial motor
- Magnetic starter, and wiring harness installed (two stage models)
- · CRN approved air receiver

Part #IS5-5580-03

SDI INDUSTRIAL COMPRESSOR 230/60/1, 5 HP



- S Series Industrial Compressor 5 hp
- Cast iron, two stage, three cylinder pump with oil sight gauge
- · Stainless steel disc valves
- Industrial motor
- Magnetic starter, and wiring harness installed (two stage models)
- · CRN approved air receiver

Part #IS13-5530

SDI INDUSTRIAL COMPRESSOR



- 13 hp industrial Honda engine
- · Optional heavy duty pulley/clutch
- Cast iron, two stage, 3 cylinder, compressor pump
- CRN and ASME approved air receivers: 30 gallon ASME industrial air receiver and 30 gallon horizontal air receiver
- Totally enclosed OSHA belt guard
- · Unloaded starting
- Ball valve air outlet
- Splash lubrication
- Max. operating pressure 150 PSI

Part #IS5-4060-03

SDI INDUSTRIAL COMPRESSOR



S Series Industrial Single Stage 5 hp Air Compressor

- True 5 hp, 19.7 amp commercial motor with internal overload protection
- High amp load rated pressure switch
- Cast iron, single stage, 3 cylinder pump
- 60 gallon vertical air receiver
- Maximum operating pressure 125 PSI



Part #MK-55

MAINTENANCE KITS

Compressor 5hp - 13 hp Maintenance Kits

DV Systems kits will assist with the recommended quarterly maintenance of DV System compressors. Kits include premium mineral oil or synthetic oil, replacement air filter and maintenance decal.

SDI MAINTENANCE KITS:

ODI IIII/IIIII EIII/	ODI IIII IIII III III III III III III II		
PART NO.	DESCRIPTION		
MK-100	DEV-100 pump		
MK-55	DEV-55 pump		
MK-40	DEV-20/30/40 pump		

HDI MAINTENANCE KITS:

IIDI MAMILLAMAN KITO.			
PART NO. DESCRIPTION			
MK-247	247 pump		
MK-445	445 pump		
MK-440	440/432 pump		
MK-447	447 pump		

Part #S-001766

ROTARY SCREW COMPRESSOR – 230/60/1

B Series Rotary Screw Compressor 7.5 hp

- 100% duty cycle
- Small footprint
- Quiet operation
- 18 to 27 cfm
- Minimum noise level, 63 dBA
- Std pressure, 145 psi
- · Also available in 5 hp

B series compressors are enclosed in a sound-insulated, powder coated, heavy duty steel cabinet. The control panel includes

the CSC50 controller featuring LCD display and start/stop operation. An emergency stop button is part of the control pad.



Part #S-001751

ROTARY SCREW COMPRESSOR

B Series Variable Speed Rotary Screw Compressor 10 hp

ENERGY EFFICIENT

- 10 hp tank mounted rotary screw air compressor 37 cfm at 145 psi
- VS20 controller featuring bright LCD display
- ASD40 dryer and 10 micron ceramic pre-filter
- High quality North American TEFC 230/1 phase industrial electric motor
- Minimum noise level, 68 dBA
- 80 gallon receiver built to ASME codes and CRN registered
- Maximum operating amp, 55 A RMS
- Overall dimensions 61" wide x 51" high x 30" deep



Part #S-001431

ROTARY SCREW COMPRESSOR - 230/60/3

C Series Rotary Screw Compressor 15 hp

- 100% continuous duty operation
- · Rugged and reliable
- 27 61 SCFM
- Extremely quiet 63 dBA
- · Load/No load operation
- · Small footprint
- Tank-mounted systems
- NEW! TEFC motors
- NEW! High-efficiency enduro rotary airends
- Also available in 10 hp



FILTERS AND CANISTERS

CANISTER ASSEMBLY PART NUMBERS:

3/8" PIPE SIZE	1/2" PIPE SIZE	3/4" PIPE SIZE
SAF-C-18	SAF-C-35	SAF-C-64



FILTER ELEMENTS PART NUMBERS:

FILTER	3/8" PIPE SIZE	1/2" PIPE SIZE	3/4" PIPE SIZE
10 Micron	SAF-S-18	SAF-S-35	SAF-S-64
1 Micron	SAF-A-18	SAF-A-35	SAF-A-64
0.1 Micron	SAF-E-18	SAF-E-35	SAF-E-64
Carbon	SAF-V-18	SAF-V-35	SAF-V-64

Part #ASD15

DRYER

A Series Dryers 10 cfm - 500 cfm

- Patented refrigerant circuit designed to adjust cooling capacity to suit volume and temperature of treated air
- Two-stage heat exchanger to improve efficiency and energy savings
- High-efficiency stainless steel moisture separator guarantees an extremely low pressure-drop and smooth operation even under heavy working conditions
- Microprocessor controls on all models keep stable dew-point and eliminate the risk of freezing
- Automatic
- Thermally protected cooling fans, and a safety system to prevent compressor damage due to malfunction or high working temperatures
- Powder coated, rugged steel cabinet with removable side panels



HIGH TEMP DRYER

Hi-Temp Dryers 18 cfm - 52 cfm

- Handles inlet temperatures up to 180°F
- · Freon R134a refrigerant
- Remote signal alarm relay
- · Low noise level
- Insulated secondary heat exchanger with encapsulated stainless steel moisture separator
- Fully digital control panel accurately monitors dew point, compressor fan, auto-drain and temperature
- Low maintenance
- Variable-speed fan to maintain balanced dew point
- Cross ventilated to allow installation close to wall
- Microprocessor controlled solenoid drain valve with Y trap
- Rugged powder coated steel cabinet
- · Space saving design with easy access panels for maintenance





LINCOLN INDUSTRIAL Code: 502


Website: www.lincolnlube.com

BATTERY OPERATED GREASE GUNS

18 V LITHIUM ION POWERLUBER® THE MOST ADVANCED GREASE GUN IN ITS CLASS!

- · LCD flow meter displays
 - · Grease output
 - Grease cartridge level
 - · Battery charge level
- · High-capacity (3000 mA) Li Ion Battery
 - Provides twice the performance and run time
 - 3 times the lifespan of traditional NiCad and NiMH batteries and 20% lighter
 - No fade energy output
- Low discharge rate eliminates need to recharge when idle for long periods
- 2 speed design delivers up to 9.0 oz/min (H) or 7,500 psi (L)
- Built-in LED provides light when under equipment or in shaded areas

PART NO. DESCRIPTION		
1862	Grease gun kit / 1 battery with charger and carrying case	
1864	Grease gun kit / 2 batteries with charger and carrying case	
1861	18 V Lithium-ion battery	
1850	18 V Lithium-ion battery charger	



PROFESSIONAL 18 V POWERLUBER®

SAVE TIME AND MONEY WITH THE LINCOLN 18 V POWERLUBER® DISTINCTIVE FEATURES

- · Two-speed transmission gets the job done quickly
- 300% greater grease flow (up to 9 oz per minute)
- 35% more operating pressure than other cordless grease guns
- · Patented stroke indicator button for grease flow measurement

OTHER KEY FEATURES FOR THE PROFESSIONAL:

- Best grease output in cold temperature operation (down to 10°F)
- High capacity battery delivers up to 10 grease cartridges per charge
- Fast one hour "smart" charger
- · Built-in overload protection

PART NO. DESCRIPTION		
1842	2 18 V battery operated grease gun kit / 1 battery	
1844	18 V battery operated grease gun kit / 2 battery	
1801	18 V replacement battery 18 V battery charger	
1410		
1815A DC field charger for 1801 or 1401 batteries		

POWERLUBER® 12 V CORDLESS RECHARGEABLE GREASE GUN

Lightweight, ergonomic design, continuous operation, 6000 PSI pressure relief valve, high capacity battery, 30" whip hose with dual spring guard.

PART NO. DESCRIPTION		
1242	12 V Powerluber battery operated grease gun kit / 1 battery	
1244	12 V Powerluber battery operated grease gun kit / 2 battery	
1201	12 V replacement battery	
1210	12 V battery charger	
1215A	DC field charger for 1201 battery	







Part #1842



LINCOLN INDUSTRIAL Code: 502

Website: www.lincolnlube.com

HEAVY DUTY GREASE GUNS

Part #1142

HEAVY DUTY LEVER GUN

Cast iron pump head, precision fit hardened plunger, jam proof toggle mechanism, "Flip Over Follower" for superior seal. 3-way loading.



Part #1013

PROFESSIONAL LEVER **GREASE GUN**

Dual Output / Dual Pressure. Cuts lube time in half! High output setting delivers twice the grease per stroke, 360° extension rotates for hard to reach fittings. Plated barrel, head and handle. 7000 psi maximum pressure.



HEAVY DUTY PISTOL GRIP GREASE GUN

Easy one hand operation with 18" whip hose, die cast head, "Flip Over Follower" for seal of both cartridge and bulk filling, 3-way loading.



Part #1134

HEAVY DUTY PISTOL GRIP **GREASE GUN**

Includes a cast head, jam-proof handle, 18" whip hose and a 6" rigid tube. Develops 7500 psi working pressure.

Part #1162

PROFESSIONAL AIR OPERATED GREASE GUN

- Fully automatic, continuous operation variable speed trigger provides excellent flow control
- Low pressure operation (40 - 150 psi)
- · Includes comport grip handle, 30" Powerluber® whip hose and combination filler nipple / bleeder valve

AIR REEL ASSEMBLIES (VALUE SERIES)

- · Durable heavy-gauge steel
- Slotted base allows for easy mounting
- · Five position adjustable outlet arm
- · Heavy duty rubber air hose
- Ball stop included

PART NO.	DESCRIPTION
83753	50' x 3/8" air reel assembly
83754	50' x 1/2" air reel assembly



HEAVY DUTY (LFR) HOSE REEL ASSEMBLIES

Models for low, medium and high pressure applications, heavy duty slotted steel base and support arm, 180° double ratchet teeth, dual needle bearing design, 7 position roller arm with 4-way roller assembly.

PART NO.	DESCRIPTION
94153	HD air/water hose reel assembly 50' x 3/8"
94154	HD air/water hose reel assembly 50' x 1/2"
94354	HD oil hose reel assembly 50' x 1/2"
94552	HD grease hose reel assembly 50' x 1/4"



Part #94354

Part #9917

PMV 50:1 HEAVY DUTY GREASE **PUMP FOR 120 LB CONTAINERS**

Portable, heavy duty air-powered grease lubrication, smooth and quiet.

INCLUDES: PMV high-pressure 50:1 pneumatic pump, high-pressure grease control valve, universal swivel and coupler, 7' hose, drum cover, flexible follower plate and caster hase





Part #3601

18 GALLON USED FLUID RECEIVER

PRESSURIZED EVACUATION

All steel design with reinforced caster supports. 18-gallon tank with a pre set air regulator and safety valve. 14" telescoping bowl. Allows the use of standard shop air up to 150 psi.

Provides a safe, affordable option for draining, transferring and evacuating motor oils, as well as transmission and power steering fluids.

MITYVAC Code: 502

Website: www.mityvac.com **Mituvac**®



PROFESSIONAL COMPRESSION TEST KIT

Perform dry and wet engine cylinder compression tests commonly used to detect ring or cylinder head problems, sticking valves, blown head gasket(s) and more. Includes adapters for use on motorcycles, marine and small engines and an air-hold adapter for performing valve seal repairs without removing the cylinder head(s). Not for use on diesel engines.



VACUUM BRAKE BLEEDER/EVACUATOR

- · Powerful vacuum bleeds up to 2 quarts per minute
- Large 1.9 quart reservoir
- Swivel air inlet provides for greater flexibility
- Automatic shutoff valve prevents overfilling
- Complete with brake/clutch bleed hose with universal bleed adapter, fluid refill kit, fluid evacuator wand, convenient hanging hook and bench mounted base



SILVERLINE ELITE **AUTOMOTIVE TEST KIT**

- · Provides either vacuum or pressure with equal precision and convenience
- Features modern, ergonomic design for comfortable, long-term use
- Performs engine performance diagnostics. brake bleeding, fluid transfer, evacuation, sampling, windshield repair and more
- Includes components needed to perform hundreds of diagnostic and mechanical tests



Part #MV6400

FLUID DISPENSING SYSTEM

Designed for topping-off fluid reservoirs including gear oil boxes, master cylinders, transmissions and power steering reservoirs. Fluid is dispensed under pressure. One gallon capacity with 5' hose and dispensing wand.



SYSTEM

Fill or top-off sealed transmissions with up to 1-gallon of fluid. Manual pump adds air above fluid level to prevent aeration. Includes 10 pc ATF adapter kit.



Part #MV6840

PRESSURE BRAKE **BLEED SYSTEM**

Professional hydraulic brake and clutch bleeding system. Pump kit forces new brake fluid through master cylinder, while air and old fluid are expelled through the bleed screw(s). Includes a 7 pc master cylinder adapter kit and the MV6400 fluid dispenser system.

Part #MV7201

FLUID EVACUATOR -

- Evacuates and dispenses most automotive liquids and chemicals including engine oil, transmission fluid, gear oil, coolant, brake fluid and more
- Evacuates and dispenses fluid with simple flick of switch
- Includes 5' flexible main hose and two rigid dipstick hoses for oil and transmission fluid
- Hand operated pump no shop air or electricity required
- Automatic flow control valve prevents overfilling



Part #MV7400

FLUID EVACUATOR

- Evacuates all kinds of fluids including engine oil. transmission fluids, gear oil, coolant, brake fluid and more
- Large 1.9 gallon reservoir (7.3 litres)
- Hand operated pump no shop air or electricity required
- Includes 5' long flex hose and 2 dipstick hoses
- Durable polyethylene construction, will not rust or corrode



Part #MV7300

FLUID EVACUATOR - AIR OPERATED

- Extract most automotive liquids including engine oil, transmission fluid, gear oil, coolant, brake fluid and more
- Includes 5' of flexible tubing and two rigid dipstick tubes
- Air shut off valve allows unit to be charged first and used away from air source
- Automatic shut off valve prevents overfilling

Website: www.torinjacks.com





ENGINE STANDS

PART NO. DESCRIPTION		DESCRIPTION
	T23401	T-frame, 750 lbs lifting capacity
	T24541	H-frame, 1,000 lbs lifting capacity
	T25671	U-frame, 1,250 lbs lifting capacity





	¥	JACK STA	NDS, ONE PAIR
•		PART NO.	DESCRIPTION
1		T42002	2 ton, min height 10.3", ma
	2.0	T43002	3 ton, min height 10.9", ma
	4	T46002	6 ton, min height 14.9", m

Part #T41202

PART NO.	DESCRIPTION	
T42002	2 ton, min height 10.3", max height 16.3"	
T43002	3 ton, min height 10.9", max height 16.4"	
T46002	6 ton, min height 14.9", max height 23.5"	
T41202	12 ton, min height 18.125", max height 28"	

BOTTLE JACKS

PART NO.	DESCRIPTION	
T90203	2 ton, 7.1" min height, 4.6" lifting height	
T90403	4 ton, 7.6" min height, 4.7" lifting height	
T90603	6 ton, 8.5" min height, 5.0" lifting height	
T90803	8 ton, 9.1" min height, 5.8" lifting height	
T91003	10 ton, 9.1" min height, 5.9" lifting height	
T91203	12 ton, 9.1" min height, 6.1" lifting height	
T92003	20 ton, 9.5" min height, 5.9" lifting height 20 ton (low profile), 7.7" min height, 3.3" lifting height	
T92007A		
T93007	30 ton, 9.4" min height, 5.7" lifting height	
T95007	50 ton, 9.3" min height, 5.7" lifting height	



Part #T90403

FANT NO. DESCRIPTION	
T90203	2 ton, 7.1" min height, 4.6" lifting height
T90403	4 ton, 7.6" min height, 4.7" lifting height
T90603	6 ton, 8.5" min height, 5.0" lifting height
T90803	8 ton, 9.1" min height, 5.8" lifting height
T91003	10 ton, 9.1" min height, 5.9" lifting height
T91203	12 ton, 9.1" min height, 6.1" lifting height
T92003	20 ton, 9.5" min height, 5.9" lifting height
T92007A 20 ton (low profile), 7.7" min height, 3.3" lifting height	
T93007	30 ton, 9.4" min height, 5.7" lifting height
T05007	FO top 0.2" min bought F. 7" lifting bought



6-WHEEL **SHOP CREEPER**

- Dimensions: 37.5" x 17.5" x 4.43"
- Gross weight: 15.4 lbs



Part #T35303

TOOL CARTS

- All steel construction
- · 2 lockable casters 4 swivel casters
- 3 tool mats included
- Gross weight: 61 lbs

Part #TR6300 4-WHEEL **CREEPER SEAT** • Dimensions:

16.5" x 14.25" x 14.23" with tool caddy

• Gross weight: 9.50 lbs



PART NO.	D. DESCRIPTION	
T82751	Pro Series 5500 2.75 ton jack	
T83002	Pro Series 6000 3 ton jack	
T83012	Quick Pump 3.5 ton jack	
T83014 S.U.V. Quick Pump 3.5 ton jack		



Part #T51201

SHOP PRESSES

SHULL LITESSES		
PART NO.	DESC.	
T51201	12 ton	
T52001	20 ton	

Part #TR6501

FARM JACK

- 48" farm jack
- 7,000 lbs lifting capacity
- Lifting range: 4.5" to 37.5"
- · Gross weight: 33 lbs



MOTORCYCLE JACK

- Capacity: 1,500 lbs
- Lifting Range: 5.125" x 16.625
- Gross weight: 80.46 lbs



WARN INDUSTRIES Code: 990

Website: www.warn.com



PULLZALL LIFTING & PULLING TOOL

Lifts or pulls up to 1,000 lbs. Strong motor and variable speed control with 15' (4.6 m) wire rope. Two versions: 120 V AC for use where power is available; 24 V battery pack for use in the field (includes two rechargeable battery packs). Unlimited applications.

PART NO.	DESCRIPTION
885000	PullzAll 120 V AC, Corded
885005	PullzAll 24 V DC, Cordless



Pulls up to 3,000 lbs. Riders looking for the most extreme winch on the ATV market will want the XT30 for its advanced features. Includes 50 ft of lightweight and easy to handle synthetic rope, wireless remote control system, roller fairlead and handlebar mounted control switch.



Part #93700

3700 DC 12 V ELECTRIC WINCH



Part #25300

MEDIUM DUTY WINCHING ACCESSORY KIT

Designed for winch capacities to 9,500 lbs with 5/16" wire rope. Includes one shackle, 19,000 lbs maximum capacity snatch block, one 2" x 8' (5 cm x 2.4 m) tree trunk protectors, 10' (3 m) choker chain, red heavyweight nylon case.



Part #69222

ATV/UTV WINCHING ACCESSORY KIT

Includes two shackles, snatch block, two 1" x 8' (25.4 mm x 2.4 m) tree trunk protectors, black heavyweight nylon case.

Pulls up to 3,700 lbs. For heavy duty power ideally suited to trailers and work sites. Includes wire rope, roller fairlead and wired remote control.



Part #75000

RT25 ATV WINCH

Pulls up to 2,500 lbs. Best selling, versatile and durable. Includes 50' wire rope, roller fairlead and handlebar mounted control switch.

THE WARN PROVANTAGE PLOW SYSTEM

When your job calls for a reliable, versatile plow system, look no further than **WARN Industries**. Engineered as a system for durability and maximum performance, WARN plows feature integrated design elements that make your work easier. Our plows feature high-strength steel blades with reinforced ribs for outstanding durability.

BUILD YOUR PROVANTAGE ATV PLOW SYSTEM AT: www.warn.com/atv/plows/provantage how to order.shtml



WARN INDUSTRIES Code: 990

Website: www.warn.com





M8000 PREMIUM WINCH

Compact, tough and reliable. Pulls up to 8,000 lbs. The WARN M8000 winch has been trusted by off-roaders for over twenty years. Its low-profile design allows for a variety of mounting options. Now available in two versions: wire rope with roller fairlead or WARN Spydura synthetic rope with polished aluminium hawse fairlead. Includes 100 ft of steel or synthetic rope, hand-held remote control and relevant fairlead.

PART NO.	DESCRIPTION
26502	Wire rope, 12 V
87800	Spydura synthetic rope, 12 V



VR10000 WINCH

Big on power and big on value - pulls up to 10,000 lbs. Separate control pack for various mounting options. Available in two versions: wire rope with roller fairlead or WARN Spydura synthetic rope with polished aluminium hawse fairlead. Includes 94 ft of steel or 100 ft of synthetic rope, hand-held remote control and relevant fairlead.

PART NO.	DESCRIPTION
86255	Wire rope, 12 V
87840	Spydura synthetic rope, 12 V



SERIES 30XL HYDRAULIC WINCH

Pulls up to 30,000 lbs. For heavy tow, utility and trailer applications. Powerful 12.0 cubic inch hydraulic motor allows for extended duty. Hardened steel, two-stage planetary gear train delivers efficient and reliable operation plus fast line speed.

PART NO.	DESCRIPTION
77880	Standard drum, manual clutch
77900	Standard drum, air clutch
77890	Long drum, manual clutch
75990	Long drum, air clutch

WARN HD STEEL BUMPERS FOR FULL SIZE TRUCKS

Ford, Dodge and Chevy. For when you want the ultimate front bumper with or without tubular grill/brush guard.
Commercial duty rated and fleet approved, welded one-piece construction with integrated light ports and additional light mounting holes. Includes WARN W350F Fog Lights with wireless remote control and mounting system for WARN large frame winches.



APPLICATION CHART: www.warn.com/truck/mounting-systems/heavy_duty_bumper_app.shtml



TANAKA® Code: 870

Website: www.tanaka-usa.com and www.tanakapowerequipment.com

Part #TIA-350PFS

32 CC ONE MAN AUGER, **POWERHEAD ONLY**

- 32 CC, 1.6 HP two-stroke engine
- S-Start system reduces the amount of pull-force required
- Tall wrap-around handles protect the engine from damage
- · Sound reduction system
- Primer for fast starting
- 33.2 ft-lb output torque
- One-vear commercial warranty
- 17.6 lb
- AUGER BITS SOLD SEPARATELY



- 23 CC, 1.2 HP PureFire two-stroke engine
- 60" solid steel drive shaft
- 5" semi-automatic head
- . 12.5 lb with cutting head

Part #TCS33EB/16

32 CC REAR HANDLE CHAIN SAW

• 32 CC, 1.6 HP PureFire two-stroke engine • 16" Oregon bar and chain, 3/8" pitch

· Extra large fuel tank

· Side access chain tensioner



Part #TED-270PFR

27 CC DRILL **WITH REVERSE**

- 27 CC, 1.4 HP PureFire two-stroke engine
- · 20:1 gear reduction
- · Powered reversing feature
- · Dual position padded front handle
- · Heavy-duty fuel tank protector



Part #TBL-4610

43 CC BACKPACK BLOWER WITH SIDE MOUNTED **THROTTLE**

- 43 CC, 2.4 HP two-stroke engine
- 500 CFM
- 200 MPH
- 69 dBA
- 20.9 lb



Part #TPS-260PF

25 CC POLE SAW

- 25 CC, 1.3 HP PureFire two-stroke engine
- Comes with 10" bar and chain
- 90" (7.5 ft) overall length



Part #TMC-200

MINI-CULTIVATOR **ATTACHMENT**

- Digs 4" wide and 6" deep
- 49:1 gear reduction
- Fits Tanaka straight shaft trimmers 21 CC to 32 CC



Part #TLE-600

50 CC WALK-BEHIND EDGER

- 50 CC, 2.5 HP Tanaka two-stroke engine
- · Solid steel drive shaft
- Heavy-duty, two-stage air filtration system
- Unique height adjustment system





Part #700220 **BAR AND** CHAIN **OIL 1 QT**



Part #700208

OIL-PERFECT MIX 16 0Z





Part #78045

NORDIC NA110LS ALUMINUM SNOW SHOVEL

- · Aluminum snow shovel
- 11" non painted aluminum blade
- · Stained ash handle



Part #80773

YUKON YPP36KU SNOW PUSHER

- Extra-wide 36" snow pusher
- · Poly blade
- Tubular steel ergo handle



Part #99068

GRIZZLY GIPM18KD POLY SNOW SHOVEL

- All purpose 18" mountain mover
- Polypropylene blade
- Stained ash handle



Part #81759

GRIZZLY GIP139KD ALL-PURPOSE POLYPRO SHOVEL

- All purpose 14" shovel
- · Polypropylene blade
- Stained ash handle



Part #81880

YUKON YFSW7D ICE SCRAPER 6.5"

- Sidewalk scraper
- 6 1/2" industrial grade forged and tempered steel blade
- · Premium ash handle
- · Steel D-grip



Part #99935

GARANT APRS106 SNOFLEX COMPACT SHOVEL

- 10.6" SnoFlex emergency shovel
- Poly with multi-grip handle and locking system



Part #81665

YUKON ERGO YPSS26 POLY SLEIGHT SHOVEL

- Ergonomic 23 1/2" sleigh shovel
- Poly scoop
- · Steel wear strip
- Ergo tubular steel handle



Part #81770

GRIZZLY GIPP26KD POLYPRO PUSHER

- All purpose 26" pusher
- · Polypropylene blade
- · Stained ash handle



Part #81760

GRIZZLY GIPP21KD POLYPRO PUSHER

- All purpose 21" pusher
- Polypropylene blade
- Stained ash handle



Part #80772

GARANT GPRR24T ROOF RAKE

- Telescopic roof rake
- 24" poly blade
- Ultralight aluminum oval handle with non-slip grip
- Integrated push-buttons on the handle
- Extends to 16.5 ft (5.03 m) with non-slip grip



GARAN

OMEGA Code: 600

Website: www.omegalift.com

Online Catalogue: www.shinnfuamerica.com/Temp/2354.pdf



Part #10200







Part #16123

BOTTLE JACKS

- Hydraulic system is protected from internal damage by a patented bypass mechanism
- · Machined and polished cylinders with die-cut threads provide non-abrasive leak-free, durable performance

Part #10120

- · Fabricated from hard-cast steel with heat-treated critical stress areas
- Serrated heat-treated saddle provides generous lifting area and secure grip
- Heat-treated extension screw allows low pick-up height adjustment and maximum lift height
- U.S. Patented built-in bypass device protects hydraulic system from over pumping damage
- Unique cross-type forged release valve assures positive control
- · A wide, rugged base provides stability and strength
- · Critical stress points are reinforced in all models for added durability and dependability

PART NO.	DESCRIPTION
10025C	2 ton bottle jack
10045C	4 ton bottle jack
10065C	6 ton bottle jack
10085C	8 ton bottle jack
10120	12 ton in-line bottle jack
10125C	12 ton bottle jack
10128	12 ton in-line shorty bottle jack
10129C	12 ton shorty bottle jack
10200	20 ton bottle jack
10205C	20 ton bottle jack
10208	20 ton in-line shorty bottle jack
10209C	20 ton shorty bottle jack
10300	30 ton in-line bottle jack
16123	12 ton ALL directional bottle jack
16203	20 ton ALL directional bottle jack



AIR OPERATED BOTTLE JACKS

- Effortless air operation will greatly reduce operator fatigue and speed up the efficiency of garage work
- The powerful, compact, Air Turbo Motor (U.S. Patent No. 5,341,723) raises a load to the desired height efficiently, effortlessly and safely
- A built-in bypass device (U.S. Patent No. 5,946,912) protects hydraulic system from over pumping damage
- · Versatile "Quick Connector" design provides for easy removal of

air hose from air motor allowing compact storage or remote operation

 All air bottle jacks have chrome plated rams

PART NO.	DESCRIPTION
18125	12 ton air bottle jack
18202C	20 ton air bottle jack (heavy duty base)
18205	20 ton air bottle jack
18502	50 ton air bottle jack (heavy duty base)



TOE JACK

- 10 ton toe jack
- · Heat treated and chromed medium-carbon steel cylinder
- · Chrome plated ram guarantees longer seal life and optimum performance
- · Hydraulic system is protected from internal damage by a patented bypass mechanism









Part #21025

Part #22100C

Part #22040C

STANDARD SERVICE JACKS

- Hydraulic unit is protected from internal damage due to ram overtravel by patented safety bypass system
- · Extra wide wheels and solid stance designed for stability under load stress
- Largest saddle in this category as allowed by ANSI standards
- Convenient foot pedal designed for fast, no load lifts (per model spec)

PART NO.	DESCRIPTION
21025	2 1/2 ton service jack
21030	3 ton service jack with foot pedal
22040C	4 ton long chassis service jack
22050C	5 ton long chassis service jack
22100C	10 ton long chassis service jack

JACK STANDS

- · Sturdy, welded steel construction for superior safety and strength
- · Heavy gauge, steel frame helps prevent distortion or twisting

PART NO.	DESCRIPTION
32035	3 ton heavy duty ratchet jack stands
32065	6 ton heavy duty ratchet jack stands
32066	6 ton heavy duty Magic Lift jack stands
32075	7 ton forklift stand pin style
32105	10 ton medium lift pin style jack stand
32107	10 ton high lift pin style jack stand
32125	12 ton heavy duty ratchet jack stands
32126	12 ton heavy duty Magic Lift jack stands
32225	22 ton truck stands pin style



Part #32065



Website: www.omegalift.com

Online Catalogue: www.shinnfuamerica.com/Temp/2354.pdf

TRANSMISSION JACKS - UNDER CAR

- Single-stage chrome-plated rams maximize its high reach operated by a user-friendly foot pedal
- · Extra-wide base lowers center of gravity and promotes stability
- A unique handle release pedal provides safety in lowering the load
- Rugged steel wheels and full swivel ball bearing casters

PART NO.	DESCRIPTION
40700	700 lb economy transmission jack
41003	1/2 ton telescopic transmission jack
42001	1 ton telescopic transmission jack with air



TRANSMISSION JACKS - FLOOR STYLE

- The adjustable head can be tilted forward, backward and side to side for optimum alignment of transmission bolt patterns and pins
- · Rugged steel wheels and full swivel ball bearing casters
- Hydraulic system is protected from internal damage by a patented bypass mechanism
- U.S. Patented built-in bypass device protects hydraulic system from over pumping damage
- Multi-adjustment knobs ensure that transmission cradle is always at the right angle to position and accept any load
- Load-restraining chain is vital for raising and lowering safety
- Four wheel casters allow easy movement, positioning of transmission jack

	PART NO.	DESCRIPTION
	40500	Clutch jack w/ith 2" and 1 3/4" splines, cap 500 lb
	42000C	1 ton transmission floor style jack
	43000	1 1/2 ton floor style transmission jack



Part #40500

MAGIC LIFT SERVICE JACKS

- Innovative design of Magic Lift offers a quicker lift for professional performance
- U.S. patented built-in bypass device protects hydraulic system from over pumping damage
- · Metered release system allows for precise load control
- After the first pump reaches the lifting point, the jack continues with extraordinary lifting speed to raise the load to the desired height

PART NO.	DESCRIPTION
25023	2 ton Magic Lift service jack high lift
25030	3 ton Magic Lift service jack
25032	3 ton Magic Lift service jack with jack stands
25048C	4 ton Magic Lift service jack
25057	5 ton Magic Lift service jack
25107	10 ton Magic Lift service jack
26020	2 ton aluminum racing jack
27025	2 1/2 ton Magic Lift service jack - 2 piece handle
27026	2 1/2 ton Magic Lift service jack - 1 piece handle
27036	3 1/2 ton Magic Lift service jack - 1 piece handle
27037	3 ton Magic Lift service jack - 1 piece handle
29023	2 ton long chassis low profile jack
29025	2 ton low profile jack



TRUCK AXLE JACKS

- Quick rated capacity lift using air-actuated operation
- User friendly, self-returning spring minimizes operators effort, greatly reducing fatigue
- Inline air filter traps contaminates and protects air motor for longer life
- U.S. patented built-in bypass device protects hydraulic system from over pumping damage

PART NO.	DESCRIPTION
23221C	22 ton air hydraulic truck jack
23227	22/35 ton air hydraulic truck jack
23501	50 ton air hydraulic truck jack



ENGINE STANDS

PART NO.	DESCRIPTION	
30750	750 lb engine stand, H type	
31250	1,250 lb engine stand, U type	

FORKLIFT JACKS

- Dual lift points for various lifting applications. The lower point is for forklift truck lifts and the higher point is for most farm equipment lifts
- · Precision control of lifting and lowering functions

PART NO.	DESCRIPTION
28047	4 ton air hydraulic
28045	4 ton hydraulic





Website: www.omegalift.com

Online Catalogue: http://www.shinnfuamerica.com/Temp/2354.pdf



WHEEL DOLLY

Hydraulic system actuated to provide smooth, positive power for the removal and installation of single, tandem and duplex tires and wheels

PART NO.	DESCRIPTION
47050	3/4 ton wheel dolly (roller cradle type)
47053	3/4 ton wheel dolly (cradle type)



PORTABLE BODY REPAIR KITS

- Designed for applications of pushing, spreading and pressing of vehicle body panels as well as various component parts and
- A variety of attachments are included
- Pumps are rated from 8.000 to 10.000 PSI
- Perfect-fit attachments use quick-connect technology for effortless assembly
- Sets are portable for easy usage in shop or on the road
- · Custom fitted, rugged blow-molded storage case
- U.S. Patent No. 5,520,400

PART NO.	DESCRIPTION
50040	4 ton body repair kit with plastic case
50100	10 ton body repair kit with plastic case

Part #49154

MOTORCYCLE/ATV JACK

- 1,500 lb jack
- Safety lock mechanism for supporting purpose
- Rubber padded lifting platform prevents scratching and protects your machine
- Non-slip foot pedal allows for effortless lifting of load
- Foot pedal operated power unit
- · Tie down strap



ENGINE CRANES & JACKS

- Heavy duty welded construction with rugged reinforced tubular steel
- Metered control release valve for lowering boom at a precisely-controlled rate of speed
- Special 8 ton hydraulic long rams are equipped with a patented built-in bypass mechanism

PART NO.	DESCRIPTION
44010	1 ton foldable engine crane
44020	2 ton engine crane
44940	4 ton crane jack
44980	8 ton crane jack
44700	700 lb engine support bar



SHOP PRESSES

- Ideal for the removal or installation of gears, universal joints, pulleys, wrist pins, and other various press jobs
- Excellent for bending, bonding, or straightening applications
- · Multi-position bed for work height adjustment
- · Heavy steel welded construction

PART NO.	DESCRIPTION
60120	12 ton shop press with bottle jack
60123	12 ton shop press with hand pump
60200	20 ton shop press with bottle jack
60253	25 ton shop press with hand pump
65123	12 ton bench press with hand pump

Website: www.omegalift.com Online Catalogue: http://www.shinnfuamerica.com/Temp/2354.pdf

AUXILLARY AND TRIPOD STANDS

- Fast and safe technology for professional mechanics
- Heavy gauge, steel frame helps prevent distortion or twisting
- · Ideal to support the exhaust system, shock absorber and other vehicle components during an under vehicle repair

PART NO.	DESCRIPTION
31500	3/4 ton auxiliary stand
31501	3/4 ton auxiliary stand with foot pedal
33020	2 ton tripod auxiliary stand



TRUCK RAMPS

- · Specifically designed for heavy-duty tasks
- · Steel wheels design for extra durability
- Long T-handle increases mobile efficiency
- Sold and to be used only in pairs

PART NO.	DESCRIPTION
93200	20 ton truck ramps (13.5" width)
93201	20 ton truck ramps (18.25" width)



CREEPERS

PART NO.	DESCRIPTION
91000	Z Creeper
92450	Toolbox Creeper



HEIN-WERNER AUTOMOTIVE Code: 600

Website: www.heinwerner-automotive.com Online Catalogue: www.shinnfuamerica.com/Temp/2353.pdf **HEIN-WERNE** AUTOMOTIN

ALL HEIN-WERNER PRODUCTS ARE MADE IN THE USA AND HAVE A 2 YEAR WARRANTY

VEHICLE STANDS

- Sold in pairs
- Tough rugged construction
- · Easy to use, builds user confidence and lends to more frequent usage

PART NO.	DESCRIPTION
HW93503	3 ton vehicle stands
HW93506	6 ton vehicle stands
HW93524	7 ton forklift stands
HW93526	25 ton vehicle support stands

FLOOR JACKS

- · Heavy duty construction
- Large castors and wheels for easy maneuvering
- Over performs specifications, long life, designed for the discriminating professional, repairable



Part #HW93506



Part #HW93642

Part #HW93652

PART NO.	DESCRIPTION
HW93642	2 ton service jack
HW93652	3 ton service jack



LONG CHASSIS FLOOR JACKS

- · Heavy duty construction
- · Large castors and wheels for easy maneuvering
- Over performs specifications, long life, designed for the discriminating professional, repairable

PART NO.	DESCRIPTION
HW93657	4 ton long chassis service jack
HW93667	4 ton long chassis service jack with air

HEIN-WERNER AUTOMOTIVE Code: 600

Website: www.heinwerner-automotive.com

Website: www.shinnfuamerica.com/Temp/2353.pdf

ALL HEIN-WERNER PRODUCTS ARE MADE IN THE USA AND HAVE A 2 YEAR WARRANTY



HEIN-WERNER

AUTOMOTIVE

3/4 TON WHEEL DOLLY

- For handling of dual wheels and large single wheels
- Handles up to 52" diameter tires and wheels
- Load levelers aid alignment
- Carriage arm rollers with self-lubricating bearings
- 2 swivel ball bearing casters for easy positioning
- · Wide frame and lifting carriage
- Handy tool/parts tray on frame



Part #HW93733

20 TON TRUCK AXLE JACK

- Lifting tractors, trucks, construction equipment, and other agricultural equipment by the axle, suspension, or frame
- · Compact, powerful design quickly lifts rated capacity
- Large 8" rubber wheels
- Low height allows lifting from axle or suspension
- · Pressure relief valve prevents overloading
- Rapid two-speed air hydraulic action quickly advances ram to load
- · Chrome plated plunger for extended jack life



Part #HW93693

10 TON WHEEL LIFT SYSTEM

- Lifts engage wheels without needing to remove panels on vehicle
- · Raise front or rear end of vehicle using a single controller
- · Load retention pin allows lifts to function as stands
- · Wide base ensures stability
- Completely air operated, no electrical connections required
- · Safety latch design provides six different locked positions
- Portable! Use in any area of the shop
- · Sold and to be used in pairs



Part #HW93718

HEAVY DUTY TRUCK TRANSMISSION JACK • 1 ton floor style transmission jack

 Wishbone design allows unit more mobility

- · Tubular steel frame
- 360° Swivel casters
- Load restraint chain
- Designed for heavy duty transmissions



PORTO-POWER Code: 600

Website: www.blackhawk-automotive.com Online Catalogue: www.shinnfuamerica.com/Temp/605.pdf



PORTABLE BODY REPAIR KITS

- · Designed for applications of pushing, spreading and pressing of vehicle body panels as well as various component parts and assemblies
- · A variety of attachments are included
- Pumps are rated from 8,000 to 10,000 PSI
- Perfect-fit attachments use quick-connect technology for effortless assembly
- · Sets are portable for easy usage in shop or on the road
- · Custom fitted, rugged blow-molded storage case
- U.S. Patent No. 5,520,400

PART NO.	DESCRIPTION	
B65114	4 ton body repair kit with plastic case	
B65115	10 ton body repair kit with plastic case	
B65041	20 ton porto-power kit with case	
	B65114 B65115	B65115 10 ton body repair kit with plastic case



Part #B65114

Part #B65115

Part #B65041

BODY KIT ACCESSORIES

PART NO.	DESCRIPTION
B65152	90 degree V base B65114
B65153	Wedge head B65114
B65154	Plunger toe B65114
B65156	Flat base B65114
B65158	6" extension tube B65114
B65161	19 1/2" extension tube B65114





Part #B65153



Part #B65154



Part #B65156



Part #B65158

Part #B65161

HYDRAULIC CYLINDERS

Threaded, snap style or regular style

	, ,
PART NO.	DESCRIPTION
B65139	5 ton flat body ram with adapters
B65187	4 ton porto-power ram B65114
B65442	10 ton ram 6" stroke, threaded
B65444	10 ton 10" stroke, threaded
B65454	5 ton pull ram









Part #B65444

Part #B65454

HOSES, COUPLERS AND FITTINGS

PART NO.	DESCRIPTION	
B65291	1/4" ID, 6' hose with male (B69478) coupler, 1/4" NPTF	
B65590	3/8" ID, 10' hose with male (B65581) coupler, 3/8" NPTF	
B65593	3/8" ID, 6' hose with male (B65581) half coupler, 3/8"	
B65594	3/8" ID, 6' hose, 3/8" NPTF Connection	



PART NO.	DESCRIPTION
B65280	1/4" complete coupler set
B65281	1/4" hose half coupler
B65282	1/4" ram half coupler
B65580	3/8" complete coupler set
B65581	3/8" hose half coupler
B65582	3/8" ram half coupler
B69477	1/4" ram half coupler for B65114 & B65115
B69478	1/4" hose half coupler for B65114 & B65115







Part #B65280

DESCRIPTION PART NO. B65129 Reducer from 3/8" to 1/4" B65131 1/4" NPTF gauge fitting B65132 Bushing from 1/4" to 3/8'



Part #B65129

Part #B65131



Part #B65132



MR. HEATER Code: 558

Website: www.mrheater.com

MR. HEATER HAND HELD TORCH

Model #MH500PT 500,000 BTU/hr forced propane. 10 foot hose, excess flow P.O.L. fitting, 24" handle, lightweight, easy to use, CSA approved.



FORCED AIR PROPANE

PART NO.	DESCRIPTION
F270035	MH35FA - 35,000 BTU/hr, heats up to 800 sq ft, operates up to 12 hr from a 20 lb BBQ type propane tank
F228160	MH60FAV - 30,000 - 60,000 BTU/hr, heats up to 1,250 sq ft, operates up to 14 hr from a 20 lb BBQ type propane tank on a low setting
F270085	MH85FAV - 50,000 - 85,000 BTU/hr, heats up to 2,000 sq ft, operates up to 8 hr from a 20 lb BBQ type propane tank on a low setting
F270125	MH125FAV - 75,000 - 125,000 BTU/hr, heats up to 3,000 sq ft, operates up to 11 hr from a 40 lb or larger propane tank on a low setting
F270170	MH170FAVT - 125,000 - 170,000 BTU/hr, heats up to 4,000 sq ft, operates up to 17 hr from a 100 lb propane tank on a low setting
F272425	MH400FAVT - 250,000 - 400,000 BTU/hr, heats up to 9,000 sq ft, operates up to 17 h ron two 100 lb propane tanks on low setting



PORTABLE BUDDY PROPANE HEATER

PART NO.	DESCRIPTION
F215120	MH4B - Little Buddy Heater, 3,800 BTU, heats up to 200 sq ft
F232050	MH9BX - Buddy Heater, 2 heat settings: 4,000 & 9,000 BTU, heats up to 200 sq ft
F274865	MH18B - Big Buddy Heater, 3 heat settings: 4,000, 9,000 & 18,000 BTU, heats up to 400 sq ft



Part #F228810

FORCED AIR KEROSENE

PART NO.	DESCRIPTION
F270255	MH50KR - 50,000 BTU/hr, heats up to 1,200 sq ft, operates up to 11 hr on a full tank
F270270	MH75KTR - 75,000 BTU/hr, heats up to 1,750 sq ft, operates up to 11 hr on a full tank
F270320	MH125KTR - 125,000 BTU/hr, heats up to 3,000 sq ft, operates up to 9 hr on a full tank
F270370	MH175KTR - 175,000 BTU/hr, heats up to 4,250 sq ft, operates up to 9 hr on a full tank
F270385	MH210KTR - 210,000 BTU/hr, heats up to 6,000 sq ft, operates up to 9 hr on a full tank

CORDLESS FORCED AIR HEATER

PART NO.	DESCRIPTION
F227900	MH35CLP Hero - 35,000 BTU/hr. Forced Propane. Quiet technology 12.5 dB, 8 hr on single charge. CSA Approved.
F228810	MH60CLP Hero - 30,000-60,000 BTU/hr. Forced Propane. Quiet technology 12.5 dB, 4 hr on single charge. Propane. CSA Approved.



PROPANE CONVECTION/FORCED AIR HEATERS

PART NO.	DESCRIPTION
F270480	MH80CV - Propane Convection Heater, 30,000 - 80,000 BTU/hr, heats up to 1,900 sq ft, operates up to 14 hr from a 20 lb propane tank on a low setting
F270600	MH200CV - Propane Convection Heater, 75,000 - 200,000 BTU/hr, heats up to 4,700 sq ft, operates up to 29 hr from a 100 lb propane tank on a low setting

PORTABLE RADIANT HEATER LIQUID PROPANE

PART NO.	DESCRIPTION
F270700	MH35LP - 35,000 BTU/hr, heats up to 800 sq ft
F270800	MH125LP - 125,000 BTU/hr,





Part #F242100

Part #F242650





"ORIGINAL" TANK TOP HEATER

Oilidiii	L IAM IOI HEALL
PART NO.	DESCRIPTION
F242100	MH15T - 8,000-15,000 BTU/hr. Single Element. CSA Approved.
F242650	MH30T - 8,000-30,000 BTU/hr. Two Element. CSA Approved.



MR. HEATER Code: 558

Website: www.mrheater.com

UNIT HEATER - 50.000 BTU/HR

115 Volts. Heats up to 700 sq. ft. Easily heats a 2 - 3 car garage. Spark ignition features self-diagnostic control module. Vent kit and thermostat sold separately. 3 year limited warranty. CSA approved.

PART NO.	DESCRIPTION
F260410	MHU50LP - Propane
F260420	MHU50NG - Natural Gas

UNIT HEATER - 80.000 BTU/HR

115 Volts. Heats up to 1.000 sq. ft. Easily heats a 3 - 4 car garage. Spark ignition features self-diagnostic control module. 3 year limited warranty. CSA approved.

PART NO.	DESCRIPTION
F260430	MHU80LP - Propane
F260440	MHU80NG - Natural Gas







Part #F260440

MR. HEATER ACCESSORIES

FUEL CONVERSION KITS

Fuel conversion kit for Big Maxx MHU50/80 unit heaters

PART NO.	DESCRIPTION
F260163	From NG to LP
F260164	From LP to NG





Part #F210371

24 VOLT THERMOSTAT

- · Class 2 milivolt systems
- CUL Approved
- Standard thermostat for any low voltage heater
- · Will fit MHU, MHT Mr. Heater units



Part #F271239

UNIVERSAL HOOK UP KIT STOCK

- · 22" Stainless steel flex gas connector
- Brass shut-off valve



Part #F102848

4" VERTICAL VENT KIT

For 80,000 BTU Models Only. (MHU75NG/LP). Includes: (1) 3" x 4" increaser, (1) 4" adapter, (1) 4" x 36" B-vent pipe, (2) 4" x 24" vent pipe, (1) 4" 45-degre elbow, wall thimble, termination tee, adjustable roof flashing, storm collar and vent cap.



Part #F102860

4" HORIZONTAL VENT KIT

For 50,000/80,000 BTU Models (MHU50/80/NG/LP). Includes: (1) 3" x 4" increaser, (1) 4" adapter, (1) 12" straight section, (1) 6" - 19" variable straight section, (1) 4" 45-degree elbow, wall thimble and termination tee.

Product specifications and appearance are subject to change without notice. Product images may not be precise.



3" VERTICAL VENT KIT

For 50,000 BTU Models Only (MHU50NG/LP, MHT45NG/LP). Includes: (1) 3"x 4" adapter, (1) 3" x 36" B-vent pipe, (2) 3" x 24" vent pipe, (1) 3" 90-degre elbow, wall thimble, adjustable roof flashing, storm collar and vent cap.

All parts for the MHU 45 and 50 units will meet local codes for vertical exhaust. Limited one year warranty.



HITACHI® Code: 870

Website: www.hitachipowertools.com

HXP LI-ION 18 V COMPACT PRO DRIVER DRILL

- 460 in/lb of torque to power through the toughest jobs
- 1.5 Ah HXP Li-ion slide batteries feature extended run time, fade free power, 40% less weight (0.9 lbs) than standard Ni-Cd/Ni-Mh batteries
- 1/2" racheting keyless metal chuck accepts a wide range of bits that can be changed quickly and easily
- 22+1 clutch offers 22 drive settings and one drill mode for both high torque applications and precision driving
- Covered by Hitachi's Lifetime Lithium Ion Tool Warranty & 2-Year Lithium Ion battery warranty



Part #DS18DSAL

18 V 1.5 AH LITHIUM ION COMPACT PRO IMPACT DRIVER

- 1,280 in/lb of driving torque for heavy applications like tightening carriage bolts, driving lags and sinking deck screws
- · Patented battery charger circuitry prevents overheating and power loss
- · Master impact driving with a no-load speed of up to 2,600 RPM and a 3,200 BPM impact rate
- 2 x 1.5 Ah Lithium Ion slide batteries improve ergonomics and balance while extending run time, delivering fade free power and weighing 40% less than standard Ni-Cd and Ni-MH batteries
- Covered by Hitachi's Lifetime Lithium Ion Tool Warranty & 2-Year Lithium Ion battery warranty



Part #WH18DSAL



Part #KC18DBL

HXP LI-ION 18 V 4-PIECE COMBO KIT

- Includes the most powerful 18 V HXP Li-ion Hammer Drill on the market with 570 in/lbs of torque, a C18DL 6-1/2" Circular Saw equipped with an electric brake and built-in spotlight, a heavy-duty 18 V HXP Li-ion Reciprocating Saw with fan cooled motor and soft grip handle, a powerful lantern equipped with an adjustable handle and 2 modes of operation: LED, and fluorescent light, and a Ballistic Nylon Tool Bag for tool storage and easy transport
- 2 x HXP Li-ion battery producing extended run time, fade free power, 40% less weight and 3 times the power capacity of standard Ni-Cd/Ni-Mh batteries
- Cross compatible charger for charging batteries ranging from 7.2 V -18 V and for Ni-Cd, Ni-Mh, and HXP Li-ion battery platforms
- Hitachi HXP Li-ion Tools are covered by a Lifetime Tool Warranty
- Hitachi HXP Li-ion Batteries are covered by a two year professional warranty



Part #KC18DHL

18 V HXP LI-ION COMPACT PRO 3-PIECE COMBO KIT

- Includes Hitachi's New Compact Pro Li-ion Flashlight with 5 locking positions and durable job site construction, the Compact Pro Impact Driver, (WH18DSAL) and Compact Pro Driver Drill (DS18DSAL)
- 1,280 in/lb of torque to power through the toughest jobs (WH18DSAL)
- Externally accessible carbon brushes for easy and economical brush changes to extend the life of the tool (DS18DSAL)
- 1.5 Ah HXP Li-ion slide batteries feature extended run time, fade free power, 40% less weight (0.9 lbs) than standard Ni-Cd/Ni-Mh batteries
- Patented battery charger circuitry prevents overheating and power loss
- Compact Pro Li-ion Flashlight with 5 locking positions and durable job site construction
- Covered by Hitachi's Lifetime Lithium Ion Tool Warranty & 2-Year Lithium Ion battery warranty



Website: www.hitachipowertools.com







Part #C7BMR

7-1/4" CIRCULAR SAW FEATURING **IDI TECHNOLOGY**

- Powerful 15 amp motor to tackle the toughest cutting jobs
- Patented IDI (Internal Double Insulation) technology reduces vibration and extends tool life
- · Heavy duty die-cast aluminum base with integrated scale provides stability and accuracy
- Electric brake stops the blade quickly after the switch is released
- · Magnesium housing, gear cover, blade cover and lower guard for increased strength and smooth operation
- · Includes 24 tooth premium framing blade for fast, high performance cuts



Part #C10FCH2

10" COMPOUND MITRE SAW WITH LASER

- 15 amp motor, intense power for the toughest cutting jobs
- Large pivoting fence with a 4" cutting capacity for crown molding applications
- Hitachi's exclusive Laser Marker System for increased cutting accuracy
- Horizontal handle with soft, vibration reducing Elastomer grip adds comfort and control
- · Large table, provides better material support
- . Thumb actuated positive stops, easy to use for quick mitre adjustments

HITACHI® Code: 870

Website: www.hitachipowertools.com



- The User Vibration Protection (UVP) counterweight mechanism reduces full-load tri-axial vibration by over 65%, significantly reducing vibration transfer to the user
- 12 amp motor, intense power for rigorous cutting jobs
- Variable speed, both trigger and hand dial adjust for balanced control and speed
- Dual action offers both reciprocating (for metal) and "swing" for cuts twice as fast as conventional orbital action
- Stroke length of 1-1/4" at 0-3,000 spm for rapid cutting performance

HITACH

CR13VBY REPLACEMENT BLADES

PART NO.	DESCRIPTION
725320	6" x 3/4 x 0.035, 10TPI, Metal, BI-M
725322	6" x 3/4 x 0.035, 14TPI, Metal, BI-M
725323	9" x 3/4 x 0.035, 14TPI, Metal, BI-M
725324	6" x 3/4 x 0.035, 18TPI, Metal, BI-M
725325	6" x 3/4 x 0.035, 24TPI, Metal, BI-M
725350	9" x 7/8 x 0.062, 6TPI, Demo, BI-M
725351	9" x 7/8 x 0.062, 8/10TPI, Demo, BI-M

Part #GP2S2

1" DIE GRINDER, 4.7 AMP

- Powerful 4.7 amp (610 W) motor capable of 29,000 RPM
- Large slide switch for easy one-hand operation
- Compact and lightweight at just 14-3/32" in length and a mere 3.7 lbs
- Ideal for fishing dies, press work, die casting and molding and grinding of machine parts



Part #WR16SA

1/2" IMPACT WRENCH

- Class leading torque 3, 190 in/lbs for maximum power
- Powerful 4.2 amp, 480 W motor to handle stubborn
- Forward-reverse rocker switch to quickly change fastening direction
- Covered in soft, yet durable elastomer for improved durability and a non-slip grip
- · Large bumper protects the tools gear cover
- Compact and lightweight at only 10.15 inches in length and 6.2 lbs
- Constructed using Hitachi's patented IDI technology for remarkable durability



Part #SP18VA

7" DISC SANDER / POLISHER (VARIABLE SPEED)

- 11 amp motor, forcible power that support a variety of applications
- Heat resistant bearing chamber and iron ball bearings to extend tool life and durability
- 3 electronically controlled features; constant speed control, soft start, and two way variable speed controls located on both the trigger and dial for flexibility and control
- Loop handle design for efficiency and comfort
- 6.1 lbs lightweight design facilitates maneuverability and ease of use



Part #G12SR3

4-1/2" GRINDER, 6.0 AMPS WITH 5 BONUS GRINDING WHEELS

- Powerful 6 amp motor with max output of 950 W
- No-load speed of 10,000 RPM
- · Spindle lock, provide easy and quick disc change
- Ball bearing construction for smooth operation and long life
- Slide switch, easy to use with a quick-off feature to shut the tool off immediately for added safety
- Removable side handle, improves control and comfort. 3.1 lbs, lightweight design
- 5 abrasives disc, included



Part #G13SC2

5" DISC GRINDER

- 11 amp motor, forcible output power (2,000 W) for the toughest grinding jobs
- Low-profile head, permits access in tight areas
- Dust-proof construction prolongs armature, switch and bearing life
- Dust seal, prevents dust from entering the ball bearing on the commutator side
- Removable side handle, improves control and comfort
- 6.2 lbs, compact and lightweight design facilitates maneuverability and is excellent for overhead applications



EZ-8 12 V DC FUEL PUMP

- The new EZ-8 pump is ideal for on-the-go fueling
- This 12 V electric pump delivers 8 GPM (equivalent to standard gas stations)
- The system comes complete with power cord. manual unleaded nozzle, three-piece, trim-to-fit suction pipe and 10 ft of 5/8 inch hose
- . Motor is UL Listed to U.S. and CSA Certified



Part #133240-2

M-3025-AD PUMP

- Choose this pump when reduced fueling time is critical
- · Available in 12 and 24 V models
- · Compatible with gasoline, kerosene and diesel fuel
- Delivers up to 25 GPM (95 LPM)
- Designed with power and performance to complete the toughest job
- · 1 inch NPT outlet
- Includes 15 ft (4.6 m) power cord and 1 in x 12 ft (3.7 m) hose
- Automatic nozzle

Part # 118450-03

PA-120-DEF-2TC-MN. 115 V DEF PUMP

- · For use with Diesel Exhaust Fluid (DEF) Systems only
- This pump mounts only to vented storage tanks with 2" NPT connection
- Includes 3/4 in x 12 ft (3.7 m) EPDM hose with 3/4" NPT x 3/4" Barb connections, and adjustable
- · Pump has built-in check valve and delivers up to 12 GPM (46 LPM)
- · Available in 12 and 115 volt models

Part #110155-1

GPI. MANUAL UNLEADED NOZZLE, 3/4" NPT

- · Manual unleaded nozzle
- 3/4 inch NPT for M-150S. M-240S and M-1115S Series



M-150S-AU 12 V DC ALUMINUM GEAR PUMP

- 12 V DC Aluminum Gear Pump for fuel with automatic unleaded nozzle
- Up to 15 GPM (57 LPM)
- UL Listed Motor, CSA Certified and Overload Protected
- Includes 18 ft power cord, 3/4" x 12 ft (3.7 m) hose, and adjustable suction pipe



Part #133200-2

M-3120-AL PUMP

- · Choose a heavy duty pump for large farming operations, construction or fleet operations
- This pump is built with a 1/3 horsepower motor and designed for high performance
- The M-3120-AL is the pump of choice for heavy equipment applications
- 115 V
- Delivers up to 20 GPM (76 LPM)
- Use for fixed locations with low viscosity petroleum fuels such as gasoline, kerosene and diesel fuel
- Automatic nozzle
- Comes with 12 ft of 3/4 inch UL grounded hose

Part #114000-5

HP-100-NUL DUAL-FLO® PREMIUM HAND PUMP

The HP-100 Dual-Flo® hand pump is a premium hand pump for high volume fuel transfer. It delivers up to 50 gallons per 100 strokes, is lightweight and has corrosion resistant aluminum construction.

- · Use with gasoline, kerosene or diesel fuel
- · Complete and ready to install
- Includes 3/4 in x 8 ft (2.4 m) Buna-N® hose, thermoplastic nozzle and adjustable suction pipe
- · UL Listed model available



Part #131000-1

HP-90 DELUXE ECONOMY HAND PUMP

GPI offers a full line of hand pumps. The HP-90 is an economy hand pump with a dual-action piston to pump fluid on both the push and pull strokes for fast fueling. It is compatible with a wide variety of petroleum products and fits a 2 inch NPT bung.

- · Delivers up to 25 gallons per 100 strokes (1 quart per stroke)
- · Includes hose, nozzle with builtin nozzle holder, and 2-piece PVC suction pipe
- · Lightweight aluminum housing
- · Built-in anti-siphon valve



Part #126300-02

MR-5-30-L6N **FUEL METER**

- UI Listed
- 50 PSIG / 3 4 bar
- P.O.P. box 7.65 lb / 3.47 kg
- 5 to 30 GPM twist knob reset
- · MR-5-30-L6N mechanical fuel meter is calibrated in litres with 3/4 inch NPT thread inlet/outlet



Part #110000-82

M-1115-AU 115 V AC FUEL PUMP

- 115 V AC light duty aluminum gear pump for fuel with automatic unleaded nozzle
- Up to 12 GPM (45 LPM)
- UL Listed
- · CSA Certified pump and overload protected motor
- Includes 3/4 in x 12 ft. (3.7 m) hose (UL), and adjustable suction pipe
- · Battery Clamp Kit sold separately

Part #110121-8

GPI. AUTOMATIC UNLEADED NOZZLE. 3/4" NPT

- UI listed
- 3/4 inch NPT
- · Straight spout
- . P.O.P. packaging for M-150S, M-180S M-240S and M-1115S Series



US FORGE Code: 900

Website: www.us-forge.com

WELDING ACCESSORIES

US Forge offers a large variety of welding accessories for all of your welding needs, including:

- Electrode holders
- Clamps
- Magnets
- · Chipping hammers
- Brushes
- Marking tools
- Cable accessories
- Lugs



Marin

SAFETY

- US Forge deluxe welding goggles are made from lightweight, durable soft vinyl that molds to the face to protect the welder from any flashover
- US Forge's comfortable, easy to use welding helmets are light weight and impact resistant, and come with a #10 fixed shade, fully adjustable head gear
- US Forge welding gloves are designed to provide complete protection from molten metal
- US Forge deluxe lined welding glove offers even more pliability for long term dexterity

PART NO.	DESCRIPTION
00107	Safety Glasses #5 Shade
00109	Deluxe Cutting and Brazing Goggles
00110	Welding Helmet 2" x 4-1/4" Fixed Shade #10
00400	Welding Gloves Blue, Lined Leather
88100	Welding Helmet 2" x 4-1/4" Fixed Shade #10 Flip-Up
88124	Auto Darkening Helmet
99111	Full Face Grinding Shield, Clear

CHANNELLOCK Code: 674

Website: www.channellock.com





THE CRIMPER™

- 9 1/2"
- Crimps insulated and non-insulated solderless connections and terminals
- Cuts 10-22 AWG wire



Part #958

WIRE STRIPPER

- 6 1/4"
- For copper wire
- Cuts and strips 10, 12, 14, 15, 18, 20, 22 AWG wire and 0.80, 1.0, 1.3, 1.6, 2.0, 2.6 MM wire
- · Precision ground cutters



Part #908

WIRING TOOL

- 8 1/4"
- Cuts and strips 10, 12, 14, 15, 18, 20, 22 AWG wire and 0.80, 1.0, 1.3, 1.6, 2.0, 2.6 MM wire
- · Crimps insulated and non-insulated wire
- Cuts bolt sizes: 10-24, 6-32, 8-32, 10-32, 4-40
- Precision ground cutters



Part #215

OIL FILTER / PVC PLIER

- 15", 2 1/2" jaw, 6 adjustments
- Right angle, laser heat-treated teeth grip better and last longer
- PermaLock® fastener eliminates nut and bolt failure



NUTBUSTER PLIERS (T & G)

- · Parrot nose design ideal for round surfaces
- Unique SAFE-T-STOP® feature prevents finger pinch

PART NO.	DESCRIPTION
307	7", 0.45" jaw, 2 adjustments,
410	9 1/2", 1.12" jaw, 4 adjustments
414	14", 1.63" jaw, 6 adjustments

CUTTING PLIERS (LAP JOINT)

- High leverage knife and anvil style cutting edge ensures perfectly mating and superior cutting edge life
- Fine polished, high carbon drop forged steel prevents rust and provides superior performance

PART NO.	DESCRIPTION
338	8", 0.79" jaw, lap joint diagonal
447	7 3/4", 1.02" jaw, curved diagonal



STRAIGHT JAW PLIERS (T & G)

- Undercut tongue and groove with right angle, laserheat treated teeth grip for max bite and min wear
- PermaLock® fastener eliminates nut and bolt failure

	TOTTIGLOOK TAGGOTOL CHITIMAGO HAT AND BOIL IA		
PART NO.		DESCRIPTION	
	430	10", 1.38" jaw	
	440	12", 1.50" jaw	
	460	16", 2.56" jaw	

LEATHERMAN Code: 127

Website: www.leatherman.com | www.ledlenser.com



MULTI-TOOLS

Part #830921

SKELETOOL

- 7 tools in one
- · Combo knife, straight and serrated
- · Carabiner clip
- · Pocket clip



Part #64010183N

MICRA

- 10 tools in one
- Spring action scissors
- Knife and screwdrivers
- 100% stainless steel



Part #830111

WAVE

The Leatherman Wave multi-tool is hands down our most popular model, made famous by its outsideaccessible blades that can be deployed with just one hand.

- · Perfect for any job, adventure, or everyday task
- 17 Tools in one
- · Four outside accessible tools
- One-hand opening knife blades
- · Bit drivers and bits



Part #831435

WINGMAN

- 14 tools in one
- · Spring action pliers and wire cutters
- · Two outside accessible tools
- · Removable pocket clip



Part #831438

SIDEKICK

- 15 tools in one
- Spring action pliers and wire cutters
- Two outside accessible tools
- Includes leather sheeth and carabiner



Part #830713

CHARGE ALX

- 18 tools in one
- 6061-T6 hard-anodized handles
- 154CM Heavy Duty Knife
- 2 large bit drivers
- · Diamond coated file



Part #831149

SUPER TOOL 300

- · 19 tools in one, all ready for your toughest jobs
- 4.5" professional tool
- Replaceable 154CM hard wire cutters
- Rolled handle edges for comfort



Part #830235

SURGE

- 21 tools in one
- 4.5" professional tool
- · Four outside accessible tools
- Blade exchanger with removable saw and file



LED FLASHLIGHTS



Part #880003

P7

- Advance Focus System
- One hand focusing
- 175 lumens
- 3 levels of brightness



Part #880025

TAC TORCH

- Advance Focus System
- Water resistant housing
- · Designed for heavy duty work
- 100 lumens



Part #880011

P5

- · Advance Focus System
- One hand focusing
- Small and lightweight
- 95 lumens

Part #880001

H7 HEAD LAMP

- Advance Focus System
- · Lightweight, easy to wear
- · Swivelling light







LITE LADDERS Code: 467

Website: www.liteladders.com

EXTRA HEAVY DUTY FIBERGLASS STEPLADDER

- CSA Grade 1, ANSI Type 1A, 300 lb load rating
- Heavy duty fiberglass rail construction is nonconductive
- 3" wide steps are slip resistant for confident climbing
- Multi-purpose copolymer top cap to keep your tools close to the job
- · Additional bracing for stability and strength
- · Heavy duty internal spreaders for a secure stance

PART NO.	HEIGHT	
LP-90497	4'	
LP-90597	5'	
LP-90697	6'	<i>I</i> —₩ \
LP-90797	7'	
LP-90897	8'	
LP-91097	10'	
LP-91297	12'	
		Part #LP-90697

HEAVY DUTY FIBERGLASS STEPLADDER

- CSA Grade 1, 250 lb load rating
- · Sturdy and electrically non-conductive side rails
- 3" wide steps are slip resistant for confident climbing
- Multi-purpose copolymer top cap to keep your tools close to the job
- · Additional bracing for stability and strength
- Heavy duty pinch proof spreaders provide a secure stance

PART NO.	HEIGHT	
LP-60497	4'	<i>I M</i> \
LP-60597	5'	
LP-60697	6'	<i>-</i>
LP-60897	8'	
		Part #LP-60697

MEDIUM DUTY FIBERGLASS STEPLADDER

- CSA Grade 2, 225 lb load rating
- Sturdy and electrically non-conductive side rails
- Slip resistant serrated steps for confident climbing
- Multi-purpose copolymer top cap to keep your tools close to the job
- Pinch proof spreaders provide a secure stance
- Includes convenient utility tray



EXTRA HEAVY DUTY FIBERGLASS EXTENSION LADDER

- CSA Grade 1, ANSI Type 1A, 300 lb load rating
- Fiberglass rails are non-conductive
- · Rail to rung design offer strength and durability
- Slip resistant D-shaped rungs
- Spring loaded locks
- Ice nick swivel feet

Ice pick swive	el leel	
PART NO.	HEIGHT	
LP-9016	16'	
LP-9020	20'	
LP-9024	24'	
LP-9028	28'	<i>F</i> 1
LP-9032	32'	
LP-9036	36'	H
LP-9040	40'	
		Part #LP-9024

ARTICULATING LADDERS

- Bends to 10 or more useful positions
- · Ideal for stairwells
- · Easy to move and compact for storage

PART NO.	HEIGHT
LP-816	8'/16' CSA Grade 1, ANSI Type 1A, 300 lb with straight legs
LP-712FL	6'/12' CSA Grade 1, 250 lb with flared legs
LP-808	4'/8' CSA Grade 2, 225 lb with straight legs



TELESCOPIC LADDERS

- CSA Grade 1, ANSI Type 1A, 300 lb load rating
- Multi-positional ladder is like having 4 ladders in 1
- Operates as a stepladder, extension ladder, offset ladder and scaffold system

PART NO.	HEIGHT
LP-821	9' step, 19' extension
LP-817	7' step, 15' extension
LP-713	5' step, 11' extension



Website: www.liteladders.com



EXTRA HEAVY DUTY ALUMINUM STEPLADDER

- CSA Grade 1, ANSI Type 1A, 300 lb load rating
- · Double riveted, slip resistant steps
- Reinforced bracing on all steps and cross braces for stability and strength
- Copolymer top cap



SUPER HEAVY DUTY ALUMINUM STEPLADDER

- CSA Grade 1, ANSI Type 1AA, 375 lb load rating (4' to 8')
- CSA Grade 1, 250 lb load rating (10' to 20')
- Heavy duty, deep ribbed 3" steps for comfort
- Extensive bracing on all steps and cross braces for increased strength and long term durability
- Includes utility tray

	, ,	
PART NO.	HEIGHT	1011
LP-104	4'	# W \
LP-105	5'	
LP-106	6'	/////
LP-107	7'	
LP-108	8'	
LP-110	10'	
LP-112	12'	
LP-114	14'	
LP-116	16'	
LP-118	18'	Part #LP-106
LP-120	20'	_

MEDIUM DUTY ALUMINUM STEPLADDER

- CSA Grade 2, 225 lb load rating
- Sturdy aluminum construction
- Slip resistant serrated steps
- Multi-purpose copolymer top cap
- Includes utility trav

PART NO.	HEIGHT
LP-704	4'
LP-705	5'
LP-706	6'
LP-707	7'
LP-708	8'
LP-710	10'



HEAVY DUTY ALUMINUM STEPLADDER

- CSA Grade 1, 250 lb load rating
- · Double riveted, slip resistant steps
- Reinforced bracing on top and bottom steps and cross braces for stability and strength
- · Copolymer top cap
- · Includes sturdy utility tray

PART NO.	HEIGHT	
LP-40477	4'	F .
LP-40577	5'	////
LP-40677	6'	I VI
LP-40877	8'	LW\
	-	
	Þ	A Pr

SUPER HEAVY DUTY ALUMINUM PLATFORM

- CSA Grade 1, ANSI Type 1AA, 375 lb load rating (4' to 8')
- CSA Grade 1, 250 lb load rating (10' to 20')
- Heavy duty, deep ribbed 3" steps for comfort and safety
- Extensive bracing on all steps and cross braces for increased strength and long term durability
- · Aluminum hand rails on all models
- Large 20" x 10" working platform

Larye 20 A I	o working pia	HOITH
PART NO.	HEIGHT	/ // // // //
LP-204	4'	
LP-206	6'	
LP-207	7'	
LP-208	8'	
LP-210	10'	
LP-212	12'	
LP-214	14'	
LP-216	16'	7
LP-218	18'	,
LP-220	20'	Part #LP-206
.,,		■ 1 alt #L1 -200

EXTRA HEAVY DUTY ALUMINUM EXTENSION LADDER

- CSA Grade 1, ANSI Type 1A, 300 lb load rating
- Slip resistant D-shaped rungs
- · Heavy duty aluminum side rails
- Deluxe ice pick feet are self levelling and slip resistant

PART NO.	HEIGHT
LP-5216	16'
LP-5220	20'
LP-5224	24'
LP-5228	28'
LP-5232	32'
LP-5236	36'
LP-5240	40'



IE LADDEI





IRWIN Code: 928

Website: www.irwin.com

CIRCULAR SAW BLADES

MARATHON MITRE SAW BLADES

- #400 grit diamond ground teeth for a smooth finish
- Precision balanced, thin kerf for fast cuts and longer motor life



PART NO.	DESC.
14080	12" x 40 T
14083	12" x 80 T

MARATHON WITH WELDTEC SAW BLADES

- · Carbide teeth are welded NOT brazed
- · Longest life and durability
- Every other tooth is ground thinner for fast cuts and motor life



PART NO.	DESC.
24035C	7 1/4" x 24 T - framing and ripping
25130	Classic series carbide saw blade

METAL CUTTING SAW BLADE

- Laser cut anti-vibration vents keep the blade cool for smooth and accurate cuts
- Anti-kickback tooth shoulder reduces dust and sparks for safer cuts
- · Metal cutting grade carbide teeth, laser cut body



PART NO.	DESC.
1779859	5 3/8" x 30 T
1765016	7 1/4" x 48 T
1765023	12" x 60 T

LINEAR EDGES



BI-METAL HOLE SAWS

- High speed steel cutting edge (electron beam weld) for stronger, longer lasting teeth
- · Bi-metal construction for toughness and long life

PART NO.	DESC.
373034BX	3/4"
373100BX	1"
373412BX	4 1/2"

IRWIN

LINEAR EDGE

· Irwin reciprocating saw blades with Weldtec

PART NO.	DESCRIPTION
372818P5	Metal cutting 8", pack of 5
372624P5	Metal cutting 6", pack of 5
372656P5	Nail embedded wood 6", pack of 5
372960P5	RECIP 9", 10 TPI, pack of 5

WORKSITE PRODUCTS



KNEE PADS

- · Provides protection and comfort
- · Dual strap design for versatility

PART NO.	DESCRIPTION
4033016	Ultra light kneepads
4033014	Hard shell kneepads

SQUARES



Part #1794470

COMBINATION SQUARES

- · Black precision etched scales
- · Rust proof stainless steel blade

LEVELS

2500E SERIES ELECTRONIC HEAVY DUTY BOX BEAM LEVELS

- Electronic module with back lit LCD wide screen display
- Thick walled high grade aluminum frame, continuous edge



PART NO. DESCRIPTION	
1801098	24" electronic box beam with case
1801099	48" electronic box beam with case

1500 SERIES I-BEAM LEVEL

 Constructed of durable aluminum and featuring our patented Dual Chamber design





Part #1800989

1000 SERIES I-BEAM LEVEL

- Rigid aluminum I-Beam construction
- Rotating angle vial
- · Full length V-groove strip magnet



TORPEDO LEVELS

PART NO.	DESCRIPTION	
1794153	250 series 9" magnetic heavy duty	
1794155	150 series 9" magnetic	
1794157	150T series 12" aluminum magnetic toolbox level	
1794159	50 series ABS 9" magnetic level-counter display of 12	

DRILL BITS, TAP & DIE SETS



UNIBIT STEP DRILL BITS

PART NO.	DESCRIPTION
10231	#1 UNIBIT 1/8" - 1/2" (1/32" steps) 13 holes 1/4" shank HSS
10310	#10 UNIBIT 1/2" (single hole) HSS
10231CB	#1 Cobalt UNIBIT 1/8" - 1/2" (1/32" steps) 13 holes 1/4" shank
10502CB	3 pc set #1C, 2C and 3C Cobalt Set

MASONRY DRILLING

PART NO.	DESCRIPTION
322001	5/32" x 2 x 4 SDS plus
322017	1/4" x 4 x 6 SDS plus
326020	5/8" x 8 x 12 masonry rotary percussion
50516	Glass and tile masonry drill bit



COBALT HSS FRACTIONAL STRAIGHT SHANK JOBBER LENGTH, 135° SPLIT POINT

PART NO.	DESCRIPTION
63104	1/16" bulk
63106	3/32" bulk
3016010	5/32" carded
3016012	3/16" carded

Part #3018006B

29 PC **METAL INDEX TURBOMAX HSS** FRACTIONAL KIT, 1/16"-1/2" BY 64THS



TURBOMAX HSS FRACTIONAL STRAIGHT **SHANK JOBBER LENGTH**

PART NO. DESCRIPTION		
73110	5/32" bulk	
73116	1/4" bulk	
73312	3/16" carded	
73320	5/16" carded	

HANSON EXTRACTORS

PART NO.	DESCRIPTION
394100	Power grip, 7pc set
53226	10 pc hex head multi-spline kit
394001	5 pc bolt-grip base set, bolt extractors
52490	9 pc spiral flute extractor set

SPEEDBOR MAX 6 PC KIT

Used for wood boring

BLACK AND GOLD FRACTIONAL STRAIGHT SHANK JOBBER LENGTH, 135° SPLIT POINT

PART NO.	DESCRIPTION
3019008B	1/8" bulk
3019011B	11/64" bulk
3019016B	1/4" bulk
3019024B	3/8" bulk

HANSON DEEP WELL

PART NO. DESCRIPTION

5 pc SAE fine set

4 pc metric set

5 pc SAE course set

10 pc SAE complete set

THREADCHASER

3094101

3094100

3094102

3094104

HANSON TAPS AND DIES

PART NO.	DESCRIPTION	
24606	41 pc machine screw / fractional tap and hex die set	
97311	25 pc metric tap and hex die set	
4935352	Performance threading system fractional tap and die module	
4935055	Performance threading system drive tool module	





Part #1801611

RHINO 4200

 The professional labelling tool for the do-it-yourselfer



Part #101105

RHINO M1011

· Metal tape embosser



RHINO LABELS

• RHINO replacement labels for printers

DESCRIPTION
RHINO 1/2" x 11.5' white flex nylon
RHINO 3/8" x 18' white permanent poly
RHINO 1/2" x 18' white vinyl
RHINO 3/4" x 5' yellow heat shrink tubes

Part #1734522

RHINO 101

· Fast and affordable way to create general purpose or wire and cable marking labels









Website: www.irwin.com



Part #2089100 **FOLDING** UTILITY KNIFE



Part #2084100 **BI-METAL** UTILITY **BLADES**

• Blue blade 5-pack



9-IN-1 MULTI



LOCK-N-LOAD QUICK **CHANGE EXTENSIONS**

Used for wood boring

PART NO.	DESCRIPTION
4935704	1/4" x 6" extension
4935705	1/4" x 12" extension
4935652	3/8" x 6" extension
4935655	7/16" x 12" extension



Part #2073113 AVIATION **SNIPS**

 Aviation, offset. utility and tinner styles



Part #66401ZR **LUMBER CRAYONS**

 For use on oily, wet, cold or dry surfaces



RECORD VISE

PART NO.	DESCRIPTION
3	4"
4ZR	4 1/2"
5	5"
6	6"
8ZR	8"



LOCKING C-CLAMPS WITH SWIVEL PADS

PART NO.	DESCRIPTION
22	18SP, 18"
20	11SP, 11"
18	6SP, 6"



LOCKING C-CLAMPS WITH REGULAR TIPS

PART NO.	DESCRIPTION
21	18R, 18" original
19	11R, 11" original
17	6R, 6" original
19T	11R, 11" fast release
17T	6R, 6" fast release



VISE GRIP SPECIALTY TOOLS

PART NO.	DESCRIPTION
27ZR	20R, locking chain clamp 9"
12L3	12LC, large jaw locking plier 12"
29	RR, locking pinch off tool 7"
25ZR	9R, locking welding clamp



DIIO	
PART NO.	DESCRIPTION
3052001B	Torsion Phillips power bit #1 x 2" bulk
3052051B	Torsion square power bit #2 x 4" bulk
3052046B	Torsion Phillips power bit #2 x 6" bulk
3053002B	Torsion Phillips insert bit #2 X 1" bulk

Part #65602

STRAIT-LINE® FLAGGING TAPES

• 150' and 300' flagging tape rolls

PART NO. DESC	CRIPTION /
65602 Glo-or	ange 150'
65603 Glo-pii	nk 150'
65902 Orang	e 300'
65901 Red 30	00'

Part #1078TRAY

ORIGINAL VISE GRIP 10-PC TRAY



Website: www.irwin.com



PLIERS AND ADJUSTABLE WRENCHES



GROOVE LOCK PLIERS

PART NO.	DESCRIPTION
4935351	6" V-jaw
2078110	10" V-jaw
2078112	12" V-jaw
4935097	10" smooth jaw
4935098	12" straight jaw



GROOVE JOINT PLIERS

PART NO.	DESCRIPTION
4935322	12" straight jaw
2078510	10" V-jaw
2078500	10" smooth jaw



PART NO.	DESCRIPTION
0102L3	10R, 10" original
0302L3	7R, 7" original



LONG NOSE LOCKING PLIERS

PART NO.	DESCRIPTION
1502L3	9LN, 9" original
1402L3	6LN, 6" original
15T	9LN, 9" fast release
14T	6LN, 6" fast release



CURVED JAW LOCKING PLIERS WITH WIRE CUTTER

PART NO.	DESCRIPTION	
0502L3	10WR, 10" original	
0702L3	7WR, 7" original	
05T	10WR, 10" fast release	
07T	7WR, 7" fast release	



CURVED JAW LOCKING PLIERS NEW AND IMPROVED

PART NO.	DESCRIPTION
4935576	10CR, 10" original (new improved jaw)
4935578	7CR, 7" original (new improved jaw)
11T	10CR, fast release
13T	7 CR, fast release



1,000 VOLT INSULATED PLIERS



BENT NOSE PLIERS



LONG NOSE PLIERS



SLIP JOINT PLIERS



LINESMAN'S PLIERS



SELF ADJUSTING WIRE STRIPPER



Part #2074114
PIPE
WRENCHES



ADJUSTABLE WRENCHES

PART NO.	DESC.
2078608	8"
2078610	10"
2078612	12"



Part #02 LOCKING WRENCHES

DESC.
10LW
4LW



MEGAPRO Code: 100

Website: www.megapro.net

Online Catalogue: www.megapro.net/assets/pdf/megaprocatalog.pdf

CUSHION GRIP RATCHETING DRIVERS

Precision 28-tooth ZAD 8 Zinc Alloy SOLID-CORE™ ratchet that delivers over 225 inch-lbs of torque strength



Part #211R2C36RD

13-IN-1 RATCHETING



Part #211R1C36RD

13-IN-1 AUTOMOTIVE RATCHETING

- · Features 12 standard 1" inch insert bits
- Shaft is made from Stainless Steel 303

Part #151TP

HARD HANDLE DRIVERS (ENGINEERED NYLON/ABS RESIN TRIAX 1120)

- Patented retractable bit cartridge: Easily find, change and store bits
- Palm Saver Cap™! No blisters in the palm of your hand!
- EZ Guide™ Collar! Greater control with full contact between the bit and screw
- End of Shaft is a 1/4" hex nut driver
- Durable S2 steel industrial grade Double-End 2" bits



14-IN-1 HVAC-0



Part #151HX

15-IN-1 HEX



Part #141AUTO

14-IN-1 AUTOMOTIVE

 Loaded with the most popular bits used in automotive work, including a 1/4" socket adapter



15-IN-1 TAMPERPROOF



Part #151NAS
ORIGINAL 15-IN-1 NAS



Part #151SL44 **15-IN-1 SHAFTLOK™**



Part #151SS 15-IN-1 STAINLESS



Part #151YW/RD-PLR

15-IN-1 PL ROBERTSON (SQUARE)



Part #151TP2

15-IN-1 TAMPERPROOF 2



Part #181ML

15-IN-1 MEGALOK®



Part #151ELEV-CH/OR

15-IN-1 ELEVATOR



Part #151ELEC-CH/RD

15-IN-1 ELECTRONIC



Part #151RV

15-IN-1 RV/MH RECREATIONAL VEHICLE

COMPACT 7-IN-1 STAINLESS STEEL DRIVERS

- Ratcheting, standard and stubby
- Strong magnetic pickup
- Durable S2 steel industrial grade 1" insert bits



Part #171BK/RD-R

7-IN-1 COMPACT RATCHETING

• 3 position ratchet



Part #171BK/RD

7-IN-1 COMPACT STANDARD



Part #171005

7-IN-1 COMPACT STUBBY

MEGAPRO Code: 100

Website: www.megapro.net Online Catalogue: www.megapro.net/assets/pdf/megaprocatalog.pdf



MOST POPULAR REPLACEMENT **BITS IN INDIVIDUAL CARDS AND COMBO**

- INDUSTRIAL GRADE
- **S2 MODIFIED STEEL**
- ROCKWELL 60 + /-2
- COMPACT PACKAGING 15/16"X 4 3/8"



Part # Part # Part # TDT10-15-C STD6-8-C STD10-12-C



Part # PD0-3-C

PART NO.	DESCRIPTION	
FD4-6-C	Flat (Slot) Bit 4-6 Carded	
PD0-3-C	Phillips Bit 0-3 Carded	
PD1-2-C	Phillips Bit 1-2 Carded	
SD0-3-C	Square (Robertson) Bit 0-3 Carded	
SD1-2-C	Square (Robertson) Bit 1-2 Carded	
TDT10-15-C	Star (Torx) Pin Bit 10-15 Carded	
STD6-8-C	Spanner Bit 6-8 Carded	
STD10-12-C	Spanner Bit 10-12 Carded	
9BP-ENPD-3A	Standard/SS/DoubleLok ENP Bit Pack F2D4-6S, P2D1-2S, S2D1-2S	
9BP-ENPD-2A	Standard/SS/DoubleLok ENP Bit Pack P2D0-3S, S2D0-3S	
9BP-ENPD-2B	Standard/SS/DoubleLok ENP Bit Pack T2D10-15S, T2D20-25S	
9BP-ENPD-3F	Standard/SS/DoubleLok ENP Bit Pack Bit Pack Square/Phillips 3 x S2D2-2S	
9BP-ENPD-3G	Standard/SS/DoubleLok ENP Bit Pack Double End Phillips 3 x P2-S2/DL ENP	
9BP-ENPD-3K	Standard/SS/DoubleLok ENP Bit Pack Double End Square 3 x P2D2-2S	
9BP-TP-3A	Tamperproof Bit Pack STD6-8, STD10-12, TDT10-15	
9BP-TP-2A	Tamperproof Bit Pack TDT20-25, TDT27-30	
9BP-TP-2B	Tamperproof Bit Pack HDT1/8-9/64, HDT5/32-3/16	
9BP-TP-1A	STD14, #14 Spanner Bit	
9BP-HX-3A	Hex Bit Pack HD2.00-3.00, HD4.00-5.00, HD5.50-6.00	
9BP-HX-2A	Hex Bit Pack HD3/32-7/64, HD1/8-9/64	
9BP-HX-2B	Hex Bit Pack HD5/32-3/16, HD7/32-1/4	
9BP-AH-3A	Automotive Bit Pack TD9-40, F5.5-VSTD, 6SA1/4	
9BP-CG-2A	Ratchet Bit Pack FD2-4, FD3-5	
9BP-CG-2B	Ratchet Bit Pack 6HND3/16, 6TSS5.3X4.0X50	
9BP-SL-3A	ShaftLok Bit Pack F4D4-6, P4D1-2, S4D1-2	
9BP-SL-2A	ShaftLok Bit Pack P4D0-3, S4D0-3	
9BP-SL-2B	ShaftLok Bit Pack T4D10-15, T4D20-25	



SPANNER Part #9BP-TP-1A



STANDARD/SS/ DOUBLELOK Part #9BP-ENPD-3A



TAMPERPROOF BIT PACK Part #9BP-TP-3A



PACK Part #9BP-HX-2A



AUTOMOTIVE BIT PACK Part #9BP-AH-3A



BIT PACK Part #9BP-CG-2A




BIT PACK Part #9BP-SL-3A

AMS AUTOMOTIVE/RHINO PAC Code: 103

Website: www.amsautomotive.com


UNIVERSAL LIFT SUPPORTS

ROD END Type A - 10 MM Ball Socket









ROD END Type C - 13 MM Ball Socket



- Fast Growing Service Opportunity!
- · Multi-purpose applications include:

CAMPER SHELL WINDOWS, GOLF CARTS, RV-CANOPIES, AWNINGS, STORAGE DOORS, TOOL BOX LIDS, MARINE HATCHES, FARM MACHINERY, STORAGE CONTAINERS, GRILLS/SMOKERS, AND TONNEAU COVERS

- Assortments for both universal and vehicle specific applications are available
- Three factors are needed to determine the correct universal lift support: extended length, working pressure and rod end type
- AMS catalogs over 90 different universal lift supports that range from 7 · 35 inches
 extended length, 20 to 149 pounds force, and three types of end connections
- · Individual brackets, ball and shoulder stud kits are available
- · Listed are examples of universal lift supports available









PART NO.	DESCRIPTION	
4055	7.5" extend, 45 lbs, end type AA	
4057	10" extend, 25 lbs, end type AA	
4488	12" extend, 60 lbs, end type AA	
4530	20" extend, 115 lbs, end type AA	
4037	10" extend, 60 lbs, end type BB	
4040	12" extend, 40 lbs, end type AA	
4043	14" extend, 25 lbs, end type AA	
6943	28" extend, 115 lbs, end type CC	
4420	12" extend, 30 lbs, end type AA	
4418	17" extend, 35 lbs, end type AA	
4419	14" extend, 35 lbs, end type AA	






Visit AMS Lift Support Catalog on line at **www.amsautomotive.com**, select "<u>Lift Supports</u>" then "<u>Lift Support Catalog</u>" use the page button to find page 40 for general information, page 41 for Universal Lift Support Specifications.

First, find the Group with the correct length range, second, choose a force range that meets your needs and then select the part number that has the same Rod End Type.

*Note: Page 40 of the on-line catalog provides information about cylinder pressure which is stamped on the outer tube. Need Help? Call: AMS Tech Support 1-800-528-6743.

UNIVERSAL BRACKETS



 BALL STUD KITS

 PART NO. DESC.

 SA3000
 10 mm

 SA3001
 13 mm



SHOULDER STUD KIT

• Shoulder stud kits

 Shoulder stud kits include nuts and washers



4



Part #SA3100

Part #SA3101

Part #SA3102

AMS AUTOMOTIVE/RHINO PAC Code: 103

Website: www.amsautomotive.com



CLUTCH KITSMEDIUM AND HEAVY DUTY TRUCK, CLASS 6-8



CLUTCH KITS AND COMPONENTS MEDIUM AND HEAVY DUTY TRUCKS, CLASS 6-8

- Clutch Kit Options: EZ-Pedal / Angle-Ring / Angle-Spring
- Related Parts: Flywheels, Release & Pilot Bearings, Master & Slave Cylinders, Clutch Brakes, Cross Shafts & Bushings, Clutch Forks, Lube Tubes, Installation Kits and Alignment Tools
- Kits and Related Parts available for: Cummins, Detroit, Ford, GM, Mack, Navistar/International and Volvo Trucks



Part #108925-45

EZ-PEDAL STYLE "MAGNUM 2250" INDUSTRY LEADING TORQUE CAPACITY!

- For Off-Highway and Heavy Loads! Dyno tested at over 2,250 ft lbs of torque
- 15.5" x 2" EZ Pedal, 2250 lbs torque, ceramic 6-paddle, 2-plate



CLUTCH MASTER CYLINDER

For VN/NHD Volvo Heavy Duty Trucks



Part #CB200-2H

CLUTCH BRAKE

• 2-Piece Hinged 0.045 Thick, 2.58"-2.66" O.D.



CUMMINS FLYWHEEL

• Cummins 8.3 L, C Series



Part #BIC006

BELL HOUSING INSPECTION COVER KIT WITH 6" TUBE



Part #N1901

CLUTCH RELEASE BEARING

• 1965-96 International DT360, T444, 7.3 L, 9.0 L



Part #IK2468

INSTALLATION KIT

• For Eaton® and Fuller® RT Series Transmissions



BERNZOMATIC Code: 375

Website: www.bernzomatic.com



BZMG9

BernzOmatic 14.1 oz MAP-Pro™ premium fuel cylinder

Part #332478



BZOX9

BernzOmatic 1.4 oz disposable oxygen cylinder

Part #304180



BZTX9

BernzOmatic 14.1 oz propane fuel cylinder

Part #304184



TX916

Camping fuel 16.4 oz, propane

Part #327775



BZTS1500KC

2 piece self igniting torch kit

Part #330924



BZTS3000KC

2 piece resin handle self igniting torch kit

Part #332008



BZPK1001KC

5 piece plumber's kit

Part #330979



BZUL100

2 piece pencil flame torch kit

Part #330891



BZUL125

7 piece pencil flame torch kit Part #331662



ST2200T

Trigger start micro torch

Part #330194



ST200T

Refillable precision needle point flame torch with 3-in-1 tip

Part #328629



ST250K

Micro Torch kit

Part #328630



BF55

Bernzomatic 5.5 oz disposable butane cylinder

Part #329853



BZOX2550KCSM

Cutting, welding, and brazing torch kit Part #331676



BZTS4000ZKC

2 piece trigger start torch kit

Part #331534



BZ8250HTKC

3 piece premium trigger start hose torch kit

Part #331666



BZ8250HT

Premium trigger start hose torch with fuel holster

Part #330281



PART NO.	DESCRIPTION
328632	TX405C, Spark lighter and flints
328633	TX406C, Replacement flints
327798	S4N1B, 4-in-1 Brush
327793	SRC300, 3 oz electrical solder
327795	SWSF100, 1 oz water-soluble flux and brush
327787	SC2YD, Sand cloth, 2 yd
327823	HC9X12, Heat cloth



Part #327798

Part #327793

TORCH HEADS

PART NO.	DESCRIPTION	
329207	UL2317, Basic pencil flame torch, propane	
328623	TS1500T, Self igniting torch, propane	
328856	TS3000T, Trigger start torch, propane	
328624	TS4000T, Trigger start torch, MAP-Pro™ propane fuel	Part #328626
328625	TS7000T, Trigger start torch, adjustable flame, MAP-Pro™ propane fuel	
328626	TS8000BT, High intensity trigger start torch, adjustable flame, MAP-Pro™ propane fuel	1
328640	TS99T, Trigger start swivel torch, adjustable flame, MAP-Pro™ propane fuel	Part #328640

THE BONE-STER™ MECHANICS CREEPER

- Rolls over many shop/garage obstacles
- · Made in the USA
- 3" diameter, 7/8" wide casters
- Wheels designed purely for the Bone-ster
- Soft, grippy TPE tires
- Strong thick 11 gauge plate with 4 1/4" thru-bolts
- 1-1/2" ground clearance

- Practically indestructible
- · Handles make it easy to carry
- · Ribs add welcome ventilation
- 400 lb capacity
- · Same polypropylene copolymer as the Bone™
- · Impervious to most solvents
- · Easy to clean
- · Unique evolutionary design



Part #6031

THE ORIGINAL BONE™ MECHANICS CREEPER

- Rolls over drop light cords, cracks, grates, etc.
- · Made in the USA
- 5 1/8" diameter 1" wide castors
- · Custom designed wheels with soft, grippy TPE tires
- 130 lb rating per wheel
- 1-3/4" ground clearance, one of the lowest creepers on the market, next to the Bone-ster!
- Four 5/16" bolts fasten plate won't break
- · Winged design adds style to function
- · High strength polypropylene copolymer
- · Extremely comfortable
- 300 lb capacity
- · Impervious to most solvents
- · Dirt wipes right off!
- · Won't tip, flip, or pinch

Part #7031

THE ROUGH RIDER™ MECHANICS CREEPER

- Rolls over drop light cords, cracks, grates, etc.
- 5 1/4" diameter 1 3/8" wide casters
- Made in the USA
- Custom wheels with soft, grippy and treaded TPE tires
- 250 lb rating per wheel
- 2 7/8" ground clearance
- 4 5/16" bolts fasten through a plate won't break
- Outboard wheels won't tip or flip
- High strength polypropylene copolymer
- Extremely comfortable
- 400 lb capacity
- Impervious to most solvents
- Dirt wipes right off!





Part #5031

THE TAIL BONE™ MECHANICS SEAT

- Rolls over drop light cords, cracks, grates, etc.
- · Made in the USA
- 5 1/8" diameter 1" wide wheels
- · Custom designed wheels with soft, grippy TPE tires
- 130 lb rating per wheel
- 3/4" ground clearance
- Four 5/16" bolts fasten plate won't break
- · Winged design adds style to function
- · High strength polypropylene
- · Seat is only 12" off the ground, perfect for a wide variety of jobs!
- 350 lb capacity
- · Impervious to most solvents
- · Dirt wipes right off!



Part #5131

THE TAIL BONE™ ROUGH RIDER MECHANICS SEAT

- Rolls over drop light cords, cracks, grates, etc.
- Made in the USA
- 5 25" diameter 1 3/8" wide wheels ideal for outdoor use!
- Custom designed wheels with soft. grippy TPE tires
- 250 lb rating per wheel
- 1.75" ground clearance

- Four 5/16" bolts fasten plate won't break
- · Winged design adds style to function
- · High strength polypropylene copolymer
- Seat is only 13" off the ground, perfect for a wide variety of jobs!
- 350 lb capacity
- · Impervious to most solvents
- · Dirt wipes right off!

ASSOCIATED Code: 702

Website & Online Catalogue: www.associatedequip.com



BASSOCIATED

Part #ESS6011

12/24 V, 70/35 A, 200 A BOOST WHEEL SMART CHARGER AND 70 A POWER SUPPLY

- Versatile, for standard automotive, deep-cycle, AGM and GEL Cell Batteries
- 12/24 V, 70/35 A, 200 A Boost
- · Nominal 13.7 V DC output
- Program for deep discharge recovery of flooded batteries
- Charges all types of 12/24 V batteries
- Dead battery override control
- DC Leads: 6 1/2' 4 AWG
- · Clamp Rating: 500 A
- · Safe in any weather operation
- CSA Listed



Part #ESS6008MS

12 V, 60/70 A, 270 A BOOST WHEEL SMART CHARGER AND POWER SUPPLY

- 15 A Memory Saver Port for standard automotive, deep-cycle, AGM and GEL Cell Batteries
- 60 A / 70 A in power supply mode
- · Nominal 13.7 V DC output
- 15 A continuous / 20 A peak memory saver port
- Patented diagnostics indicate weak or defective batteries
- Program for deep discharge recovery of flooded batteries
- Dead battery override control
- · Clamp Rating: 400 A
- · Safe in any weather operation



Part #6002B

6/12/18/24 V - HEAVY DUTY FLEET BATTERY CHARGER

The highest performance fleet charger on the market has 80 A continuous charge with 400 A crank assist at 12 V. UL and CSA listed for indoor and outdoor use.

- UL Continuous Rating: 100/80/50/40 A
- Mfg Boost Rating: 725 A
- UL Cranking Assist Rating: 400 A
- · Clamp Rating: 500 A



Part #6006

6/12/24 V - HEAVY DUTY FAST CHARGER

This heavy duty fleet charger rejuvenates all standard and maintenance-free 6 V, 12 V and 24 V batteries with five charging positions. Fleet charging power with a cranking assist rating higher than any other charger in its classification. UL and CSA listed for indoor and outdoor use.

- UL Continuous Rating: 70/65/30 A
- . Mfg Boost Rating: 600 A
- UL Cranking Assist Rating: 280 A
- Clamp Rating: 500 A



Part #6007A

12 V MICRO-PROCESSOR CONTROLLED AND FULLY AUTOMATIC

Automatic charging for sealed, GEL Cell and AGM Batteries. ESS™ (Electrical Stability System) Technology converts charger into 12 V power supply for extended service procedures or flash reprogramming. Identifies deeply discharged or sulfated batteries and activates recovery mode. Patented diagnostics detect low capacity battery.

- . UL / CSA listed: Safe in any weather
- UL Continuous Rating: 40 A
- . UL Cranking Assist Rating: 130 A
- · Clamp Rating: 400 A



Part #6012

6/12 V - PROFESSIONAL FAST CHARGER

The 6012 charger has a high cranking assist of 250 A to better start vehicle and offers a UL continuous rate of 70/60/30 A for peak performance. Features a timer and 400 A fully insulated clamps on twin extruded DC leads for tangle-free operation. UL and CSA listed for indoor and outdoor use.

- UL Continuous Rating: 70/60 A
- . Mfg Boost Rating: 500 A
- UL Cranking Assist Rating: 250 A
- Clamp Rating: 400 A

ASSOCIATED Code: 702

Website & Online Catalogue: www.associatedequip.com

MASSOCIATED



Part #9425

12 V INTELLAMATIC **PRO SERIES III BATTERY CHARGER**

Model 9425 evaluates and applies appropriate profile for optimum charge. Patented diagnostics indicate weak or defective battery; ESS™ Technology turns the 9425 into a stable power supply for extended service procedures or re-flashes. Voltage controlled charging, suitable for flooded and sealed batteries.

- · UL/CSA listed: Safe in any weather
- UL or CSA Continuous Rating: 20 A
- · Clamp Rating: 300 A



Part #6255

KWIKSTART 650 RECHARGEABLE 12 V DC **POWER SUPPLY**

The 12 V DC power supply is equipped with a 12 V DC battery ideal for jump-starting cars, trucks, boats, RV's and tractors. The patented clamp on bars make it easy for stowing clamps when not in use. No more lost or broken chargers!

- DC Voltage: 12 V
- · Peak Amps: 1650 A
- Cold Cranking Amps: 360 A
- Battery Power: 12 V/22 AH
- . Booster Cables: 32": 4 AWG



Part #US18

US 18-6/12 VOLT

Introducing our newest made in the USA value leader! This 40 A charger appeals to the small shop technician and the DIY user. ČSA listed for USA and Canada. Convenient handle for moving from bay to bay. "Safe in all weather" operation. Safety, quality and value in our most competitively priced wheel charger.

- UL Continuous Rating: 40/40/10 A
- MFR. Boost Rating: 330 A
- UL Cranking Assist Rating: 200 A
- AC Cord: 6' 16/3
- DC Leads: 6' 6-1/2 AWG
- · Clamp Rating: 400 A
- Transformer/Rectifier Limited Warranty: 2 Years
- Shipping Dimensions (HxWxD): 24" x 15" x 13.5"
- · Weight: 35 LBS



Part #US20

6/12 V, 40/40/10 A 330 A MANUFACTURER'S **BOOST WHEEL CHARGER** WITH 90 MINUTE TIMER

Our newest made in the USA value leader!

- 40 A continuous rating at 6/12 V
- 200 A crank assist with full 330 A manufacturer's boost rating
- . 90 minute timer with hold
- 6.5', 6.5 AWG cable, 400 A clamps
- Safe In any weather operation
- CSA Listed



Part #6295

KWIKSTART RECHARGEABLE 12/24 V POWER **SUPPLY**

The 12 V DC power supply is equipped with two 12 V 22A hour DC High Performance Batteries. Ideal for jump-starting cars.

trucks, boats, RV's and tractors. Unit has a 3 position switch for 12 V, OFF, or 25 V settings. The patented clamp on bars make it easy for stowing clamps when not in use.

 DC Voltage: 12/24 V • Peak Amps: 3,500/1750 A • Cold Cranking Amps: 720/360 A

• Battery Power: 12 V/44 AH, 24 V/22 ah

Booster Cables: 66": 2 AWG

Part #6033

DIGITAL HAND HELD BATTERY LOAD TESTER



Digital 125 A load tester that computes the CCA of the battery. Test displays the current voltage as well as maximum and minimum voltages allowing the tester to

be used for various diagnostic tests. This tester also incorporates Kelvin connections in the 300 A insulated heavy duty clamps for improved accuracy.

- Load: 125 A
- · Voltmeter: 7-19 Volts DC
- Leads: 2' 14/3
- · Clamp Rating: 300 A



Part #6029

12 V HAND **HELD BATTERY LOAD TESTER**

Full 125 A load test 6 V and 12 V batteries, alternators and starters on all types of vehicles. Features heavy duty insulated safety clamps with 300 A jaws and side terminal adapters

- Load: 125 A
- Voltmeter: 0-16 Volts DC
- Leads: 2' 14/2
- · Clamp Rating: 300 A

GEARWRENCH

GEARWRENCH Code: 442

Website: www.apextoolgroup.com

Online Catalogue: www.gearwrench.com/catalog.jsp

GEARWRENCH® RATCHETS

PART NO.	DRIVE	RATCHET STYLE	DESCRIPTION
81011D	1/4"	Full Polish Ratchet	 Available in teardrop head, flex head, stubby and offset Drive availability: 1/4", 3/8" and 1/2" 60 tooth low profile ratchet
81400	3/4"	Quick-Release Teardrop Ratchet	• 45 tooth standard ratchet (1/4", 3/8" and 1/2" drives) • 24 tooth standard ratchet (3/4" drive)
81208	3/8"	Cushion Grip Ratchet	Flush mounted lever; dual material cushion grip Available in 1/4", 3/8" and 1/2" drives 60 tooth low profile ratchet
81225	3/8"	Cushion Grip Roto Ratchet	Head rotates 180 degrees Less than 5 degree swing arc for greater access Available in 1/4" and 3/8" drives





GEARWRENCH® SOCKETS AND BIT SOCKETS

- Double line (SAE) and knurled line (MM) to easily identify standard vs. metric sockets
- Available in sets and open stock

PART NO. RANGE	SIZE RANGE	DESC.
80104D - 80114D	5/32" – 9/16"	1/4" drive, 6 PT
80350 - 80362	1/4" – 1"	3/8" drive, 6 PT
80602 - 80613, 80677 - 80679	7/16" – 1-1/2"	1/2" drive, 6 PT
80830 - 80831, 80833 - 80835D, 80838 - 80841, 80852, 80854 - 80857, 80859 - 80865	7/8" – 2-3/8"	3/4" drive, 12 PT



* All product listed are SAE, standard ** SAE 12 PT and metric 6 PT and 12 PT are available in 1/4", 3/8" & 1/2" drives. Sockets are also available in deep and flex styles, as well as swivel magnetic spark plugs. Bit Sockets are available in 1/4", 3/8" and 1/2" drives. Head styles include: Torx® Tamper-Proof, Torx® Press Fit, Internal Torx®, External Torx®, Triple Square, Posidriv®, Ball Hex, Hexagon, Slotted and Phillips



GEARWRENCH® IMPACT SOCKETS

- Chrome Molyebdenum alloy steel (CR-MO) for exceptional strength and long lasting durability
- Available in sets and open stock

PART NO. RANGE	SIZE RANGE	DESCRIPTION
84100 - 84109	3/16" – 9/16"	1/4" drive, standard
84300 – 84307	5/16" – 3/4"	3/8" drive, standard
84397 - 84403	3/16" – 1/2"	3/8" drive, hex
84500D - 84518D	3/8" – 1-1/2"	1/2" drive, standard
84634 - 84640	3/8" – 3/4"	1/2" drive, hex
84800 - 84816, 84818 - 84828	3/4" – 2-1/2"	3/4" drive, standard

* All product listed are SAE
** Sockets are 6 point; including universal and hex. Deep and metric
are available in all drive size. Universal sockets are available in 1/4",
3/8" and 1/2" drives



GEARWRENCH® RATCHETING WRENCHES

Ratcheting Wrenches: X-Beam™ allows you to apply force to the flat side of the wrench, reducing hand fatigue

*THE FOLLOWING RATCHETING WRENCH STYLES ARE ALSO AVAILABLE IN SAE AND METRIC:

- XL X-Beam™ Combination XL Combination

- XL Locking Flex Combination
 Reversible Combination
 Indexing Combination
- XL X-Beam™ Flex Combination
 "Original" Combination
 XL Gearbox™ Double Box
 Stubby Flex Combination

- Stubby CombinationFlex CombinationOpen End

- Double Box

PART NO. RANGE	SIZE RANGE	DESCRIPTION
85360 - 85374 85308 - 85319D	5/16" – 3/4" 8 mm – 19 mm	XL X-Beam™ reversible combination
85201 - 85203, 85211 - 85214	5/16" – 1" 8 mm – 22 mm, 24 mm	Quadbox™
9841D – 9844 9851D – 9855D	3/8" – 7/8" 10 mm – 19 mm, 22 mm	Half moon reversible double box
85326, 85334, 85342, 85352 85222 - 85232 (even #'s), 85241D	3/8" – 7/8" 10 mm – 19 mm, 22 mm	S-shaped reversible double box
9220D - 9223	E6xE8, E10xE12, E14xE18, E20xE24	E-Torx® double box
85548 - 85564 (even #'s)	#8 x 1/4" – #24 x 3/4"	XL spline combination

GEARWRENCH Code: 442

Website: www.apextoolgroup.com
Online Catalogue: www.gearwrench.com/catalog.jsp




GEARWRENCH® NON-RATCHETING WRENCHES

NON RATCHETING WRENCHES: Surface Drive Plus™ provides stronger grip on fasteners; reduces fastener rounding; and, delivers up to 25% more torque.

*The following Non-Ratcheting Wrench styles are also available in SAE and Metric:

- · Long Pattern Combination
- Flex Flare Nut
- Full Polish Open End
- Stubby Combination
- Crowfoot Drive (3/8"Dr.)
- Chrome Adjustable (SAE only)
- Flare Nut
- 30 Degree Deep Offset Box
- Black Adjustable (SAE only)

PART NO. RANGE	SIZE RANGE	DESC.
81714 - 81725 81698 - 81713	5/16" – 3/4" 8 mm – 19 mm	XL X-Beam™ combination
81768 - 81781 81754 - 81767	1/4" – 1" 6 mm – 19 mm	6 PT full polish combination
81890 – 81893	6", 8", 10" and 12"	Adjustable cushion grip





GEARWRENCH® TORQUE WRENCHES

PART NO.	TORQUE RANGE	DRIVE	TORQUE WRENCH	DESCRIPTION
85072 85070 85071	12-120 in/lb 10-100 ft/lb 25-250 ft/lb	1/4" 3/8" 1/2"	Electronic	Torque accuracy +1-2% CW, +1-3% CCW from 20 to 100% full scale
85073 85074	10-100 in/lb 25-250 in/lb	3/8" 1/2"	Electronic Flex Head with Angle	Thin profile, high-strength teardrop head flexes for easier access and features a 60-tooth gear with 6° ratcheting arc
85050 85051 85052 85053 85054 85055	30-200 in/lb 25-250 in/lb 10-100 ft/lb 20-150 ft/lb 20-250 ft/lb 100-600 ft/lb	1/4" 3/8" 3/8" 1/2" 1/2" 3/4"	Micrometer	Accurate in clockwise direction +/- 3% in upper 80% of the range
85056 85057	5-75 ft/lb 25-250 ft/lb	3/8" 1/2"	Flex Head Micrometer	Sealed tear-drop head provides access and strength, and keeps out contaminants

GEARWRENCH® INDEXING PRY BARS

Available in fixed handle and extendable handle

PART NO.	SIZE
82208	8", indexing
82210	10", indexing
82216	16", indexing
82224	24", indexing
82233	33", indexing
82220	18" - 29", extendable
82248	29" – 48", extendable

GEARWRENCH® CUTTING TOOLS

 GearWrench® offers a range of cutting tools and files, including a high tension hacksaw, a folding utility knife, aviation snips, cable cutters and standard and mini files

PART NO.	SIZE
82842	3 Pc. Aviation Snip Set. Includes Part No.: 82840, straight cutting aviation snips 82841, right cutting aviation snips 82842, left cutting aviation snips
82820	4 Pc. Standard File Set. Includes Part No.: 82822, 8" flat file 82823, 8" round file 82824, 8" half round file 82825, 8" triangle file





GEARWRENCH

GEARWRENCH Code: 442

Website: www.apextoolgroup.com

Online Catalogue: www.gearwrench.com/catalog.jsp

GEARWRENCH® PLIERS

 GearWrench® pliers include dual material grip pliers, Double-X™ pliers, insulated pliers, and locking pliers


PART NO.	DESCRIPTION
82108	7 Pc. Mixed Plier Set. Includes Part No.: 82011, tongue and groove 82012, diagonal cutting 82013, long nose 82014, slip joint 82020, 12" groove joint with straight jaw 82025, 8" linesman 82028, 8" end nipper
82111	2 Pc. Double-X™ Hemostat Plier. Includes Part No.: 82034, Double-X™ straight hemostat pliers 82035, Double-X™ 45 degree hemostat pliers
82030	8" Long Nose, Insulated Pliers
82102	3 Pc. Locking Plier Set. Includes Part No.: 82043, 6" long nose 82040, 5" curved jaw 82041, 10" curved jaw



GEARWRENCH® SCREWDRIVERS AND NUT DRIVERS

 GearWrench® now offers dual material, solid handle, cushion grip and insulated screwdrivers as well as full hollow shaft cushion grip and insulated nutdrivers

PART NO.	DESCRIPTION
80061	4 Pc. Posidriv® dual material screwdriver set
82733	6 Pc. Phillips solid handle screwdriver set
82770	6 Pc. cushion grip screwdriver set
82901	8 Pc. SAE insulated nut driver set



GEARWRENCH® STRIKING TOOLS

- GearWrench® has continued its line expansion, with the addition of striking and struck tools
- Hammers available include ball pein, curved claw, drilling, dead blow, engineers, and blacksmiths
- · Chisels and punches are also available



PART NO.	DESCRIPTION
82303D	5 Pc. Hammer Set includes Part No.: 82251, 16 oz ball pein hammer, fiberglass 82255, 12 oz soft face hammer, removable caps 82260, 3 lb drilling hammer 82256, 16 oz dead blow hammer, composite handle 82259, 16 oz rubber mallet, wood hickory handle
82306	27 Pc. Punch and Chisel Set Includes Part No.: 82261 - 82268, cold chisels: 1/4" - 1" 82269 - 82271, center punches: 1/4" - 7/16" 82272 - 82277, pin punches: 3/32" - 5/16" 82278 - 82281, long taper punches: 1/8" - 1/4" 82282 - 82287, starter punches: 5/32" - 3/8"

ARMSTRONG Code: 442

Website: www.apextoolgroup.com
Online Catalogue: www.armstrongtools.com



ARMSTRONG® HAND SOCKETS, DRIVE TOOLS AND SOCKET SETS

- Chrome Sockets 1/4" to 1" drive **
 - SAE sockets openings range from 1/8" (10-004: 1/4" Dr. 6 pt std) to 3-1/2" (14-212: 1" Dr. 12pt std)
 - Metric sockets openings range from 4 mm (37-004: 1/4" Dr. 6 pt std) to 60 mm (40-360: 3/4" Dr. 12 pt deep)
- Black oxide sockets 3/8" to 1/2" drive**
- Ratchets and drive tools 1/4" to 1-1/2" drive
- Hex driver and screwdriver sockets 1/4" to 1/2" drive**
- Crowfoot wrenches 3/8" to 1/2" drive**

PART NO.	DESCRIPTION
12-973	1/2" drive long handle teardrop ratchet
12-220	1/2" drive 6 pt deep socket 5/8"
10-010	1/4" drive 6 pt standard socket 5/16"
13-947	3/4" drive universal joint
	an stock and socket sets

**Available in open stock and socket sets





INDUSTRIAL WRENCHES AND SETS

- Combination wrenches: 1/4"–
 2-3/4", 4 mm 70 mm openings
- Structural and construction wrenches: 5/8" – 2" openings
- Spanner wrenches: 1"-6" openings
- Striking wrenches: 1-1/16" 3-1/8", 32 mm 80 mm openings
- Slugging wrenches: 1-1/4" 6",
- 32 mm 80 mm openings

OTHER INDUSTRIAL WRENCHES AVAILABLE INCLUDE: Ratcheting combination, double box-end 15° and 45°, flex head combination, double open end, open end angle, tappet, ratcheting box, flarenut, adjustable, industrial finish, pump pattern and pipe tools.

PART NO.	DESCRIPTION	
52-627	14 pc 6 pt full polish long combination wrench set, metric	
28-048	1-1/2" thin pattern pump wrench	
32-524	3/4" structural wrench, black finish	
33-076	2-3/8" 12 pt 45° offset striking wrench	

ARMSTRONG® IMPACT AND POWER SOCKETS, ACCESSORIES AND SETS

- Impact socket sets 1/4" to 3/4" drive
- Impact sockets 1/4" to 2-1/2" drive
 - SAE impact sockets openings range from 3/16" (18-606: 1/4" Dr. 6 pt std) to 7-5/8" (24-244: 2-1/2" Dr. 6pt std)
 - Metric impact sockets openings range from 4mm (45-004: 1/4" Dr. 6 pt std) to 65mm (49-065: 1" Dr. 6pt std)
- Impact accessories 3/8" to 2-1/2" drive
- Impact hex bit sockets 3/4" drive
- Power sockets 1/4" to 1/2" drive
- No.5 Spline drive sockets



PART NO.	DESCRIPTION	
20-893	11 pc 6 pt 1/2" drive impact socket set	
19-922	3/8" drive impact extension 3"	
22-947	1" drive universal joint	

ARMSTRONG® TORQUE TOOLS

- Torque wrenches: electronic, micrometer adjustable, flex head micrometer adjustable, dial and deflecting beam
- Torque screwdrivers
- Torque multipliers
- Electronic torque testers
- Torque wrench replacement heads and adapters
- Part #64-046 3/8" drive micrometer adjustable torque wrench, ratchet head



ARMSTRONG® SCREWDRIVERS AND NUT DRIVERS

- Screwdrivers available in dual material, round shank (Standard and Phillips), square shank, (standard), cabinet / electrician's, Torx®, and Bolster
- Nut drivers available in hollow shaft, solid shaft and T-handle
- Screw starters

PART NO.	DESCRIPTION	
66-330	Screwdriver, Torx® T30, round shank	
66-441	Screwdriver, slotted 1/4" x 4" dual material	
66-737	T-handle nut driver, 10 mm	

ARMSTRONG® PLIERS AND SNIPS

PART NO.	DESCRIPTION
67-305	Chain nose with wire cutter, 6-5/8"
67-436	Long nose quick release locking, 6"
67-555	Lock ring, standard, 9"
67-901	Electrician's strip- per/cutter crimper, 8.25"







ARMSTRONG® PUNCHES, CHISELS, PRY BARS & HAMMERS

PART NO.	DESCRIPTION
69-542	18 oz Slimline dead blow hammer
70-579	4 pc pry bar set
70-565	12 pc punch and chisel set

LUFKIN® Code: 442

Website: www.apextoolgroup.com Online Catalogue: www.lufkintool.com

LUFKIN® SERIES 1000 POWER RETURN TAPES

- Hi-Viz® case orange, lightweight, high strength
- Toggle lock is positioned for convenient operation and holds the blade securely in place
- Virtually unbreakable Quad Hook®; four rivets for extra strength
- 1" blade only

PART NO.	BLADE WIDTH	BLADE LENGTH
HV1035CME	3/4" (19 mm)	16' (5 m)
HV1038CME	3/4"	26' (8 m)
HV1048CME	1" (25 mm)	26' (8 m)
HV1049CME	1" (25 mm)	30' (9 m)
HV1312	3/4"	12'
HV1316	3/4"	16'
HV1325	3/4"	25'
HV1425	1"	25'

LUFKIN® POWER RETURN TAPES

Lufkin®

- · Self-compensating end hook for inside and outside measurements
- · Built in bumper reduces shock when blade is retracted, extending product life

LUFKIN® L600 SERIES POWER RETURN TAPES

- Hi-Viz® orange case, easy to find on the job
- · Wide base helps keep tape standing upright



PART NO.	BLADE WIDTH	BLADE LENGTH
L625	1"	25'
L625CME	1"	26' (8 m)
L616	3/4"	16'
L616CME	3/4"	16' (5 m)
L610	1/2"	10'
L610CME	1/2"	10' (3 m)

LUFKIN® FIBERGLASS TAPES

- · Designed for rugged field use by the surveyor, engineer or contractor
- · Durable, waterproof and able to withstand breakage and abrasion under extreme conditions
- Two position end hook for inside/outside readings



PART NO.	BLADE WIDTH	BLADE LENGTH
FE050	1/2"	50'
FE300	1/2"	300'
FM030CME	13 mm (1/2")	30 m (100')
FM100CME	13 mm (1/2")	100 m (328')

LUFKIN® 800 SERIES XTRA-WIDE **POWER** RETURN **TAPES**

Orange case, cushion grip

New blade design achieves 10' stand-out. make longer measurements

PART NO.	BLADE WIDTH	BLADE LENGTH
XL8525	1-3/16"	25'
XL8548CME	1-3/16"	26' (8 m)

LUFKIN® HI-VIZ® UNIVERSAL LIGHTWEIGHT **LONG STEEL TAPE**

- Metric-English tape measures have 2-sided end hook for use with either scale
- Blade size: 3/8" (10 mm) wide, 50' (15 m) long



Part #XL8525

Part #HV15CME

Part #BM416

LUFKIN® BLACK MAX HI-VIZ® **BLADE TAPES**

· Lightweight, high strength black case for comfort and durability

- · 4 rivet end hook for long life
- · Positive toggle lock holds blade securely at any length

PART NO.	BLADE WIDTH	BLADE LENGTH
BM416	1"	16'
BM416CME	1"	5 m (16')
BM525	1-1/4"	25'
BM525CME	1-1/4"	7.5 m (25')

Website: www.apextoolgroup.com





WISS® AVIATION SNIPS

 Non-slip serrated jaw of tough molybdenum steel holds material firmly and uniformly spreads cutting force across blade edge

WISS® Code: 442

· Handle of high tensile strength alloy steel exceeds hand power limit

PART	GRIP	LENGTH		LENGTH	OF CUT
NO.	COLOUR	INCHES	MM	INCHES	MM
M1R	Red	9-3/4"	248	1-3/8"	35
M2R	Green	9-3/4"	248	1-3/8"	35
M3R	Yellow	9-3/4"	248	1-1/2"	38

WISS® STRAIGHT PATTERN TINNER'S SNIPS

- Cuts straight and wide curves
- Quality steel hot drop-forged for sharp edge and long snips life
- Used in plumbing, heating, air conditioning and roofing trades

PART LENGTH		ГН	LENGTH	OF CUT	RECOMMENDED MAX. CAPACITY
NO.	INCHES	MM	INCHES	MM	LOW CARBON COLD ROLLED STEEL
A13N	7"	178	1-3/4"	44	23 gauge (0.025" / 0.63 mm)
A11N	9-3/4"	248	2-1/4"	57	23 gauge (0.025" / 0.63 mm)
A10N	11"	279	2-1/2"	63	21 gauge (0.032" / 0.81 mm)
A9N	12-1/2"	317	3"	76	20 gauge (0.035" / 0.89 mm)



- Cuts moderately tight curves left or right
- Blades hand edged for maximum cutting efficiency

PART LENGTH		LENGTH OF CUT		RECOMMENDED MAX. CAPACITY	
NO.	INCHES	MM	INCHES	MM	LOW CARBON COLD ROLLED STEEL
V10N	10-1/4"	260	2-1/4"	57	23 gauge (0.025" / 0.63 mm)
V19N	13"	330	3"	76	21 gauge (0.032" / 0.81 mm)



Part #V19N

WISS® HVAC COMPOUND **ACTION PIPE** AND DUCT SNIPS

- · Cuts curves, straight or any combination
- · Cuts any shape ducts, seams, sheet metal stock, vinyl tiles and plastic laminants
- Patented ball-bearing iaw action automatically adjusts blade clearance for squarer, cleaner cuts



Part #WRPCMD

WISS® RATCHETING PIPE CUTTERS

- · Ratchet pipe cutters offer an ideal way to cut pipe in confined spaces
- · Cuts brass, copper, aluminum, PVC and other thin-walled conduit material without damage
- Pipe cutting diameter: 1/4": 7/8", 6 mm: 23 mm



Part #WEZSNIP

WISS® EASY SNIP UTILITY **SHEARS**

- Spring-loaded blades for reduced fatigue on repeated cuts
- 420 stainless blades provide maximum corrosion resistance
- Length of cut: 4". 100 mm

Crescent®

CRESCENT® Code: 442

Part #AC16V

Website: www.apextoolgroup.com

Online Catalogue: www.apexhandtools.com/brands/crescent

CRESCENT® ADJUSTABLE WRENCHES

- · World famous Crescent® brand
- · Proportioned dimensions for greatest strength and minimum weight
- · Nickel plated finish resists rust and corrosion


PART NO.	LENGTH INCHES MM		JAW OPE	NING MM
AC14V	4"	100	1/2"	13
AC16V	6"	150	15/16"	24
AC18V	8"	200	1-1/8"	29
AC110V	10"	250	1-5/16"	33
AC112V	12"	300	1-1/2"	38



erection, construction and rigging trades



PART NO.	LENGT INCHES		JAW OPI	E NING MM
AT10SPUD	10-1/2"	270	1-1/8"	29
AT115SPUD	16"	406	1-1/2"	38





CRESCENT® 170 PIECE MECHANIC'S TOOL SET

Set contains all the tools needed for most industrial applications, including 1/4". 3/8", and 1/2" quick-release ratcheting drivers, with a wide selection of standard and deep sockets in the most common SAE and metric sizes



- An adjustable jaw opening to accommodate 38 different bolt/nut sizes. from 1/4" - 7/8"
- Jaw design extends into deep areas
- Reversible ratcheting mechanism

CRESCENT® LOCKING PLIERS AND CLAMPS

- · Crescent® brand locking pliers are made to an exacting standard that results in improved durability and long-term performance
- Long nose, curved, and straight jaw pliers feature a patented angled tooth pattern for a better grip, and every style has a tough nickel-plated finish for maximum resistance to rust and corrosion

PART NO.	LENGT INCHES	Γ H MM	JAW OPE	NING MM	DESCRIPTION
C7SV	7-1/4"	184	1-5/8"	42	Straight jaw locking pliers
C10SA	10"	254	1-3/4"	45	Self-adjusting locking pliers with wire cutter
C5CV	5-5/8"	142	1-1/4"	32	Curved jaw locking plier with wire cutter
C9NV	8-3/4"	222	2-7/8"	73	Long nose locking plier with wire cutter
C11CCV	11"	280	4"	102	Locking C-clamp, regular tips
C6CCSV	7"	178	2-1/8"	54	Locking C-clamp, swivel pad tips
C8SMV	10-5/8"	375	1-3/4"	45	Locking sheet metal clamp
C9W	9-3/8"	236	2-1/8"	54	Locking welder's clamp



CRESCENT® A-N CONNECTOR PLIERS

- Fits A-N electrical connectors, sizes from 0.75" 2.5"
- Three adjustment positions



CRESCENT® CARPENTER'S PINCERS

- Ideal for cutting or pulling nails and wire
- Electronically induction hardened cutting edges give long lasting cutting performance

NICHOLSON® Code: 442

Website: www.apextoolgroup.com

Online Catalogue: www.apexhandtools.com/brands/nicholson



NICHOLSON® 4-IN-1 PRO SERIES **HACKSAW FRAME**

- High tension technology for tightening the blade up to 30,000 psi
- 45 degree angle for flush cuts
- · Low profile position for tight spaces



NICHOLSON® GENERAL PURPOSE HACKSAW FRAME

- Instantly adjustable for 10"/250 mm to 12"/300 mm blades
- Adjusts 90° for vertical or horizontal cuts



NICHOLSON® ECONOMY HACKSAW FRAME

Adjustable from 10"/250 mm to 12"/300 mm

NICHOLSON® HALF ROUND FILES

· Used on concave, convex and flat surfaces

LENGT INCHES	T H MM	SECOND CUT PART NO.
4"	100	04729N
6"	150	04828NN
8"	200	04927NN
10"	250	05026N
12"	300	05125N
14"	350	05225N

Also available in bastard and smooth cut

NICHOLSON® MILL FILES

LENG	TH	BASTARD CUT
INCHES	MM	PART NO.
8"	200	08497N
10"	250	08642N
12"	300	08737N

Also available in second and smooth cut

Nicholson' >c Bi-Metaloy" __E_ == 32Tx 12" **BI-METALOY® HAND HACKSAW BLADES**

long as high-speed steel, and, up to ten times longer than carbon steel

PART NO.	REF. NO.	BLADE LENGTH
62723	NF1218	Bi-Metaloy® 12" x 18
62749	NF1224	Bi-Metaloy® 12" x 24
62776	NF1232	Bi-Metaloy® 12" x 32

TPI hacksaw blades listed

NICHOLSON® SLIM TAPER FILES

· Edges set and cut for filing gullets between saw teeth

LENGTH						
INCHES	MM	PART NO.	TAPER			
8"	200	14290M	Slim			
6"	150	14665M	Extra Slim			
6"	150	15024N	Double Extra Slim			

TPI hacksaw blades listed

NICHOLSON® **CHAIN SAW FILES**

	LENG	TH		
PART NO.	INCHES	MM	PACKED	DESCRIPTION
01765	3/16"	4.76	1/card	Round, smooth, knurl-cut
01888	7/32"	5.55	1/card	Round, smooth, knurl-cut
01891	5/32"	3.96	1/card	Round, smooth, knurl-cut

Chain saw files listed have length of 8" / 200 mm

NICHOLSON® ROUND **FILES**

· Primarily used to file circular openings or concave surfaces

LENG INCHES	TH MM	DIAME INCHES	TER MM	BASTARD CUT PART NO.
4"	100	1/8"	3	11526N
5"	125	3/16"	5	11637N
6"	150	1/4"	6	11716N
8"	200	5/16"	8	11904
10"	250	3/8"	10	12019
12"	300	1/2"	13	12134
14"	350	5/8"	16	12248

Also available in second and smooth cut

LENGT Inches	T H MM	BASTARD CUT WIDTH
4"	100	03367N
6"	150	03467N
8"	200	03566N
10"	250	03665N
12"	300	03764N
14"	350	03863N
16"	400	03980N

NICHOLSON® FLAT FILES

• Used by machinists, machinery builders, ship and engine builders, repairman and others who require rapid removal of metal

Also available in second and smooth cut



H.K. PORTER® Code: 442

Website: www.apextoolgroup.com

Online Catalogue: www.apexhandtools.com/brands/hkporter

H.K. PORTER®INDUSTRIAL GRADE, **CENTER CUT CUTTERS**

- General plant maintenance tool
- Drop-forged, precision ground and hardened, alloy tool steel jaws with center-cut blades
- Toggle joints turn 50 lb hand pressure to 4,000 lb cutting pressure

Part #0090MC • Toggle joints turn 50 lb hand pressure to 4,000 lb cutting pre						
			SOFT AND	MEDIUM	HAR	D
	LENG	ſΗ	HARD MAT	TERIALS*	MATERI	ALS**
PART NO.	INCHES	MM	INCHES	MM	INCHES	MM
1490MC	14"	356	5/16"	8	3/16"	5
0090MC	18"	457	3/8"	10	1/4"	6
0190MC	24"	610	7/16"	11	5/16"	8
0290MC	30"	762	1/2"	13	3/8"	10
0390MC	36"	914	9/16"	14	7/16"	11
0590MC	42"	1067	11/16"	18	1/2"	13

^{*}Up to Brinwell 300, Rockwell C31 **Up to Brinwell 455, Rockwell C48

H.K. PORTER® STEEL STRAP CUTTERS

- Workhead has black oxide, rust-resistant finish
- 1-handed operation gives extra leverage for continuous cuts of wide steel strap, quickly and cleanly

Part #1290G



H.K. PORTER® WIRE CUTTER

- Center-cut blades
- Cuts mild steel (Brinwell 140) (80,000 PSI) to 5/32" diameter
- Cuts hard steel (HRC 44) (208.000 PSI) to 3/32" diameter

H.K. PORTER® INDEXING REBAR BENDER

- Extra-sturdy steel handles for the toughest conditions
- Super-strong indexing head grips rebar securely for accurate bends
- 14-position indexing head adjusts with centre pushbutton to allow total access for maximum leverage

PART NO.	DESCRIPTION
RB4	#3 & #4 (3/8" & 1/2")
RB5	#5 (5/8")
RB6	#6 (3/4")



H.K. PORTER® RATCHET-TYPE ONE HAND OPERATED SOFT CABLE CUTTER

- Compact size cutter
- · 1-hand operation allows cutting in confined spaces
- Ratchet-type iaws with shear-cut blades

	LENGTH		FREQUENT USE		MAXIMUM CAPACITY*	
PART NO.	INCHES	MM	COPPER	ALUM.	COPPER	ALUM.
3590FS	9"	229	500 MCM	600 MCM	600 MCM	750 MCM
5090FS	10-1/2"	267	600 MCM	1000 MCM	750 MCM	1000 MCM

+Note: MCM capacity does not include cable insulation. MCM capacity equates to conductor size only.

Weller

WELLER Code: 442

Website: www.apextoolgroup.com

Catalogue: www.apexhandtools.com/brands/weller



BATTERY POWERED SOLDERING IRON KIT

- Perfect for field service repair on small parts and components
- Heats up to working temperature (900°F) in under

MAGNA-LITE BUTANE TABLE TOP TORCH

- Up to 60 minutes continuous use controls flame temperature up to 2,400°F
- Refillable with Weller® WB1C filtered butane

PORTASOL® SUPER-PRO SELF-IGNITING KIT AND TOOL

- Ideal for service technicians for such uses as anti-static soldering, heat shrink and cutting rope
- Adjustable temperature up to 1,076°F

MARKSMAN® IRON (25 WATT)

- · Ideal for hobbies, kits, radios, and electronics work
- Includes MT1 1/8" / 3 mm diameter replaceable nickel-plated copper tip
- Develops 750°F / 400°C

SOLDERING GUNS AND KITS

UNIVERSAL GUN AND KIT:

- PART #8200PK
- · High efficiency, tin-plated copper tip
- Kit contains: 8200 dual heat soldering gun (that produces 140 or 100 watts), 1 soldering tip, 1 smoothing tip, 1 cutting tip, flux brush, soldering aid tool and a coil of lead free solder
- Part #7135W, standard tip, replacement tip for 8200PK, 2 tips/bag

PROFESSIONAL HEAVY-DUTY GUN AND KIT:

- Part #D550PK
- · Heavy gauge, high efficiency, tin-plated copper tip
- · Kit contains: D550 soldering gun (that produces 260 or 200 watts) with 1 soldering tip, 1 smoothing tip, 1 cutting tip, flux brush, soldering aid tool and a coil of lead free solder
- Part #7250W, standard tip, replacement tip for D550PK, 2 tips/bag



ESPECIALLY

HARDENED

Χ

Χ

AND PLATED

Plumh®

XCELITE® Code: 442

Website: www.apextoolgroup.com

Part #170M

RED

Χ

Χ

GRIPS

XCELITE®

SHEARCUTTER -

GENERAL PURPOSE

· Superior blade by-pass shear cutting action

• Flush cuts soft wire up to 20 AWG (0.8 mm)

BLACK

GRIPS

Χ

Χ

Online Catalogue: www.cooperhandtools.com/brands/xcelite



XCELITE® PRECISION ELECTRONIC SCREWDRIVER SET

• ESD safe to provide protection to ESD sensitive items

XPTX600 CONTAINS 1 SCREWDRIVER EACH OF:

- #5 point standard Torx® tip
- #6 point standard Torx® tip
- #7 point tamper-proof standard Torx® tip
- #8 point tamper-proof standard Torx® tip
- #10 point tamper-proof standard Torx® tip
- #15 point tamper-proof standard Torx® tip

Part #104CGV



- Wide size-range bolt cutter / Screw sizing stations
- Scissors-action, up-front wire cutting and wire stripping

XCELITE® 103S WIRE STRIPPER

Unique cam stop adjustment for different wire sizes.

Hardened pivot joint bushing and crimp stations

• For industrial use; 8 - 22 AWG

stays put even with screw loose

XCELITE® LIGHT-DUTY PRECISION KNIVES

PART NO.

170M

170D

175M

175D

· Designed for light-duty cutting on paper, soft and light-weight materials or wood

Replacement blades available for XN100 include: PART NO. DESCRIPTION			
XNB101	Standard, general-duty for cutting, carving and correcting stencils		
XNB103	Fine pointed, for most detailed cutting and stripping		
XNB105	Stencil, for scoring and etching as well as stencil cutting		

SAFETY

CLIPS

Χ

Χ



PLUMB® Code: 442

Website: www.apextoolgroup.com

Catalogue: www.cooperhandtools.com/brands/plumb

Part #SS22RN

Part #103SV

PLUMB® SOLID STEEL ANTI-SHOCK PREMIUM RIPPING CLAW HAMMERS

- Patented anti-vibration shock absorbing technology
- 1-Piece forged solid steel construction
- Co-molded contoured handle for increased comfort and control
- "Thumb-Saving" magnetic nail starter saves time, reduces chance of injury

	HEAD	WEIGHT	OAL		
PART NO.	OZ	GR	INCHES	MM	FACE
SS16RN	16	454	12.875"	327	Polished
SS20RN	20	567	13.75"	34	Polished
SS22RN	22	624	15.875"	403	Polished
SS22RCFN	22	624	15.875"	403	Checkered
SS28RN	28	794	16"	406	Polished
SS28RCFN	28	794	16"	406	Checkered

Part #SS16CN

PLUMB® SOLID STEEL ANTI-SHOCK PREMIUM CURVED **CLAW HAMMERS**

- Patented anti-vibration shock absorbing technology
- Co-molded contoured handle for increased comfort and control
- "Thumb-Saving" magnetic nail starter saves time, reduces chance of injury
- 1-Piece forged solid steel construction

	HEAD WEIGHT		OAL	
PART NO.	OZ	GR	INCHES	MM
SS16CN	16	454	12.875"	327
SS20CN	20	567	13.75"	34





52

COLEMAN Code: 588

Website: www.colemancanada.ca



Part #5644-710G

40 QUART POWERCHILL™ THERMOELECTRIC COOLER

- Perfect for the office, dorm rooms, RVs, campers, truck cabs, cars, SUVs
- 40 quart capacity
- Holds 44 cans plus snacks
- Cools to 40°F below surrounding temperature
- Plugs into cigarette lighter with included 12 V adapter
- Exterior dimensions: 21.75" x 15" x 17.125"



110 VOLT POWER SUPPLY FOR THERMOELECTRIC COOLERS





Part #3000000858

Part #5592C703G





Part #300000159

Part #3000000168

BEVERAGE COOLERS

PART NO.	DESCRIPTION
3000000858	Blue, 5 gallon
5592C703G	Red, 2 gallon

EXCURSION® COOLERS

PART NO.	DESCRIPTION
3000000159	16 quart, holds 22 cans, 14" x 15" x 9.5"
3000000168	9 quart, holds 6, 20 oz bottles, 11.25" x12.66" x 9.75"







Part #6263A721G

WHEELED XTREME® 6 COOLERS

- Keeps ice up to 6 days at 90°F
- · Hinged lid with beverage holders
- Two way handles for flexible easy carrying
- · Rustproof, leak resistant channel drain for no-tilt easy draining

PART NO.	DESCRIPTION
6273A721G	58 quart, holds 75 cans, exterior: 29" x 14" x 18"
6263A721G	50 quart, holds 70 cans, exterior: 31.50" x 18.25" x 16.13"



Part #3000000112

54 QUART STEEL BELTED® COOLER

Holds 85 cans



Part #300000187

100 QUART **COOLER**

· Holds 130 cans



Part #3000001525

150 QUART MARINE COOLER

• Holds 223 cans plus 55 lbs of ice



Part #3000000021

48 QUART HUNTING / FISHING COOLER

• Holds 63 cans plus 17 lbs of ice

INGERSOLL RAND Code: 961

Website: www.irtools.com

MINI AIR

Superior

DIE GRINDER

maneuverability

Standard 1/4"

collet for all

accessories

· Front exhaust

helps keep work

COMPOSITE

AIR DIE

GRINDER • Powerful 1/3 horsepower motor

· Lightweight yet durable design

· All ball bearing

construction

surface clean

types of





Part #121-K6

AIR HAMMER KIT

- Professional touch trigger for total control
- Long-life tool with a tough one piece alloy barrel
- Easy to maintain, with an "easy-out" throttle valve assembly

Part #116K

AIR HAMMER

- Up to 3,500 blows per minute
- · Handles a range of cutting applications
- · Longer life alloyed steel barrel and heat-treated piston

Part #307A



CLUB AIR RATCHET WRENCH

- MAX Power: 65 ft/lb of maximum torque ensures enough power for tough applications.
- MAX Control: Innovative forward/reverse collar, variablespeed power regulator, adjustable exhaust, and feather-touch trigger combine to offer unprecedented
- MAX Comfort: Ergonomic coupling nut and composite handle ensure operator comfort even during extended use; the cold.

PART NO.	DESC.	
1207MAX-D3	3/8"	
1207MAX-D4	1/2"	



• Variable speed lever-style throttle

PART NO.	DESC.
107XPA	54 ft/lb max torque
109XPA	76 ft/lb max torque



PART NO.	DESC.
1207MAX-D3	3/8"
1207MAX-D4	1/2"



- Heat-treated ratchet housings

PART NO.	DESC.
107XPA	54 ft/lb max torque
109XPA	76 ft/lb max torque



- composite handle insulates from

PART NO.	DESC.
1207MAX-D3	3/8"
1207MAX-D4	1/2"

3/8" AIR RATCHET WRENCH

- 360° adjustable exhaust

PART NO.	DESC.
107XPA	54 ft/lb max torque
109XPA	76 ft/lb max torque





MINI AIR RATCHET WRENCH

- 25 ft/lb max torque and 250 rpm free speed deliver impressive power to get the task at hand done fast
- · Ergonomic coupling nut and handle ensure a comfortable grip with no sharp edges

PART NO.	DESC.
105-D2	1/4"
105-D3	3/8"

1/2" TITANIUM IMPACTOOL

- Power: Get 780 ft/lb max power in reverse from a tool weighing just 3.95 lb, the best power-to-weight ratio in its class.
- **Control:** New professional touch trigger, a wider range of power regulator settings in forward, and our patented push button fwd/rev provide maximum control.
- Reliability: Designed to last, and backed by the MAX Protection Program that offers a free 2 year limited warranty with tool registration.

PART NO.	DESCRIPTION
2135TIMAX	1/2" titanium impactool
2135QTIMAX	1/2" quiet titanium impactool



1/2" IMPACTOOL™

- Handle exhaust directs air away from user
- 590 ft/lb maximum torque
- Adjustable power regulation



1/2" IMPACTOOL™

- Pressure-feed lubrication
- Adjustable power regulator
- Easy to service two piece construction



Part #3108

Part #308A

AIR DIE GRINDER

- Ball bearing construction for longer tool life
- · Self-locking throttle lever
- Positive grip 1/4" capacity collet chuck



3/4" IMPACTOOL™

Jumbo hammer mechanism

• Compact and only 7-5/8" long

Up to 1,100 ft/lb of torque



3/4" COMPOSITE IMPACTOOL


- Weighs just 7 lb
- 1,200 ft/lb maximum torque



3/4" **IMPACTOOL™**

- · Non-biased motor delivers 1,050 ft/lb of maximum torque in both forward and reverse
- Smaller and up to 2 pounds lighter than other 3/4" impacts in its class
- Unlike most other 3/4" impacts, the 259 doesn't require an upgrade to a 1/2" air line, meaning lower shop costs and greater convenience of use...all without sacrificing tool performance





GILMOUR Code: 476

Website: www.gilmour.com

SPRAYERS

ilmou

PREMIUM SPRAYERS

Gilmour

- · Pivoting outside handle for carrying and easy filling/pouring
- Extra-wide mouth opening for easy fill and cleaning
- Manual and automatic pressure relief valve
- Fast pressurizing, 10" polymer pump

PART NO.	DESC.
1000P	1 gallon
2000P	2 gallon
3000P	3 gallon

- · Chemical resistant Viton seals
- 18" brass wand with adjustable brass nozzle
- · Extra long 52" premium PVC hose



PART NO.	DESC.
101P	1 gallon
201P	2 gallon
301P	3 gallon

MULTI **PURPOSE SPRAYERS**

- · Extra-wide mouth opening for easy fill and cleaning
- · Manual and automatic pressure relief valve
- Fast pressurizing, 10" polymer pump
- Chemical resistant Viton seals
- 16" polymer wand with adjustable polymer nozzle
- 33" premium PVC hose



PART NO.	DESC.
100HDPI	1 gallon
300HDPI	3 gallon

COMMERCIAL SPRAYERS

- Rigid thermoplastic polymer tank
- · Extra wide mouth opening for easy fill and cleaning
- Fast pressurizing 10" polymer pump
- 42" reinforced polyethylene-lined hose
- Hose spring to prevent kinks at tank
- Polymer adjustable and fixed fan spray tips
- External carry handle for easy pouring and carrying

Part # RM30

CUTTERS



Part #123

COMMERCIAL BYPASS PRUNERS

- 3/4" diameter cutting capacity
- Cast aluminum handles with vinyl coated grips
- Hardened and tempered precision ground steel blade
- Adjustable tension
- · Heavy duty external spring



Part #910

GARDEN SCISSORS

- 3" blade
- Multi-purpose garden tool
- Precision ground, stainless steel blade
- Blade notch for larger stems
- Internal spring for easier more comfortable cutting
- Cushioned comfort grips with locking handles



Part #418TCS

GEAR DRIVE TREE PRUNER

- · Fibreglass poles telescope from 6' to 18'
- 1-1/4" diameter cutting capacity
- · Heavy duty solid steel head with hardened and tempered steel lopper blade



Part #707T

GRASS SHEARS

- blades with nonstick coating



TRADITIONAL

- Edge hardened
- Self adjusting blade tension
- Blades rotate 45° and 90°



- mowing width Self sharpening
- 5 blade reel with ball bearings for smooth cutting
- Adjustable hed knife
- Height adjusts from 1 to 3 inches easily
- Dual wheel design is more stable and tracks evenly
- 10" front wheels cleated to reduce slippage
- Large loop handle with comfort grip

HOSES





8 PLY FLEXOGEN

- Professional quality
- Flexogen is the hose that has long set the standard for quality in garden hoses
- 8-ply construction, 500 PSI burst strength
- Double tire cord reinforced for
- Lightweight, coils and handles easily
- Flow Guard Plus protective collar on all 5/8" and 1/2" hoses resists kinks at faucet

PART NO.	DESC.
10-12025	1/2" x 25'
10-12050	1/2" x 50'
10-12100	1/2" x 100'



MARINE & RECREATION / SPACE SAVER FLAT HOSE

- Space saving flat hose is easy to store; ideal for confined spaces
- FDA approved liner material
- Full-Flo metal couplings for unrestricted water flo

PART NO.	DESC.
11-12025	1/2" x 25'
11-1202RL	1/2" x 25'
11-12050R	1/2" x 50'



ALL PURPOSE RUBBER HOSE

- · Withstands hot water up to 160°F
- · High burst strength
- Metal couplings for unrestricted water flow · Double cord reinforced
- Kink resistant and flexible
- Resistant minor abrasions and weather

PART NO.	DESC.
19-58050	5/8" x 50'
19-58100	5/8" x 100'



COMMERCIAL RUBBER / VINYL HOSE

- Reinforced layers add strength and flexibility
- 6-ply construction

with O-ring

- 500 PSI burst strength
- Double reinforced for commercial
- Protective collar resists kinks at faucet
- Heavy-duty machined metal couplings

PART NO.	DESC.
29-58025	5/8" x 25'
29-58050	5/8" x 50'
29-58075	5/8" x 75'
29-58100	5/8" x 100'



HOT WATER FLEXOGEN

- · Withstands hot water up to 200°F yet weighs 33% less than traditional rubber hose
- 400 PSI burst strength
- Double reinforced with year-round flexibility
- · Lightweight and soft, yet durable
- · Kink resistance
- · Heavy-duty machined metal couplings with O-ring for tight seals
- · Abrasion resistant cover

PART NO.	DESC.
50-58050	5/8" x 50'

Website: www.gilmour.com

Gilmour

NOZZLES



- Adjustable spray pattern
- Hold-open button for continuous spraying
- Molded cushioned grip for comfort



Part #572TFRL

COMMERCIAL **INSULATE NOZZLE**

- · For spraying hot or cold water
- · Male hose threaded front for attaching accessories
- · Brass head insert for maximum resistance to extremely hot water
- · Solid brass valve stem with permanent adjusting nut
- · Rust resistant stainless steel spring

Part #528 SOLID **BRASS TWIST NOZZLE**

- Full size
- · All brass valve stem
- Precise tip angle
- Adjustable from fine spray to needle stream to heavy rinse

Part # 327 **METAL PISTOL** GRIP **NOZZLE** WITH STORAGE L₀₀P

- 8 spray patterns
- Hold-open button for continuous spraying
- Molded cushioned grip for comfort



Part #571TFRL

COMMERCIAL **INSULATE NOZZLE**

- For spraying hot or cold
- · Male hose threaded front for attaching accessories
- · Solid brass valve stem with permanent adjusting nut
- · Rust resistant stainless steel spring





- · Comfortable cushioned vinyl grip
- All brass valve stem with permanent adjusting nut
- · Heavy-duty die cast metal body

METAL TURBO NOZZLE



- Power sprav
- Large grip handle contros water flow
- Fireman's style tip adjusts spray pattern
- Molded grip for cushioned comfort

SPRINKLERS



Part # 167TRI1 METAL **TRIPOD SPRINKLER**

- · Telescoping tripod reaches height of 58" for extra high coverage and even larger distances
- · Spiked feet for added stability
- Coverage up to 5.800 sq ft



Part #7800PM

OSCILLATING SPRINKLER

- · Heavy-duty polymer base
- · Metal spray tube with 17 metal jets
- Coverage up to 3,500 sq ft



METAL OSCILLATOR

- Heavy-duty metal
- · Metal spray tube with 17 metal jets
- · Easy to use rotation dials
- · Coverage up to 3,500 sq ft



Part #167SMB

METAL IMPULSE **SPRINKLER**

- Heavy-duty metal, made to last
- Metal head on metal sled base
- Coverage up to 5,800 sq ft



Part #7900PV

OSCILLATING SPRINKLER WITH UNIQUE **VARIABLE JETS**

- · Heavy duty polymer base
- 18 adjustable jets and one stationary jet
- · Jet control dials offer exceptional precision
- · Easy to use rotation dials
- · Coverage up to 4,000 sq ft

HANGERS, TIMERS AND MENDERS



STEEL **HOSE HANGER**

- . Holds up to 100 ft of hose
- Keyhole design for easy installation
- Durable, rust resistant baked enamel finish

ZINC MENDERS

Non-corroding high grade stainless steel screws

Impact resistant



Part #9301

SINGLE **OUTLET TIMER**

- · Continuous watering up to 120 minutes
- Full flow outlet for more sprinkler performance
- Manual on/off



Part #9351

DOUBLE OUTLET TIMER

- · Continuous watering up to 120 minutes
- Full flow outlet for more sprinkler performance
- Manual on/off
- Double outlets can be used at the same time








KEN-TOOL Code: 388

Website: www.kentool.com



HEAVY DUTY T-47 TUBELESS TIRE IRON SET

- Set contains 1 of each: 34847 (T47A), 34848 (T47B) and 34849 (T47C)
- · Individual parts are also sold separately

	PART NO.	DESCRIPTION
34847 T47A, heavy duty straight mount/demount tool		T47A, heavy duty straight mount/demount tool
34848 T47B, heavy duty straight mount/demount to 34849 T47C, heavy duty offset mount "C" bar		T47B, heavy duty straight mount/demount tool extension for T47C
		T47C, heavy duty offset mount "C" bar

Part #34647

HD TUBELESS TRUCK TIRE T45HD MOUNT/DEMOUNT

· Ken-Tool heavy duty version of original design T45A

Part #34645C

T45AC CLASSIC DESIGN TRUCK TIRE MOUNT/DEMOUNT

- . HD TT truck tool for use on truck, agricultural and industrial tires
- 41" length
- 7/8" stock

Part #34644

1 END TIP DESIGN TRUCK TIRE MOUNT/DEMOUNT

• 1 end tip design for "grabbing" rim truck tire mount/demount T45A-2000K



Part #31710

BEAD HOLDING

- bead in place
- · Solid brass

KEN TOOL 3-IN-1 STRAP WINDER TOOL FOR TRUCKERS

HANDY 3-IN-1 TOOL GREAT FOR TRUCKERS



- · Quick Wind, Tire Check or Cheater Bar
- Patented design allows fast and easy strap winding with one hand
- Steel construction is durable and provides long lasting service
- · Foam rubber grip is comfortable even after repeated use
- Use to tighten cargo straps, winches and as a tire knocker
- · Made in the USA

Part #35329

DUCK BILLED BEAD BREAKING WEDGE T11E

· Duck billed bead breaking wedge with wood handle



Part #35926

HEAVY DUTY IMPACT BEAD BREAKER T26B

- · Ken-Tool spring action designed to reduce fatigue
- · One piece bead breaker



· One piece truck tire demount tool

MOST POPULAR KEN-TOOL ITEM



DUCK BILLED BEAD BREAKING WEDGE TG11E

Duck billed bead breaking wedge with fibreglass handle

P-STYLE PARKER INTERCHANGE SERIES 3/8" BASIC SIZE

- · Couplers are heavy duty brass
- Plugs are heavy duty steel plated to resist rust
- Coupler bodies have 8 locking balls
- Maximum inlet pressure: 300 PSI
- Maximum temperature: 250°F
- Air flow: 88 SCFM
- Seals: Buna-N

PART NO.	DESCRIPTION	
S-1802	P-Style Coupler & Plug Combo Assembly - 1/4" NPT female connection	
1803	P-Style Coupler - 1/4" NPT female connection	
S-1803	P-Style Coupler - 1/4" NPT female connection skin/display pack	
1805	P-Style Coupler - 3/8" NPT female connection	
S-1805	P-Style Coupler - 3/8" NPT female connection skin/display pack	
1809	P-Style Plug - 1/4" NPT male	
S-1809	P-Style Plug - 1/4" NPT male skin/display pack. NOTE: 2 per card	





3 IN 1 AIR MANIFOLDS

- · Supply air tools from a single inlet
- No need to disconnect and connect for every tool change

PART NO.	DESCRIPTION	
S-685-4	S-685-4 1/4" NPT inlet female, 3 outlets 1/4" NPT female	
S-685-6	3/8" NPT inlet female, 3 outlets 1/4" NPT female	
S-685-8	1/2" NPT inlet female, 3 outlets 1/4" NPT female	



COMPACT SAFETY LEVER BLO-GUN

Compact and versatile blo-gun comes with both a safety nozzle and rubber tip nozzle. Has a hang-up hook for easy storage.

- SCFM 11.7 @ 100 PSI safety-tip
- SCFM 12.9 @ 100 PSI rubber tip
- 1/4" NPT air inlet
- Zinc die-cast body
- · OSHA compliant with safety tip only
- Maximum working pressure 150 PSI





Part #S-506

INFLATOR GAUGE

- Milton brand quality industry accepted window gauge
- 10 to 20 lbs in 2 lb increments
- Includes magnifying lens for full view of scale, dual head chuck and 15" full swivel hose
- · Readings also in kPa metric increments
- Gauge cartridge and valve cartridge are replaceable

PART NO.	DESCRIPTION
08-A1-506	Inflator gauge dual head chuck, large bore
S-506	Skin/display pack

COALESCING AND METAL BOWL AIR LINE FILTERS

- · Light weight aluminum die cast housing
- Available 10 or 40 micron elements
- 250 PSI metal bowls
- Milton coalescing filters 99.97% efficient
- · All filters supplied with pre-assembled automatic overnight drains

PART NO. DESCRIPTION	
1018-8 Heavy Duty Air Line Filter 1/4" NPT, 250 PSI 48 SCFM	
1019-8	Heavy Duty Air Line Filter 3/8" NPT, 250 PSI 75 SCFM
1020-8	Heavy Duty Air Line Filter 1/2" NPT, 250 PSI 100 SCFM
1035	Coalescing Air Line Filter 1/4" NPT, 250 PSI 24 SCFM, .03 Sub Micron
1036	Coalescing Air Line Filter 3/8" NPT, 250 PSI 37 SCFM, .03 Sub Micron
1037	Coalescing Air Line Filter 1/2" NPT, 250 PSI 37 SCFM, .03 Sub Micron



VARIABLE ANGLE SWIVEL FITTINGS

- Fittings rotate at 360 degrees at a 45° angle in any direction eliminating hose twisting and kinking
- Maximum working pressure: 145 PSI
- Temperature range: -37°F to +176°F

PART NO.	DESCRIPTION
S-99681	1/4" male x 1/4" male NPT
S-99681-4	1/4" male x 1/4" M (Milton) style plug
S-99681-6	1/4" male x 1/4" A (ARO 210) style plug



DUAL HEAD STRAIGHT FOOT Chuck Truck Tire Gauge 120 PSI



OLFA Code: 280

Website: www.olfa.com





9 MM STANDARD DUTY CUTTERS

Designed for multi-purpose projects

PART NO.	CATALOGUE NO.	DESCRIPTION
5001	180	Multi-purpose utility knife
1075449	XA-1	Comfort grip utility knife
5010	AB-10B	10 pack – 13 segment replacement blade
5015	AB-50B	50 pack – 13 segment replacement blade



18 MM HEAVY DUTY CUTTERS

Designed for a wide range of industrial and construction projects

PART NO.	CATALOGUE NO.	DESCRIPTION
5003	L·1	Ratchet lock utility knife
5004	L-2	Ratchet lock utility knife with rubber grip
1072198	LA-X	Slide lock comfort grip utility knife
5009	LB-10B	10 pack – 8 segment replacement blade
5016	LB-50B	50 pack - 8 segment replacement blade
9070	LBB-10B	10 pack "Ultra-Max" 8 segment replacement blade
9069	LBB-50B	50 pack "Ultra-Max" 8 segment replacement blade
9005	LH-20B	5 pack – 4 segment replacement hook blade



SAFETY KNIVES

Designed to reduce cut injuries

PART NO.	CATALOGUE NO.	DESCRIPTION
9048	SK-4	Self-retracting safety knife
1077174	SK-7	Compact self-retracting safety knife
1077171	SK-8	Automatic self-retracting safety knife
1086095	SK-9	Self-retracting safety knife with tape slitter
9613	SKB-2/10B	10 pack replacement blade for SK-4 and SK-9
9615	RSKB-2/10B	10 pack rounded tip replacement blade for SK-4 and SK-9
1077172	SKB-7/10B	10 pack replacement blade for SK-7
1077173	SKB-8/10B	10 pack replacement blade for SK-8



25 MM EXTRA HEAVY DUTY CUTTERS

Designed to cut through the toughest materials

PART NO.	CATALOGUE NO.	DESCRIPTION
5006	H-1	Extra-heavy duty cutter
1071858	XH-1	Extra-heavy duty comfort grip cutter
5008	HB-5B	5 pack - 7 segment replacement blade
9061	HB-20B	20 pack - 7 segment replacement blade
1082209	HBB-20B	20 pack "Ultra-Max" 7 segment replacement blade



PART NO.	CATALOGUE NO.	DESCRIPTION
9765	SCS-1	5" heavy duty serrated scissor
9766	SCS-2	7" heavy duty serrated scissor

Part #PACKA77

PORT-A-COOL Code: 459

Website: www:port-a-cool.com







Part #PAC2K482S



Part #PAC2KCYC01

PORT-A-COOL® **PORTABLE EVAPORATIVE COOLERS**

Port-A-Cool® portable evaporative cooling units cool air through the process of evaporation. All-natural cooling, using 115 V electricity and tap-water, can effectively cool large outdoor areas up to 20°F/-6.67°C. One-piece, roto-molded polyethylene housings will not crack, leak or rust. Units provide spot-cooling wherever you need it: warehouses, garages, workshops, industrial facilities, shipping docks, assembly lines, barns, outdoor events, or anywhere A/C is impractical, inefficient, or cost-prohibitive.

PART NO. **DESCRIPTION** PAC2KCYC01 Port-A-Cool Cyclone™ 3000: 3,000 CFM, cools 700 sq ft, 16 gallon tank with hose connection PAC163SVT 16" 3-Speed Vertical-Tank Unit: 3.900 CFM, cools 900 sq ft PAC2K36HPVS 36" Variable-Speed Unit: 10,100 CFM, cools 2,650 sq ft, 32 gallon tank with hose connection PAC2K482S 48" 2-Speed Unit: 20,000 CFM, cools 4,000 sq ft, 40 gallon tank with hose connection



REPLACEMENT KÜÜL® PADS EVAPORATIVE **COOLING MEDIA**

KÜÜL® Pads evaporative cooling media is designed to optimize the evaporative process needed to provide cool air in Port-A-Cool units. The industry's strongest pad has the heaviest paper and highest resin content to provide durability and promote long pad life.

PART NO.	DESCRIPTION
PAD6022.5/26	For PAC2KCYC01
PAD6024/G	For PAC163SVT (set requires 3 pieces)
PAD6048/G	For PAC2K36HPVS (set requires 5 pieces)
PAD6060/G	For PAC2K482S (set requires 6 pieces)

LOUVERS

Adjustable louvers for Port-A-Cool® portable evaporative coolers direct airflow and aid in spot cooling.


PART NO.	DESCRIPTION
LOUVER-KIT-16	For PAC163SVT
LOUVER-KIT-36	For PAC2K36HPVS
LOUVER-KIT-48	For PAC2K482S



VINYL COVERS

Black vinyl covers protect your Port-A-Cool® portable evaporative coolers unit when not in use.

PART NO.	DESCRIPTION
PAC-CVR-01	For 36" units, PAC2K36HPVS
PAC-CVR-03	For 48" units, PAC2K482S
PAC-CVR-04	For 16" units, PAC163SVT



REPLACEMENT MOTORS

PART NO.	DESCRIPTION
MOTOR-013-07	For PAC2KCYC01
M0T0R-012-04E	For PAC163SVT
MOTOR-012-05	For PAC2K36HPVS
MOTOR-010-01	For PAC2K482S





Part #MK-47-CS

MINERAL TREATMENT FOR **EVAPORATIVE COOLERS**

MK-47 Mineral Treatment keeps minerals in solution preventing build-up on evaporative media.



PART NO.	DESCRIPTION
PACKA77	600 sq ft cooling capacity, 8 gallon water capacity, 55 lbs, 2 speed settings
PACKA55	400 sq ft cooling capacity, 8 gallon water capacity, 35 lbs, 3 speed settings

REPLACEMENT PLIMPS



	TIEL ENGLINEIT TOMITO		
	PART NO.	DESCRIPTION	
	PUMP-CYCLONE	For PAC2KCYC01	
	PUMP-0150-1	For PAC163SVT	
,	PUMP-016-4R	For PAC2K36HPVS and PAC2K482S	



TRUPER Code: 559

Website: www.truper.com

Part #30478

POLY HEAD LEAF RAKE

- · Durable poly head
- 36", 48" and 56" handles

PART NO.	DESCRIPTION
30478	30" head, 36" comfort grip
30463	24" head, 36" comfort grip
30456	22" head, 48" wood handle
33655	26" head, 56" steel handle

Part #32401

STEEL TINE LEAF RAKE

- · Flexible steel tines
- 48" and 54" wood and fibreglass handles

PART NO.	DESCRIPTION
30451	22" head, 36" comfort grip
30452	22" head, 48" wood handle
30480	24" head, 54" wood handle
32401	26" head, 54" fibreglass handle

Part #32400

LANDSCAPE RAKES AND ASPHALT LUTE

- · Rugged aluminum head
- 66" aluminum handles

PART NO.	DESCRIPTION
32400	36" head landscape rake
33022	30" head landscape rake
33053	24" head landscape rake
33104	36" head asphalt lute



ROAD RAKES AND BOW RAKES

- steel head
- wood handles

PART NO.	DESCRIPTION
31391	16 tines, 1 1/4" fibreglass road rake
33105	14 tines, 1/2" shank asphalt rake
31380	16 tines, fibreglass bow rake
31374	16 tines, ash handle bow rake



BARN AND SPADING FORKS

- Forged or welded heads
- · Fibreglass or wood handles

PART NO.	DESCRIPTION
30314	5 tine manure fork, 54" ash handle
30323	5 tine manure fork, 50" fibreglass
30330	10 tine ensilage fork, 30" D-handle
30299	4 tine spading fork, 30" fiberglass D-handle

Part #30931



- Forged or welded heads
- · Fibreglass or wood handles

PART NO.	DESCRIPTION
30012	6" forged head hoe, 60" fibreglass
33039	6" welded head hoe, 54" wood handle
31754	7" forged ice scraper, 48" ash handle
30030	4 tine cultivator, 60" fibreglass handle

Part #30206

Part #30159



SPLITTING MAULS HD hickory handles or double injected fibreglass handles for overstrike protection.

PART NO.	DESCRIPTION
30514	1 1/4 lb camp axe, 14" hickory handle
30518	2 1/4 lb boy's axe, 28" hickory handle
30528	3 1/2 lb Michigan axe, 33" fibreglass
30957	6 lb splitting maul, 36" fibreglass

Part #30528

ENGINEER AND SLEDGE HAMMERS

HD double injected fibreglass handles for increased strength and overstrike protection. Also available in hickory.

PART NO.	DESCRIPTION	
30942	3 lb cross pein hammer, 15" handle	
30927	4 lb engineer hammer, 15" handle	
30929	8 lb sledge hammer, 34" handle	
30931	12 lb sledge hammer, 34" handle	



PINCH BARS AND WRECKING BARS

Drop forged and tempered for superior strength during prying and digging.

PART NO.	DESCRIPTION
30262	2 lb, 15" cat's paw utility bar
30206	3 1/4 lb, 3/4" x 24" hex wrecking bar
30156	12 lb, 51" pinch point steel bar
30159	18 lb, 60" pinch point steel bar

Website: www.truper.com



PROFESSIONAL GRADE, FIBREGLASS HANDLE SHOVEL

PART NO.	DESCRIPTION	
31198	48" fibreglass handle, round point shovel	
31199	48" fibreglass handle, square point shovel	
31200	29" fibreglass D-handle, round point shovel	
31201	29" fibreglass D-handle, square point shovel	



Part #31299

HEAVY DUTY FIBREGLASS, D-HANDLE SHOVEL

- 27" shovel
- #14 aluminum



PROFESSIONAL GRADE, WOODEN HANDLE SHOVEL

PART NO.	DESCRIPTION	
31207	48" wooden handle, round point shovel	
31208	48" wooden handle, square point shovel	
31209	30" wooden D-handle, round point shovel	
31210	30" wooden D-handle, square point shovel	



Part #31347

PROFESSIONAL GRADE, WOODEN HANDLE TRENCHING SHOVEL

- 48" wooden handle
- 4" blade



PROFESSIONAL GRADE, ROOFERS SPADE

- 48" wooden handle
- · Wooden shovel



PROFESSIONAL GRADE, WOODEN HANDLE, SOLID SHANK SHOVEL

DESCRIPTION	
48" wooden handle, round point shovel	
48" wooden handle, square point shovel	
30" wooden D-handle, round point shovel	
30" wooden D-handle, square point shovel	



PICKS AND MATTOCKS

HD double injected fibreglass handles for increased strength and overstrike protection. Also available in wood handle.

PART NO. DESCRIPTION		
31614	5 lb pick / mattock, 36" handle	
31638	5 lb cutter / mattock, 36" handle	
31641	5 lb railroad pick, 36" handle	
31646	6 lb railroad pick, 36" handle	





DUAL TIRE WHEELBARROW

- · Contractor grade
- 10 cubic feet poly tray
- 16" dual block tires

Part #30368

Part #33181

SINGLE TIRE WHEELBARROW

- · Contractor grade
- 6 cubic feet steel tray
 - 16" block tires

SCEPTER Code: 936

Website: www.scepter.com



Model #J63 Part #03615

GAS / OIL **COMBO CAN**

• 6 L / 1.58 gal gas and 2.25 L / 0.59 gal oil combo can



20 L VENTED WATER CAN





Part #06792

DURA MAX FLO N' GO 53 L / 14 GAL

- · Portable, wheeled fuel caddy
- · Includes fluid transfer siphon/pump



BATTERY BOX

- Non-corrosive high-strength plastic construction
- · Complies to industry requirements
- Fits new style battery dimensions

PART NO.	DESCRIPTION
03796	Holds series 24 Batteries come with tie down strap
03797	Holds series 27, 30 & 31 Batteries come with tie down strap

MILITARY STYLE JERRY CANS

PART NO.

07539

07622

07079

07081

07649

PART NO.	DESCRIPTION
03711	Model #D520, 20 L 5 gal diesel, yellow
03609	Model #RV520, 20 L 5.3 gal gas, red

SELF VENTING FUEL CANS

DESCRIPTION Model #AB25, 25 litre

6.6 gal, gas, red Model #AB20, 20 litre

5.3 gal, gas, red Model #AB10, 10 litre

2.5 gal, gas, red

Model #AB5, 5 litre

5.3 gal, diesel, yellow

1.25 gal, gas, red Model #D20, 20 litre







MAX FLO N' GO

· High flow siphon/pump



Part #06186

90 L / 24 GAL **RECYCLE BIN**



18" RIGID FUNNEL



MULTI USE FLEX FUNNEL




ĺ	PART NO. DESCRIPTION		
	03587	Model #F162, 8" large	
	03589	Model #F163, 6" medium	
	03588	Model #F164, 4" small	





DRAIN PANS

טוואווי ו אויט			
PART NO.	DESCRIPTION		
03894	Model #DP184, 15L / 16 qt, oil, black		
03896	Model #DP124, 7.5 L / 8 qt, oil, black		
06976	Model #DP15A, 19L / 20 qt, 5 gal, antifreeze, green		



FUEL CONTAINER PARTS KITS

PART NO.	DESCRIPTION	
03647	Model #JCA4, includes flexible spout, stopper and vent cap	
03583	Model #JCA3, 3 piece multi-pack	
08499	3 pack stopper kit	



Website: www.buyersproducts.com





TOOL BOXES





BLACK UNDERBODY TOOLBOX WITH T-HANDLE LATCH

PART NO.	H(")	D(")	W(")
1703350	14	12	24
1703300	14	16	24
1703303	14	16	30
1703305	14	16	36
1703330	16	14	18
1702300	18	18	24
1702303	18	18	30
1702305	18	18	36
1702310	18	18	48
1702315	18	18	60
1702317	18	18	66
1702325	18	18	72
1704300	24	24	24
1704303	24	24	30
1704305	24	24	36
1704310	24	24	48
1704315	24	24	60
1708310	18	24	48

WHITE UNDERBODY TOOLBOX WITH T-HANDLE LATCH

PART NO.	H(")	D(")	W(")
1702400	18	18	24
1702403	18	18	30
1702405	18	18	36
1702410	18	18	48
1702415	18	18	60
1702417	18	18	66
1708410	18	24	48
1703400	14	16	24
1703403	14	16	30
1703405	14	16	36
1704400	24	24	24
1704403	24	24	30
1704405	24	24	36
1704410	24	24	48
1704415	24	24	60

BLACK UNDERBODY TOOLBOX WITH ROTARY PADDLE LATCH

PART NO.	H(")	D(")	W(")
1703150	14	12	24
1703100	14	16	24
1703103	14	16	30
1702100	18	18	24
1702103	18	18	30
1702105	18	18	36
1702110	18	18	48
1702115	18	18	60



BLACK UNDERBODY TOOLBOX WITH T-HANDLE LATCH AND **DIAMOND TREAD DOOR**

PART NO.	H(")	D(")	W(")
1702500	18	18	24
1702505	18	18	36
1702510	18	18	48



PRIMED UNDERBODY TOOLBOX WITH T-HANDLE LATCH

PART NO.	H(")	D(")	W(")
1703900	14	16	24
1702900	18	18	24
1702905	18	18	36
1702910	18	18	48

WHITE UNDERBODY TOOLBOX WITH ROTARY PADDLE LATCH

PART NO.	H(")	D(")	W(")
1702200	18	18	24
1702203	18	18	30
1702205	18	18	36
1702210	18	18	48
1702215	18	18	60
1703203	14	16	30



Part #1701030 18" X 18" UNIVERSAL **UNDERBODY** MOUNTING BRACKETS. ALUMINUM. **WELDED BRACES**

BUYERS Code: 577

Website: www.buyersproducts.com



WHEEL CHOCKS



Part #WC765
ALUMINUM
WHEEL CHOCK
6" X 7" X 5.25"
28,000 LB CAPACITY



ALUMINUM WHEEL CHOCK 6.25" X 12.25" X 57" 55,000 LB CAPACITY



Part #WC1588
ALUMINUM
WHEEL CHOCK
8.5" X 15" X 8.25"
70,000 LB CAPACITY



Part #WC6096A

EXTRUDED ALUMINUM

WHEEL CHOCK

6" X 8.75" X 5.86"



Part #WC7118A

EXTRUDED ALUMINUM
WHEEL CHOCK
7" X 10.75" X 7.8"



Part #WC091060

GALVANIZED

WHEEL CHOCK
9" X 10" X 6"



Part #WC091061

ORANGE POWDER
COATED STEEL WHEEL
CHOCK 9" X 10" X 6"



Part #WC9642Y
YELLOW COMPOSITE
WHEEL CHOCK SET
WITH ROPE



Part #WC24483
RUBBER WHEEL
CHOCK SET
WITH ROPE



Part #WC8127

BLACK POLY
WHEEL CHOCK



BUBBER WHEEL CHOCKS

HODDEH WHELE GHOOKS		
PART NO.	DESCRIPTION	
WC1467A	Rubber wheel chock, 5" x 6" x 5"	
WC1468A	Rubber wheel chock, 8" x 6" x 5"	
WC796R	Rubber wheel chock with chain eye, 9.5" x 7" x 7"	



POLY WHEEL CHOCKS

OLI WIILLE OIIOONO		
PART NO.	DESCRIPTION	
WC786	7.38" x 8.31" x 6.25"	
WC8118	8.69" x 11.25" x 8.13"	

ROPE RINGS



Part #B601

RECESSED ROPE RING

- Requires 3" dia. mounting hole in 3/8" or thicker material
 - WLL 285 lb; UBS 850 lb



Part #B701

RECESSED ROPE RING

- Requires 3" dia. mounting hole in 1/4" or thicker material
 - WLL 265 lb; UBS 800 lb



Part #B703

RECESSED OR SURFACE MOUNT ROPE RING

• WLL 265 lb; UBS 800 lb



Part #B2

ROPE RING WITH FORGED BRACKET

• WLL 800 lb; UBS 2,400 lb



Part #B701SM

SURFACE MOUNT ROPE RING

• WLL 265 lb; UBS 800 lb



Part #B501

SURFACE MOUNT ROPE RING

• WLL 500 lb; UBS 1,500 lb



Part #B21

SURFACE MOUNT ROPE RING

• WLL 800 lb; UBS 2,400 lb



Part #B705

SURFACE MOUNT ROPE RING

• 1,000 lb; UBS 3,000 lb



Part #B23

LIGHT-DUTY SURFACE MOUNT ROPE RING

- Bulk Packaging
- WLL 400 lb; UBS 1,200 lb



Part #02010

LIGHT-DUTY SURFACE MOUNT ROPE RING

- Retail Packaging
- WLL 400 lb; UBS 1,200 lb



Part #B23F

SURFACE MOUNT ROPE RING WITH BOLT-ON BRACKET

• WLL 2,000 lb; UBS 6,000 lb



Part #B33

SURFACE MOUNT ROPE RING WITH INTEGRAL BRACKET



Part #B28F

HEAVY-DUTY ROPE RING WITH WELD-ON BRACKET

• WLL 2,000 lb; UBS 6,000 LB



Part #B801A

HEAVY-DUTY RECESSED ROPE RING

Bulk Packaging
 WLL 2,000 lb; UBS 6,000 lb



Part #02030

HEAVY-DUTY RECESSED ROPE RING

- Retail Packaging
- WLL 2,000 lb; UBS 6,000 lb



Part #B901

HEAVY-DUTY RECESSED ROTATING ROPE RING

• WLL 2,000 lb; UBS 6,000 lb

BUYERS Code: 577



Website: www.buyersproducts.com

SNOW PLOW PARTS



12 V REVOLVING SAFETY LIGHT



Part #SL500A
12 V MINI
STROBE LIGHT



Part#B766190A

QUARTZ HALOGEN

MINI LIGHT BAR



WALK BEHIND ROTARY SALT SPREADER



Part #TGSUVPROA
SUV PRO-TAILGATE
SPREADER



Part #TGSUV1B
SUV TAILGATE
SPREADER



Part #TGS01B

TAILGATE
SPREADER

FLOURESCENT ORANGE MARKER KIT

PART NO.	DESC.
1308105	28"
1308110	36"

Part #1308600

ORANGE DRIVEWAY MARKERS Part #1308605

YELLOW DRIVEWAY MARKERS Part #1308200

RED BLADE GUIDE KIT, REPLACES WESTERN Part #1308005

YELLOW BLADE GUIDE KIT, REPLACES MEYER



Part #1303200C
PLOW SHOE
ASSEMBLY,
REPLACES
WESTERN



Part #1303005
PLOW SHOE
ASSEMBLY,
REPLACES
MEYER



Part #1302205
TRIP SPRING,
REPLACES
WESTERN



Part #1302010

TRIP SPRING, REPLACES MEYER



Part #1307005 LOW-TEMP HYDRAULIC FLUID

HOPKINS MANUFACTURING Code: 529

Website: www.hopkinsmfg.com, www.hopkinstowingsolutions.com





SNOW AND ICE TOOLS

PART NO.	DESCRIPTION
16721	10" Ice Scraper, 24 Pack
19520	22" Super Snowbrush
13781	35" Blizzard Snowbrush
2610XB	48" Extender Snowbroom

HOT SPOT WARMERS

PART NO.	DESCRIPTION
12324	Hand, 24 pack, 10 hours heat
12360	Toe, 24 pack, 8 hours heat





Part #40955 **MULTI-TOW** 7:4 ADAPTER



Part #20005 **BREAKAWAY SWITCH** WITH 7" WIRE




Part #47205 4 WIRE FLAT TO 7 RV CONNECTOR

Part #47115 4 WIRE FLAT

7 POLE RV BLADE END

PART NO.	DESCRIPTION
48505	Trailer
48485	Vehicle







Part #48505



Part #47225 Part #47294

Part #47235



Part #47570 **MULTI-TOW 7 RV TO 6.5.4**



7 RV BLADE TO 4 FLAT

ERICKSON MFG. Code: 447

Website: www.ericksonmfg.com





TIE DOWN TAMER

2" x 27' with flat hook. Stores excess webbing once the load has been secured on a patented storage reel in the handle. Place the end of the excess web in the slot of the handle, wrap it up and lock it tight. Meets D.O.T. requirements.



RETRACTABLE RATCHET STRAPS

Erickson Retractable Ratchet Straps are "The Next Generation in Tie-Downs"

- · Simply pull the web out to the desired length and start ratcheting until tight
- Only required webbing is extended which means no excess webbing blowing in the wind
- To release push the red release button, webbing retracts, stores neatly, eliminates tangled mess
- 2 pack, 1"x10', 1,200 lb max. capacity, 400 lb WWL

PART NO.	DESCRIPTION
34413	2 pack, 1" x 6'
34415	2 pack, 1" x 10'
34414	2 pack, 2" x 6'



LOADING RAMPS

PART NO.	DESCRIPTION	
07440	11" x 90" Arched bi-fold aluminum sold individually, capacity 750 lb	
07450	11" x 90" Arched aluminum sold as a pair, capacity 1,500 lb	
07460	49" x 69" Tri-fold aluminum, capacity 1,500 lb	
07464	11" x 84" Bi-fold steel mesh tread sold individually, capacity 800 lb	
07473	9" x 80" Straight steel sold as a pair, capacity 1,000 lb	
07484	54" x 84" Tri-Fold aluminum combination ATV/snowmobile, capacity 1,500 lb	



HEAVY DUTY 1" RATCHET STRAPS

PART NO.	DESCRIPTION
51314	1" x 15', 3,000 lb, double "J" hooks
01326	1" x 25', 3,000 lb, double "J" hooks



SILVER HEAVY DUTY TARPS

DESCRIPTION
14 x 14 weave 8' x 10'
14 x 14 weave 10' x 14'
14 x 14 weave 12' x 18'
14 x 14 weave 12' x 20'
14 x 14 weave 16' x 20'
14 x 14 weave 20' x 30'
14 x 14 weave 30' x 40'
14 x 14 weave 30' x 40'
14 x 14 weave 40' x 60'



HEAVY DUTY 2" & 3" RATCHET STRAPS

PART NO.	DESCRIPTION
52300	2" x 15', 3,000 lb, double "J" hooks
52400	2" x 25', 3,000 lb, double "J" hooks
58527	2" x 27', 3,000 lb, flat hooks
58627	2" x 27', 3,000 lb, double "J" hooks
58727	2" x 27', 3,000 lb, grade 70 chain lead and grab hooks
58500	2" x 30', 3,000 lb, flat hooks
58510	2" x 30', 3,000 lb, double "J" hooks
58540	2" x 40', 3,000 lb, flat hooks
58514	3" x 30', 13,000 lb, flat hooks
58515	3" x 30', 13,000 lb, double "J" hooks
58516	3" x 30', 13,000 lb, grade 70 chain lead and grab hooks

BLUE POLY TARPS

PART NO.	DESCRIPTION	12
57000	8 x 8 weave 6' x 8'	
57001	8 x 8 weave 8' x 10'	
57006	8 x 8 weave 10' x 12'	and a
57007	8 x 8 weave 12' x 16'	
57008	8 x 8 weave 12' x 18'	E.
57009	8 x 8 weave 16' x 20'	
57010	8 x 8 weave 18' x 24'	
57011	8 x 8 weave 20' x 30'	
57013	8 x 8 weave 30' x 50'	
57014	8 x 8 weave 40' x 60'	400



CAMO TARPS

PART NO.	DESCRIPTION
57004	8 x 8 weave 8' x 10'
57005	8 x 8 weave 10' x 12'

TARP STRAPS





Website: www.nuvueproducts.com



Part #2605

"NEW" REFLECTIVE **BARRICADE TAPE**

- Red/White Reflective Tape
- 3" x 60" roll
- For automotive use
- Increases visibility to potential hazards



REFLECTIVE. **ADHESIVE** TAPE, DIE-CUT RECTÁNGULAR STRIPS



- · High intensity prismatic reflective tape
- 1-1/2" wide x 4-1/2" long strips

PART NO.	DESCRIPTION
2617	White reflective
2627	Red reflective
2637	Blue reflective
2647	Amber reflective

Size: 1-1/2" x 4-1/2", 2 pieces per package



BARREL STRIPE REFLECTIVE TAPE

- Red/white
- 2" wide x 6' long roll
- · Draws high visibility day or night
- Ideal for marking hazards around the work place or on trailers and equipment

DOT-C2 REFLECTIVE SAFETY TAPE

- Red/White Reflective Tape
- Meets Department of Transportation specifications
- · Required on commercial trucks and trailers
- · Sticks to any clean smooth surface
- Typical brightness 800 candle power



PART NO.	DESCRIPTION
2600	2" wide x 12" roll (6" red/6" white), 4 strips / 12" each per pack
2603	2" wide x 36" roll (7" white / 11" red, repeating pattern)
2606	2" wide x 25' roll (7" white / 11" red, repeating pattern)

HIGH INTENSITY REFLECTIVE TAPE, 4' OR 8' ROLLS

- · Ensures maximum reflectivity
- · Provides highest possible visibility to avoid hazards
- · Pressure sensitive, adheres well to any smooth, clean surface

PART NO.	DESCRIPTION	WWW.
2612	4' long x 1.5" wide, white	Le
2613	8' long x 1.5" wide, white	
2622	4' long x 1.5" wide, red	
2623	8' long x 1.5" wide, red	

46" WHITE ALUMINUM ADDRESS POST / MARKER

- 46" white powder coated aluminum channel marker
- · Highly reflective red tape at top, both sides
- Can use as a driveway marker or can add 3" black vinyl numbers to mark street address, parking space numbers, etc.

PART NO.	DESCRIPTION
2668	46" white aluminum address post / marker. Includes 3" black vinyl



46" FIBREGLASS DRIVEWAY MARKERS

- 46" fibreglass driveway markers with acrylic reflective tops
- · Choice of red or blue
- Includes foot spike for inserting into hard packed surfaces
- · Won't scratch, rust, bend or break
- 3-1/4" top with 1/4" diameter rod

PART NO.	DESCRIPTION
2661	Red
2662	Blue



46" HEAVY-DUTY, DUAL-MOUNT AND **DUAL-COLOUR FIBREGLASS** DRIVEWAY MARKERS

- 46" heavy duty model, 3-3/4" top with 5/16" diameter rod
- · Optional side mount capability
- White flexible fiberglass shaft that resists breakage even in extreme conditions
- Choice of red/white or blue/white to differentiate your driveway from others
- UV protected PMMA reflex reflector top won't fade, crack or weather
- Unique ground spike design that installs easily, even in to hard packed surfaces
- Won't scratch, rust, bend or break

PART NO.	DESCRIPTION
2663	Red / White
2664	Blue / White





46" - 72" TELESCOPIC, 360° REFLECTIVE MARKERS

- Flexible fiberglass shaft that extends from 46" to 72" in overall height
- · Locking screw that allows for custom height adjustments
- · Over-sized, highly reflective 2-color reflector top that is visible from 360°
- Coated steel ground spike that installs easily, even in to hard packed surfaces
- UV protected PMMA reflex reflector top won't fade, crack or weather

PART NO.	DESCRIPTION
2665	Red / White
2666	Blue / White





ANCRA Code: 880

Website: www.ancra.com

Online Catalogue: www.ancra.com/truck/cargosolutions.asp

ALL ANCRA INTERNATIONAL PRODUCTS ARE MARKED AND/OR TAGGED TO COMPLY WITH THE NSC-10 AND FMCSA CARGO SECUREMENT LEGISLATIONS.




WINCH STRAP - DELTA HOOKS

PART NO.	DESCRIPTION
43795-11-30	4" x 30' with delta ring
43795-11-35	4" x 35' with delta ring
43795-11-40	4" x 40' with delta ring
43795-11-50	4" x 50' with delta ring



RATCHET STRAP - WIRE HOOKS

PART	NO.	DESCRIPTION
45982-	42	27' ratchet strap with wire hooks
45982-4	43	30' ratchet strap with wire hooks



WINCH STRAP - FLAT HOOKS

PART NO.	DESCRIPTION
43795-10-30	4" x 30' with flat hook
43795-10-35	4" x 35' with flat hook
43795-10-40	4" x 40' with flat hook
43795-10-50	4" x 50' with flat hook



RATCHET STRAP - FLAT HOOKS

PART NO. DESCRIPTION	
45982-10	27' ratchet strap with flat hooks
45982-11	30' ratchet strap with flat hooks



WINCH STRAP - CHAIN ANCHORS

PART NO.	DESCRIPTION
41660-14-30	3" x 30' with chain anchor
43795-15-30	4" x 30' with chain anchor



RATCHET STRAP - CHAIN ANCHORS

P	ART NO.	DESCRIPTION
45	982-15	27' ratchet strap with chain anchors
45	982-34	30' ratchet strap with chain anchors

X-TREME WEBBING OFFERS GREATER PERFORMANCE, DURABILITY AND ABRASION RESISTANCE

EL ANCRA X-TREME WATER

X-TREME STRAP - DELTA RINGS

PART NO. DESCRIPTION		
43795-91-30	4" x 30' with delta ring	
43795-91-40	4" x 40' with delta ring	

EU ANCRA X-TREME WAS

X-TREME STRAP - FLAT HOOKS

PART NO.	DESCRIPTION
41660-90-30	3" x 30' with flat hook
43795-90-30	4" x 30' with flat hook
43795-90-40	4" x 40' with flat hook



X-TREME STRAP - CHAIN ANCHORS

PART NO.	DESCRIPTION
41660-93-30	3" x 30' with chain anchor
43795-95-30	4" x 30' with chain anchor



PART NO.	DESCRIPTION
45982-90-27	27' ratchet strap with flat hooks
45982-90-30	30' ratchet strap with flat hooks



X-TREME RATCHET STRAP -CHAIN ANCHORS

DESCRIPTION

PART NO.

PART NO.	DESCRIPTION
45982-93-30	30' ratchet strap with chain anchors

X-SERIES RATCHET STRAPS

General Purpose, HD, Motorsports and Industrial Straps.



TRUNK-TIE









SL125 Ratcheting cargo bar for pickup and SUV XC005-1P 3' Trunk tie XR015-C1P 15' GP camo ratchet strap with vc s hooks - 1 pack XR115-C2P 15' HD camo ratchet strap with vc s hooks & safety clips - 2 pack XR015-4P 15' GP ratchet strap with vc s hooks - 4 pack XR108-2P 8' HD motorsports strap with vc s hooks & safety clips - 2 pack XR210-1P 10' IND power equipment strap with twisted snap hooks - 1 pack XR320-1P 20' IND contractors strap with j hooks and d-ring - 1 pack

Part #SL125

Part #XC005-1P

Part #XR210-1P

Part #XR015-C1P

ANCRA Code: 880

Website: www.ancra.com Online Catalogue: www.ancra.com/truck/cargosolutions.asp







WINCH BAR

PART NO.	DESCRIPTION
42313-10	Standard, painted black
42313-12	Combination box end
42313-19	Combination chrome
50015-10	Standard ergo winch bar
50015-20	Combination ergo winch bar
50015-21	Box end ergo winch bar



RUBBER TARP TIE

PART NO.	DESCRIPTION
52210	50 per box, 9"
52215C	50 per box, 15"
52221C	50 per box, 21"
52231	50 per box, 31"
52241	50 per box, 41"



G70 CHAIN IN A PAIL

PART NO.	DESCRIPTION
45881-10-16-SP	5/16" x 16' with clevis hooks 4,700 lb WLL
45881-10-20-SP	5/16" x 20' with clevis hooks 4,700 lb WLL
45881-10-25-SP	5/16" x 25' with clevis hooks 4,700 lb WLL
45881-11-16-SP	3/8" x 16' with clevis hooks 6,600 lb WLL
45881-11-20-SP	3/8" x 20' with clevis hooks 6,600 lb WLL
45881-11-25-SP	3/8" x 25' with clevis hooks 6,600 lb WLL



STRAP ASSEMBLY

PART NO.	DESCRIPTION
95001	2pk, 1" cam buckle-8' with vinyl s-hooks
95002	2pk, 1" ratchet buckle-10' with vinyl s-hooks
95003	2pk, retractable ratchet bkl-6' with vinyl s-hks
95004	4pk, 1" cam buckle-8' with vinyl s-hooks
95005	4pk, 1" ratchet buckle-10' with vinyl s-hooks
95006	4pk, 2" cam, 2 ratchet with vinyl s-hooks
95007	2pk, ratchet buckle-152 endless



WEB WINCH

PART NO.	DESCRIPTION
43579-20	Side mount-low profile
43564-16	Bottom mount-std. Portable w/2ss
43565-12	Sliding deep storage bottom mount



LOAD BINDER

PART NO.	DESCRIPTION
45943-10	5/16" Lever 5,400 lb WLL
45943-11	3/8" Lever 9,200 lb WLL
45943-14	Recoiless - 5/16" Lever 5,400 lb WLL
45943-20	5/16" Ratchet 5,400 lb WLL
45943-21	3/8" Ratchet 9,200 lb WLL



MINI RATCHET STRAP

PAI	PART NO. DESCRIPTION		
438	87-10	1" X 16'-display packaged	
438	87-11	1" X 20'-display packaged	



ANCRA Code: 880

Website: www.ancra.com Online Catalogue: www.ancra.com/truck/cargosolutions.asp

ALL ANCRA INTERNATIONAL PRODUCTS ARE MARKED AND/OR TAGGED TO COMPLY WITH THE NSC-10 AND FMCSA CARGO SECUREMENT LEGISLATIONS.



CORNER PROTECTORS

PART NO.	DESCRIPTION
43986-10	4" Plastic
49377-10	Steel for chain



QUICK LINKS

PART NO.	DESCRIPTION
50016-25	1/4", 800 lbs WLL
50016-31	5/16", 1,200 lbs WLL
50016-38	3/8", 1,700 lbs WLL



SLIP HOOKS G70 -WITH SAFETY LATCH

PART NO.	DESCRIPTION
50019-20	1/4", 2,750 lbs WLL
50019-21	5/16", 4,300 lbs WLL
50019-22	3/8", 5,250 lbs WLL
50019-23	1/2", 9,000 lbs WLL



SLIP HOOKS G70 -**NO LATCH**

PART NO.	DESCRIPTION
50019-10	1/4", 2,750 lbs WLL
50019-11	5/16", 4,300 lbs WLL
50019-12	3/8", 5,250 lbs WLL
50019-13	1/2", 9,000 lbs WLL



CLEVIS HOOKS G70

PART NO.	DESCRIPTION
45946-10	5/16"
45946-11	3/8"



TWIN CLEVIS G70

PART NO.	DESCRIPTION
50017-10	5/16", 4,700 lbs WLL
50017-11	3/8", 6,600 lbs WLL
50017-12	7/16", 11,300 lbs WLL



NYLON TWISTED EYE TO EYE SLINGS

PART NO.	DESCRIPTION
20-EE2-9802X8	2" x 3'
20-EE2-9802X10	2" x 4'
20-EE2-9802X12	2" x 8'
20-EE2-9802X16	2" x 12'
20-EE2-9802X20	2" x 20'



ROUND SLINGS

PART NO.	DESCRIPTION
20-ENR2X3	2" x 3'
20-ENR2X4	2" x 4'
20-ENR2X8	2" x 8'
20-ENR2X12	2" x 12'
20-ENR2X20	2" x 20'

ANCHOR SHACKLES

PART NO.	DESCRIPTION
50013-31	5/16" screw pin, 1,500 lbs WLL
50013-38	3/8" screw pin, 2,000 lbs WLL
50013-44	7/16" screw pin, 3,000 lbs WLL
50013-63	5/8" screw pin, 6,500 lbs WLL

PART NO.	DESCRIPTION
50013-75	3/4" screw pin, 9,500 lbs WLL
50014-50	1/2" clevis pin, 4,000 lbs WLL
50014-63	5/8" clevis pin, 6,500 lbs WLL



Website: www.cttgroup.com

cantech

ECONOMY GRADE BOX SEALING

- For lightweight packages
- · Holding and bundling applications

PART NO.	DESCRIPTION
263-00-48100	48 mm x 100 m
263-00-4866	48 mm x 66 m
263-00-72132	72 mm x 132 m
263-00-7266	72 mm x 66 m
263-00-9666	96 mm x 66 m

HOCKEY TAPE PART NO. **DESCRIPTION** Mixed multi pack: 946-60-2425 2 black, 1 white, 3 clear Clear multi pack: 969-60-2425





PART NO.	DESCRIPTION
94-01-4855	Black 48 mm x 55 m
94-02-4855	Red 48 mm x 55 m
94-03-4855	Brown 48 mm x 55 m
94-05-4855	Yellow 48 mm x 55 m
94-07-4855	Green 48 mm x 55 m
94-08-4855	Blue 48 mm x 55 m
94-10-4855	White 48 mm x 55 m
94-19-4855	Olive 48 mm x 55 m



Part #205-02-6066

TUCK TAPE

- Tuck tape CCMC approved for house wrap
- For bonding to insulation, house wrap insulation and other materials
- 60 mm x 66 m

HIGH PERFORMANCE AUTOMOTIVE MASKING TAPE

- Used for critical OEM and industrial applications
- Provides masking and protection for aircraft, automotive, truck, bus, military, shipyards, boatmakers, railway, and RV's
- · Conforms well to all shapes
- · Adheres well to all types of surfaces
- Great "tape-on-tape" performance
- Removes cleanly on all surfaces including moulding and rubber
- · Compatible with water and solvent based paint

PART NO.	DESCRIPTION
111-00-1855	18 mm x 55 mm
111-00-3655	36 mm x 55 m
111-00-4855	48 mm x 55 m

SELF FUSING SILICONE TAPE

- Meets UL 510 requirements
- · Pipe wrap for corrosion and dirt
- "Final Wrap" for electrical distribution connections
- Salt water resistant wrap in marine, boating
- Protective and colour coding wrap
- Hydraulic fitting protection
- Emergency hose/pipe repair
- Electrical insulation 400 volts
- Resists to a minimum of 700 PSI

PART NO.	DESCRIPTION
537-2001-2451096	Black 20 mil x 25.4 mm x 10.96 m
537-2001-381096	Black 20 mil x 38 mm x 10.96 m
537-3001-2451096	Black 30 mil x 25.4 mm x 10.96 m
537-3001-5081096	Black 30 mil x 50.8 mm x 10.96 m
537-2021-2451096	Gray 20 mil x 25.4 mm x 10.96 m
537-2021-381096	Gray 20 mil x 38 mm x 10.96 m
537-3021-2451096	Gray 30 mil x 25.4 mm x 10.96 m
537-3021-5081096	Gray 30 mil x 50.8 mm x 10.96 m

GENERAL PURPOSE MASKING TAPE

- Mulit-purpose
- · For light bundling, packaging and shelf identification

PART NO.	DESCRIPTION	
107-00-2455	24 mm x 55 m	
107-00-3655	36 mm x 55 m	
107-00-4855	48 mm x 55 m	

FLEXIBLE DUCT TAPE - UL-181B-FX LISTED

A closure system for sealing flexible air ducts, air connectors. metal ducts and foam insulation used for water pipe connections.

- Alternative to aluminum foil tape
- Resistant to mold, moisture, flame and smoke
- No liner

DESCRIPTION
Black 48 mm x 110 m
Black 48 mm x 55 m
Black 72 mm x 110 m
Silver 48 mm x 110 m
Silver 48 mm x 55 m
Silver 72 mm x 110 m

ECONOMY GRADE POLY CLOTH DUCT TAPE

- Excellent for all sealing applications
- · General repair tape

PART NO.	DESCRIPTION
93-21-4855	48 mm x 55 m
93-21-7255	72 mm x 55 m
93-21-9655	96 mm x 44 m

ALUMINUM FOIL TAPE

Join and seal duct work and duct insulation

PART NO.	DESCRIPTION
90-21-4845	48 mm x 45 m
90-21-7290	72 mm x 90 m

Part #330-01-1820

ELECTRICAL TAPE

- CSA/UL approved for indoor use (-7°C to 80°C)
- · Used for electrical splicing
- · Additional colours available



Part #845-00

2" TAPE DISPENSER

· 2" adjustable tension handheld tape dispenser





NUERA TRANSPORT Code: 888

Website: www.nuera-transport.com

transport

NUEra





SUSPENSION COMPONENTS

PART NO.	DESCRIPTION
55-27225	Shackle Straps - 3.12" Centers
55-27230	Shackle Straps - 2.25" Centers
55-27235	Shackle Straps - 2.56" Centers
55-27240	Shackle Bolts - 9/16" X 3"
55-27242	Shackle Bolts - 9/16" X 3" ZerK
55-27245	Shackle Bolts - 9/16" X 3.5"
55-27250	Shackle Bolts - 7/8" X 4.62" ZerK
55-27255	Shackle Bolts - 3/4" X 3.5" ZerK
55-27260	Nylon Bushings - 9/16" X 1.75"
55-27265	Nylon Bushings - 9/16" X 2"
55-27270	2K U-Bolt Kit - 1-3/4" X 4.25"
55-27275	3.5K U-Bolt Kit - 2-3/8" X 5.50"
55-27280	2K U-Bolt Kit - 1-3/4" X 4.25"
55-27285	5.2-7K U-Bolt Kit - 2" X 6"
55-27290	Light Duty Marine U-Bolt Kit - 2' X 1/2" X 4.5"
55-27300	2K Tie Plates - 1-3/4" Tube
55-27305	3.5K Tie Plates - 2-3/8" Tube (II)
55-27310	3.5K Tie Plates - 2-3/8" Tube (SS)
55-27315	5.2-7K Tie Plates - 3" Tube (II)
55-27320	5.2-7K Tie Plates - 3" Tube (SS)
55-27286	Square U-Bolt Kit - 2.5" X 5.5" X 1/2"



BEARING KITS, CAPS AND SEALS

PART NO.	DESCRIPTION
55-27005	2K Bearing Kit (1-1/16" Spindle)
55-27010	2K Bearing Kit (1" BT8 Spindle)
55-27015	3.5K Bearing Kit E-Z Seal
55-27020	5.2K Bearing Kit 2.125" E-Z Seal
55-27025	5.2K Bearing Kit 2.250" E-Z Seal
55-27030	6KL/UTG Bearing Kit 2.125" E-Z Seal
55-27035	6KL/UTG Bearing Kit 2.250" E-Z Seal
55-27040	4.5K MHU Bearing Kit 10-40 Seal
55-27045	7K Bearing Kit 2.125" E-Z Seal
55-27050	7K Bearing Kit 2.250" E-Z Seal
55-27060	2-3.5K Grease Caps 1.99" O.D.
55-27065	2-3.5K Grease Caps 1.99" O.D. E-Z Plug
55-27070	5.2K-6KI Grease Caps 2.44" O.D.
55-27075	5.2K-6KI Grease Caps 2.44" O.D. E-Z Plug
55-27080	5.2K-7K Grease Caps 2.72" O.D.
55-27085	5.2K-7K Grease Caps 2.72" O.D. E-Z Plug
55-27090	2-3.5K Grease Caps 1.99" O.D.
55-27094	10KGD/9K Oil Cap, O-Ring & PLug
55-27095	10K-15K Oil Cap, O-Ring & PLug
55-27100	2K EZ Grease Seals 1.98"OD X 1.50" ID
55-27105	2K EZ Grease Seals 1.98"OD X 1.25" ID
55-27110	3.5K EZ Grease Seals 2.56"0D X 1.72" ID
55-27115	5.2-7K Grease Seals 3.38"OD X 2.125"ID
55-27120	5.2-7K EZ Grease Seals 3.38"OD X 2.25" ID
55-27130	Bearing Protectors 1.99" (2)
55-27135	Bearing Protectors 2.44" (2)





BRAKE REPAIR / REPLACEMENT COMPONENTS

VOIIII VIILIII V		
PART NO.	DESCRIPTION	
55-27450	Magnet Kit For 10" Trailer Brakes - 3.5K	
55-27451	Magnet Kit for 12" Trailer Brakes - 5.2-6K	
55-27452	Magnet Kit for 12" Trailer Brakes - 7K	
55-27325	Trailer Brake Spring and Adjuster Kit - 2K	
55-27330	Trailer Brake Spring and Adjuster Kit - 3.5-7K	
55-27340	Trailer Brake Adjuster Screw and Lever Kit Left - 8-15K	
55-27345	Trailer Brake Adjuster Screw and Lever Kit Right - 8-15K	
55-27350	Trailer Brake Wheel Cylinder Single Servo Left - 3.5-5.2K	
55-27355	Trailer Brake Wheel Cylinder Single Servo Right - 3.5-5.2K	
55-27360	Trailer Brake Wheel Cylinder Dual Servo Left - 3.5-5.2K	
55-27365	Trailer Brake Wheel Cylinder Dual Servo Right - 3.5-5.2K	
55-27430	Electric Brake Shoe and Lining Kit (3.5K - 10")	
55-27435	Electric Brake Shoe and Lining Kit (5.2K-6KI - 12")	
55-27440	Electric Brake Shoe and Lining Kit (7K - 12")	
55-27400	Electric Trailer Brake Left - 10" (3.5K)	
55-27401	Electric Trailer Brake Right - 10" (3.5K)	
55-27410	Electric Trailer Brake Left - 12" (5.2-6K)	
55-27411	Electric Trailer Brake Right - 12" (5.2-6K)	
55-27420	Electric Trailer Brake Left - 12" (7K)	
55-27421	Electric Trailer Brake Right - 12" (7K)	

NUERA TRANSPORT Code: 888

Website: www.nuera-transport.com



COMPLETE HUB KITS

COMIT LL I	E HOR KII2
PART NO.	DESCRIPTION
55-27500	2K 440 E-Z Idler Hub Kit - 1" Spindle
55-27502	2K 440 E-Z Idler Hub Kit - 1-1/16" Spindle
55-27504	2K 545 (sm) E-Z Idler Hub Kit - 1" Spindle
55-27505	2K 545 E-Z Idler Hub Kit - Galvanized 1" Spindle
55-27506	2K 545 (sm) E-Z Idler Hub Kit - 1-1/16" Spindle
55-27507	2K 545 E-Z Idler Hub Kit - Galvanized 1-1/16" Spindle
55-27508	2K 545 E-Z Idler Hub Kit - 1-1/16" Spindle
55-27509	2K 545 E-Z Idler Hub Kit - Galvanized 1" Spindle
55-27510	2K 545 E-Z Idler Hub Kit - 1-1/16" Spindle
55-27511	2K 545E-Z Idler Hub Kit - Galvanized 1-1/16" Spindle
55-27520	3K 545 E-Z Idler Hub Kit - 1-1/16" Spindle
55-27521	3K 545 E-Z Idler Hub Kit - Galvanized 1-1/16" Spindle
55-27530	3.5K 545 E-Z Hub and Drum Kit
55-27531	3.5K 545 E-Z Hub and Drum Kit Galvanized
55-27540	5.2K 655 E-Z Idler Hub Kit - 2.25"
55-27541	5.2K 655 E-Z Idler Hub Kit Galvanized
55-27542	6KL 655 E-Z Idler Hub Kit
55-27543	6KL 655 E-Z Idler Hub Kit Galvanized
55-27544	5.2K 655 E-Z Hub and Drum Kit - 2.25" Seal
55-27545	5.2K 655 E-Z Hub and Drum Kit - Galvanized 2.25" Seal
55-27546	6KL 655 E-Z Hub and Drum Kit - 2.25"
55-27547	6KL 655 E-Z Hub and Drum Kit Galvanized
55-27549	7K 865 -1/2 E-Z Idler Hub Kit Galvanized
55-27552	7K 865 -1/2 E-Z Hub and Drum Kit
55-27553	7K 865 -1/2 E-Z Hub and Drum Kit Galvanized





WHEEL AND HUB COMPONENTS

PART NO.	DESCRIPTION
55-27140	Spindle Nut Kit - 1", Round Washer
55-27145	Spindle Nut Kit - 1", D-Washer
55-27150	Spindle Nut Kit - 1", Caged
55-27155	Wheel Bolts - 1/2" - 20
55-27160	Wheel Bolts - 9/16"- 18
55-27165	Wheel Bolts - 1/2"- 13, MHU
55-27170	Rim Clamps for UTG/MHU
55-27175	Lug Nuts 1/2"- 20 - 60°
55-27180	Stainless Capped Lug Nuts - 1/2" - 20 - 60°
55-27185	Lug Nuts - 9/16" - 18 - 60°
55-27190	Lug Nuts - 5/8" - 18 - 90°
55-27195	Flanged Lug Nuts - 5/8" - 18"
55-27200	Drive-in Studs - 1/2" x 1.84"
55-27205	Drive-in Studs - 1/2" x 2.5"
55-27210	Drive-in Studs - 5/8" x 3.1"
55-27215	Drive-in Studs - 1/2" x 1.81" (.550)
55-27220	Drive-in Studs - 1/2" x 1.81" (.200)

FIRESTONE INDUSTRIAL PRODUCTS Code: 217

Website: www.ride-rite.com





- Improves handling of most light trucks, motor homes, RVs, SUVs, and vans
- · Keeps vehicle level while fully loaded
- Increases stability by absorbing road shock
- Reinforced double convoluted air springs





- A maintenance-free option to assist the factory suspension
- Improves the ride, increases vehicle stability and reduces sway
- · Entry level load springs





- Designed to fit inside existing coil spring suspension
- · Durable, polyurethane air helper springs
- Provides variable spring rate





Visit www.ride-rite.com for a complete application listing

DESCRIPTION	PART NO.	MODEL / APPLICATION	YEAR	SUSPENSION?*	NO DRILL?**
CHEVROLET / GI	ИC				
RIDE-RITE	2250	Silverado, Sierra 2500HD, 3500 (2WD, 4WD)	01-10	Rear	Yes
WORK-RITE	8605	Silverado, Sierra 1500 (2WD, 4WD)	07-12	Rear	Yes
WORK-RITE	8635	Silverado, Sierra 2500HD, 3500 (2WD, 4WD)	11-12	Front	Yes
WORK-RITE	8632	Silverado, Sierra 2500HD, 3500 (2WD, 4WD)	11-12	Rear	Yes
DODGE					
SPORT-RITE	2378+++	Dakota Club Cab (2WD, 4WD)	05-11	Rear	No
RIDE-RITE	2299	Ram 3500 (4WD only)	03-12	Rear	Yes
RIDE-RITE	1004	Ram 3500 (4WD only)	03-12	Front	Yes
WORK-RITE	8621	Ram 2500 (4WD only) (not Power Wagon for LS product)	03-12	Front	Yes
WORK-RITE	8611	Ram 2500 (4WD only) (not Power Wagon for LS product)	03-12	Rear	Yes
WORK-RITE	8621	Ram 3500 (4WD only)	03-12	Front	Yes
WORK-RITE	8611	Ram 3500 (4WD only)	03-12	Rear	Yes
TOYOTA					
RIDE-RITE	2410	Tacoma (2WD only)	05-12	Rear	Yes
RIDE-RITE	2407	Tacoma (4WD only)	05-11	Rear	Yes
RIDE-RITE	2445	Tundra (2WD, 4WD)	07-12	Rear	Yes
NISSAN					
RIDE-RITE	2403	Frontier (2WD, 4WD)	05-12	Rear	Yes
RIDE-RITE	2355	Titan (2WD, 4WD)	04-12	Rear	Yes
WORK-RITE	8601	Titan (2WD, 4WD)	04-12	Rear	Yes
FORD					
RIDE-RITE	2525+	F150 (2WD, 4WD) (not Raptor or FX2)	04-12	Rear	Yes
RIDE-RITE	2550	F250 (4WD only)	08-10	Rear	Yes
RIDE-RITE	2535	F350 (4WD only), Diesel	11-12	Rear	Yes
RIDE-RITE	2550	F350 (4WD only)	11-12	Rear	Yes
RIDE-RITE	2535	F450 (4WD only)	11-12	Rear	Yes

GREEN = Work-Rite™ RED = Ride-Rite™ BLACK = Sport-Rite™ BLUE = Coil-Rite™ Minimum Tire to Frame Clearance Requirements: * = 7.50" + = 8.00" + + + = 6.50"

^{*} Does this apply to the Front or Rear of Vehicle Suspension? ** Is this a No-Drill Application?

FIRESTONE INDUSTRIAL PRODUCTS Code: 217

Website: www.ride-rite.com









Various Air Command options depending on usage (i.e., Light, Heavy) and controller preferences (i.e., Electronic, Remote) are listed below:





- · A patented hybrid air-over-leaf suspension system
- The ultimate in ride control and handling
- Allows for easier loading and trailer attachment with its kneeling feature

DESCRIPTION	PART NO.	MODEL / APPLICATION	YEAR	SUSPENSION?*	NO DRILL?**
FORD (cont'd)					
WORK-RITE	8616	F250 (4WD only), (not for snow plow prep.)	08-10	Front	Yes
WORK-RITE	8616	F250 (4WD only), Diesel, (not for snow plow prep.)	11-12	Front	Yes
WORK-RITE	8615	F250 (4WD only), Diesel	11-12	Rear	Yes
WORK-RITE	8615	F250 (4WD only)	08-10	Rear	Yes
WORK-RITE	8616	F350 (2WD only)	11-12	Front	Yes
WORK-RITE	8615	F350 (2WD only)	11-12	Rear	Yes
WORK-RITE	8616	F350 (4WD only), Diesel, (not for snow plow prep.)	11-12	Front	Yes
WORK-RITE	8615	F350 (4WD only), Diesel	11-12	Rear	Yes
COIL-RITE	4101	F250 (2WD only), Diesel	11-12	Front	Yes
COIL-RITE	4160 (or 4187 if snow plow prep.)	F250 (4WD only), Diesel	11-12	Front	Yes
COIL-RITE	4101	F350 (2WD only)	08-10	Front	Yes
COIL-RITE	4101	F350 (2WD only)	11-12	Front	Yes
COIL-RITE	4160 (or 4187 if snow plow prep.)	F350 (4WD only), Diesel	11-12	Front	Yes
COIL-RITE	4160 (or 4187 if snow plow prep.)	F350 (4WD only), Gasoline	11-12	Front	Yes
COIL-RITE	4101	F450 (2WD only)	11-12	Front	Yes
COIL-RITE	4160	F450 (4WD only)	11-12	Front	Yes
AIR-RITE					
AIR-RITE	2538	Light Duty Air Command		Single Gauge	
AIR-RITE	2491	Light Duty Electronic Air Command		Dual Gauge	
AIR-RITE	2489	Remote Light Duty Air Command		Dual Gauge	
AIR-RITE	2178	Air Command		Dual Gauge	
AIR-RITE	2545	Electronic Air Command		Dual Gauge	
AIR-RITE	2540	Remote Air Command		Dual Gauge	
AIR-RITE	2219	Heavy Duty Air Command		Dual Gauge	
AIR-RITE	2541	Heavy Duty Remote Air Command		Dual Gauge	
AIR-RITE - Call 1-800-88	8-0650 for a complete lis	sting of Air Command and Air Accessory products.			

R4TECH

R4TECH - See www.ride-rite.com or call 1-800-888-0650 for a complete listing of applications.



31 INC. Code: 184

Website: www.31inc.com



USA STYLE COI RADIAL REPAIR UNITS

- Each reinforcing ply is individually end-wrapped to deflect tire flexing stresses in a unique manner
- Tie-gum construction eliminates the potential for de-lamination common in competitive products
- Designed to vulcanize chemically or in low temperature systems
- · Gray vulcanizing gum, blue poly backing



A variety of brass valves are available. Please inquire for list of products available.

BRASS VALVES

- For steel wheels with 0.625" valve hole
- Recommended torque at installation: 35-55 in-lb

PART NO.	DESCRIPTION	SIZE (IN)	SIZE (MM)	BOX QTY	CASE QTY
11-808	Radial 10, 1 Ply	1 5/8 x 3	42 x 75	20	10
11-810	Radial 10, 1 Ply	2 3/8 x 3	60 x 75	20	10
11-812	Radial 12, 1 Ply	2 1/4 x 4	57 x 100	10	10
11-813	Radial 12, 1 Ply	2 3/4 x 4	70 x 100	10	10
11-814	Radial 14, 1 Ply	3 3/4 x 4	95 x 100	10	10
11-820	Radial 20, 2 Ply	27/8 x 5	72 x 125	10	6
11-822	Radial 22, 2 Ply	3 x 6	75 x 150	10	6
11-824	Radial 24, 2 Ply	3 x 8 1/2	75 x 215	10	6
11-825	Radial 25, 3 Ply	4 1/2 x 5	115 x 125	10	1
11-826	Radial 26, 3 Ply	3 x 11	76 x 278	10	1
11-828	Radial 28, 3 Ply	3 x 14	76 x 355	10	1
11-835	Radial 35, 3 Ply	5 1/4 x 7	133 x 180	10	1
11-840	Radial 40, 3 Ply	4 x 7 3/8	100 x 188	10	6
11-842	Radial 42, 4 Ply	5 x 10	125 x 254	10	1
11-844	Radial 44, 4 Ply	5 x 13	125 x 330	10	1
11-845	Radial 45, 4 Ply	7 1/2 x 9 1/2	190 x 240	5	1

PLOMBCO Code: 750

Website: www.plombco.com



turning lead-free for a brighter future

Part #512-15

111111

Part #612-15

LEAD ADHESIVE WHEEL

LEAD ADHESIVE WHEEL

BALANCING WEIGHTS, 612: 2 OZ SEGMENTS

BALANCING WEIGHTS,

512: 1 OZ SEGMENTS

6 segments per strip

• 6 segments per strip

• Width: 1-1/4" • Length: 6"

• Width: 3/4" • Length: 6"

Part #KIT-420



THE ULTIMATE TRUCK **ASSORTMENT**

This kit contains an array of wheel weights to fit all highway trucks. The pre-labeled bins are supported on a bench mount display. Contains a complete assortment of LT1, LT2, CT, I-7 and TAL-S truck weights.

This system includes 24 pre-labeled bins. 420 truck wheel weights and a heavy duty installation/removal tool.

INCLUDES:

- 420 wheel weights
- 25 of each of LT1 and LT2
- 10 of each of CT, I-7 and TAL-S
- Installation/removal tool (PT7-UB)
- Header
- 24 plastic bins
- · 1 metal floor stand



KIT 2000 **PROFESSIONAL**

This kit contains a wide assortment of seven styles of polyester-coated wheel weights plus regular weights for steel wheels. The pre-labeled, colourcoded bins are supported

on a free standing floor display with descriptive header. This kit includes 74 pre-labeled. color-coded bins, over 2,000 wheel weights, coated wheel weight installation/removal tool, application chart and rim gauge. The Kit 2000 Professional covers over 95% of today's balancing needs.

INCLUDES:

- · 2100 Wheel Weights
- 50 of each size for regular weights (REG)
- 25 of each for polyester-coated weights
- Installation/removal tool (WR 305-25K PC)
- · Application chart
- Application rim gauge
- Header 74 plastic bins 1 metal floor stand



KIT 1000 LEAD FREE

This kit contains an assortment of seven styles of polyester-

coated weights plus regular weights for steel wheels. One box of adhesive weights is also included. The pre-labeled, colour-coded bins are supported on a bench mount display with descriptive header. This system includes 40 pre-labeled colour-coded bins, dividers, over 1,000 wheel weights, 30 strips of adhesive weights, coated wheel weight installation/ removal tool, application chart and rim gauge.

INCLUDES:

- 1,100 wheel weights Application chart
- 1 box of each size
- · 1 box of adhesive
- weights (312-30)
- Installation/removal
- Application rim
- gauge
- Header
- 40 plastic bins
- tool (WR 305-25K PC) 1 metal stand

Website: www.dvnaline.com



Part #00150

N70 S.A.E. O-RING KIT. **407 PCS**

- 32 sizes of Nitrile 70 O-Rings in a plastic box with thickness gauge
- From 1/8" to 2" I.D.



Part #10104

EXTERNAL "E" RETAINER RING ASSORTMENT, **300 PCS**

 9 popular sizes of external "E" retainer rings from 1/16" to 7/8" in diameter



Part #00108

METRIC GREASE FITTING ASSORTMENT. 110 PCS

- 9 popular sizes in a sturdy plastic case
- Straight, 45° and 90° from M6 to M10
- Dimensions: 8-1/2" L x 6" W x 1-7/8" H



Part #00119

MINI PLUG-IN **FUSES** ASSORTMENT, 101 PCS

- The most popular sizes in a sturdy plastic case
- From 3 A to 30 A
- Includes a fuse puller



Part #00151

N70 METRIC O-RING KIT. 419 PCS

- 32 sizes of Nitrile 70 Metric O-Rings in a lockable plastic box
- from 3 mm to 50 mm I.D.



Part #10105

HAIR PIN ASSORTMENT, **150 PCS**

· The 6 most popular sizes of hair pins, from 3/32" to 5/32" in diameter



Part #00112

S.A.E. AND **GREASE FITTING** ASSORTMENT, 100 PCS

- 7 popular sizes in a sturdy plastic case
- Straight, 45° and 90° from 1/8" NPT to 1/4"-28
- Dimensions: 8-1/2" L x 6" W x 1-7/8" H



Part #00121

STANDARD PLUG-IN FUSES ASSORTMENT, **101 PCS**

- . The most popular sizes in a sturdy plastic case
- From 3 A to 30 A
- Includes a fuse puller
- Dimensions: 6"L x 4" W x 1-1/4" H



Part #10101

HNBR O-RING ASSORTMENT, **270 PCS**

 18 popular sizes of green, HNBR O-rings for air conditioning applications



Part #10106

SNAP RING ASSORTMENT, **300 PCS**

18 popular sizes of snap rings, from 1/8" to 1-1/4" in diameter



Part #10107

WIRE TERMINAL ASSORTMENT. **160 PCS**

- . The 8 most popular types of wire terminals: Ring, Male, Female, Splice, Spade, Butt, Bullet male and Bullet female
- Dimensions: 8-1/2" L x 6" W x 1-7/8 H



Part #10109

S.A.E. AND MET-**RIC GREASE** FITTING ASSORT-MENT. 70 PCS

- 9 popular sizes of S.A.E. and metric grease fittings: 1/8" NPT, 1/4"-28, M6, M8 and M10, both in straight, 45° and 90° types
- Dimensions: 8-1/2" L x 6" W x 1-7/8" H



Part #10102

COTTER PIN ASSORTMENT, 560 PCS

- The 6 most popular sizes of cotter pins from 1/16" to 5/32" in diameter
- Dimensions: 8-1/2" L x 6" W x 1-7/8" H



Part #10110

AUTO FUSE ASSORTMENT. **80 PCS**

- · Standard and Mini Fuses, from 5 to 30A
- Dimensions: 6" L x 4" W x 1-1/4"H



ELECTRICAL REPAIR KIT. 285 PCS

· All the products needed for automotive electrical repairs, conveniently packed in a high impact plastic carry case with translucent lids



Part #10103

COTTER PIN (LARGE) ASSORTMENT, **150 PCS**

The 6 most popular sizes of large cotter pins, from 1/8" to 5/16" in diameter



Part #10114

COPPER WASHER ASSORTMENT. 110 PCS

• 6 popular sizes of copper washers, from 1/4" to 5/8" in diameter



Part #10108

GROMMET ASSORTMENT, **125 PCS**

• 18 popular sizes of solid and hollow grommets, from 1/8" to 1" in diameter

DYNAKITS



Part #00140



#00160



PART NO.	DESCRIPTION
00140	Standard Plug in Fuses, 50 pieces / 5 sizes
00141	Mini Plug-in Fuses, 50 pieces/5 sizes
00160	Cotter Pins Small, 215 pieces / 8 sizes
00161	Cotter Pins Large, 40 pieces / 12 sizes
00163	Grease Fittings S.A.E., 40 pieces / 6 sizes
00164	Hair Pins, 28 pieces / 8 sizes
00173	Spring Pins, 62 pieces / 13 sizes

Website: www.dynaline.com

NEW! HEAVY DUTY 19.2V RECHARGEABLE GREASE GUN KIT



More flow, longer life, improved balance. Longer running time per charge. Ideal for Ag implements, tractors, construction, industrial machinery, automotive or ideal where high volume portable greasing is required

- Two 19.2 V heavy duty NICAD battery packs 1,500 mAh
- 19.2 V 1 hour quick charger
- 42" heavy duty flexible hose
- Grease assembly tube
- Ergonomically balanced, whip hose holster
- Maximun operating pressure: 8,500 PSI, high flow rate of 4.9 oz/minute



RECHARGEABLE GREASE GUN KIT

Speeds routine lubrication tasks and relieves worker fatigue

- 3-way loading, bulk cartridge and filler pump, 5-6 cartridges per charge
- Flexible Hose 30" with coupler and pressure relief valve
- Maximun operating pressure: 8,000 PSI, flow rate of 4 oz/ minute



DYNALINE





Part #11073

Part #11041

RECHARGEABLE GREASE

GUN REPLACEMENT PARTS

PART NO.	DESCRIPTION
11041	For 11040, Rechargeable NiCd. 18 V DC, 1300 mAh
11043	Replacement 120 V/60 Hz-18 V DC Charger
11073	3 oz, 85 g lithium grease tubes, 3 pk

Part #11043





Part #11066

Part #11084A & Part #11087A

PISTOL GRIP GREASE GUNS

- Die cast pump heads for strength and durability
- Knurled barrel for a non-slip grip
- · Convenient one hand operation
- Uses standard 14 oz grease cartridges or can be bulk filled
- Locking plunger mechanism holds follower rod firmly in place for easy cartridge replacement

PART NO.	DESCRIPTION	WORKING PRESSURE
11066	Premium Heavy Duty Model, includes 16" flexible hose, coupler and air release valve. Variable stroke feature	4,500 psi, develops up to 10,000 psi
11084A	Includes 18" flexible hose, 5" steel extension and grease coupler	4,500 psi, develops up to 7,300 psi
11087A	Includes 5" steel extension and grease coupler only	4,500 psi, develops up to 7,300 psi



LEVER GREASE GUNS

- Knurled barrel for a non-slip grip
- · 2 way loading: uses standard 14 oz grease cartridges or can be bulk filled
- · Die cast head with non-slip grip
- Uses standard 14 oz grease cartridges or can be bulk filled
- · Easy cartridge replacement
- Includes a 6" steel curved extension pipe and coupler

PART NO.	DESCRIPTION	WORKING PRESSURE
11082C	Premium Heavy Duty Model, Cast iron pump head, Variable stroke mechanism	4,500 psi, develops up to 10,000 psi
11083	Standard Duty Model, Die Cast pump head	4,500 psi, develops up to 10,000 psi
11085A	Heavy Duty Model, Die Cast pump head, Vinyl grip handle, Variable stroke feature	4,500 psi, develops up to 10,000 psi



MINI PISTOL GREASE GUNS

- · Die cast pump heads for strength and durability
- Knurled barrel for a non-slip grip
- Convenient one hand operation
- · Uses standard 3 oz grease cartridges or can be bulk filled

PART NO.	DESCRIPTION	WORKING PRESSURE
11088A	Includes 12" flexible hose, 4" and 4" steel extensions and grease coupler	4,000 psi, develops up to 10,000 psi
11089A	Includes 5" steel extension and grease coupler only	4,000 psi, develops up to 10,000 psi



PREMIUM MINI **AIR GREASE GUN**

- Multi-position, adjusts to any angle
- · Fully automatic and provides continuous grease flow
- Exclusive air piston design to ensure constant priming
- · Includes grease coupler and steel extension
- Working air pressure: 90 psi



Part #14024

BATTERY FILLER

• 1/2 gal (2 L) capacity



RETRACTABLE HOSE REEL

- · Industrial grade hose for water, oil and air
- · Auto rewind, heavy duty steel assembly
- · Increases work safety, keeps hoses off floors
- Self locking mechanism. heavy duty springs

PART NO.	DESC.
11359	1/4" x 35'
11360	3/8" x 50'
11361	1/2" x 50'



SUCTION **GREASE GUN**

- · Robust design allows for easy draining and filling
- 12" vinyl hose included
- 7,300 psi 17 oz (500 CC)



LEVER BARREL PUMP

Part #11092A

- Specially designed for the fast transfer of lubricants, solvents, agricultural and industrial chemicals, additives and other non-corrosive liquids from 15 to 55 gallon drums with 1-1/2" or 2" bung openings
- Self-adjusting telescopic suction tube
- Zinc-plated corrosion resistant finish
- Dispenses approx. 3/4 pint (350 ml) per stroke



GREASE BOX

- A convenient and durable storage container
- Provides safe storage and transportation, preventing spills and contamination
- Stores 12 tubes upright, dust caps on



Part #11075A NEEDLE NOSE DISPENSER

- Universal joints, tough to reach areas
- 1-1/2 needle nose with 1/8" threads



Part #11077

GREASE GUN HOLDER

- · Holds grease guns and suction guns with 2-1/4" diameter barrel
- · Easily mounts on most



90° ANGLE GREASE COUPLER

- Can be used where space is a problem or as a general purpose grease coupler
- Fits all standard grease guns



Part #13002

GREASE-2-GO!

- · Durable plastic material
- Can be fastened to a wall or equipment
- Stores and protects two 14 oz grease cartridges upright



Part #28331





GREASE INJECTORS

· For sealed bearings and joints

PART NO.	DESCRIPTION
11122	18 gauge x 1-1/2" long, 3 per pk
11123A	18 gauge x 1-1/2" long, 1 per pk
11124A	18 gauge and 21 gauge, 1-1/2" long, 2 pcs



GREASE COUPLER

- · With ballcheck and hex nut on body end
- · Fits over grease fittings

1	M	É	A)	
	V	No.	3	
1	4	E	H	À
	79	œ.	-	-

PART NO.	DESCRIPTION
11121A	6,000 psi, 1/8" NPT coupler, light to medium duty
11125A	10,000 psi, 1/8" NPT coupler, heavy duty

GREASE HOSES

- 1/8" NPT
- Working temperature: -40° to 95°C



PART NO.	DESCRIPTION	
11140	12" thermoplastic cover with nylon braid	4,500 psi, retail pk
11141	18" thermoplastic cover with nylon braid	4,500 psi, retail pk
11142	12" rubber cover with steel wire braid	3,600 psi, bulk UPC
11142A	12" rubber cover with steel wire braid	3,600 psi, retail pk
11143	18" rubber cover with steel wire braid	3,600 psi, bulk UPC
11143A	18" rubber cover with steel wire braid	3,600 psi, retail pk

DELUXE WHEEL SPINNER

- Farm hardware designed and built to last a lifetime with rugged use and all-weather conditions
- Aluminum weather-proof knob
- Chrome plated bracket
- · Adapts to most steering wheel
- · Not for highway use

١	PART NO.	DESC.
S	28330	Red
	28331	Black
	28332	Checker

ING AND ACCESSOR

Website: www.dynaline.com

MULTI-PURPOSE FUNNEL SETS

DYNALINE



PART NO.	DESCRIPTION
13503	3pcs, one each of 4", 5" and 6"
13511	4pcs, one each of 2", 3", 4" and 5"



Part #13009

Part #C30030

Part #C30090

INDUSTRIAL FUNNELS

- · All funnels include one 100 mesh filter
- Made of flexible, durable, spark-proof, dent-proof, rust-proof, clear polyethylene
- · Handy hang-up tab

PART NO.	SIZE/DESC.	CAPACITY
13003	3"	6 oz (177 ml)
13005	5"	24 oz (710 ml)
13008	8" automotive	120 oz (3.55 L)
13009	9"	144 oz (4.26 L)
13015	5" with anti-splash rim	24 oz (710 ml)
13019	9" with anti-splash rim	144 oz (4.26 L)
C30030	3" made in Canada, colour: natural	6 oz (177 ml)
C30050	5" made in Canada, colour: natural	24 oz (710 ml)
C30080	8" offset rim, automo- tive, made in Canada, colour: natural	120 oz (3.55 L)
C30090	9" made in Canada, colour: natural	144 oz (4.26 L)
C30092	9" made in Canada, colour: black	144 oz (4.26 L)



Part #13100

REPLACEMENT FUNNEL FILTER 10 PK

Fits industrial, automotive and anti-splash funnels



MULTI-PURPOSE FUNNELS

 Flexible, durable, spark-proof, dent-proof, rust-proof polyethylene

Part #13510

Handy hang-up tab

PART NO.	SIZE	CAPACITY	
13504	4"	8 oz (237 ml)	
13505	5"	14 oz (414 ml)	
13506	6"	32 oz (946 ml)	
13508	8"	120 oz (3.55 L)	
13510	10"	160 oz (4.73 L)	



MEASURER WITH LID AND NOZZLE

- Suitable for water, oil, gasoline and anti-freeze
- Made of tough, durable polyethylene

PART NO.	CAPACITY		
14040 Embedded lid and nozzle		1 gal (4 L)	
14045	Blow molded fixed lid	152 oz (4.5L)	



2-IN-1 FLEXIBLE SPOUT FUNNEL

- · Plastic with 100 mesh filter incl.
- Detachable 10" spout
- 6-1/4" diameter



OFFSET TRANSMISSION FUNNEL

- Metal-Black finish, 2 L capacity
- 17" flexible spout
- 7" diameter



TRANSMISSION FUNNELS

PART NO.	SIZE/DESC.	CAPACITY	
14014	Galvanized metal with mesh filter, 14" flexible spout	5-1/2" diameter	
14017	Plastic, 16" detachable spout	5-1/2" diameter	



Part #14018 SUPER FUNNEL

• Plastic, 5" diameter, 18" length



Made of lightweight tin coated steel

PART NO.	SIZE/DESC.	CAPACITY	
13550	3-1/2"	5 oz (148 ml)	
13554	8"	56 oz (1.6 L)	



Part #13811

TRACTOR FUNNEL

- · Heavy duty galvanized steel
- · Comes with one gold mesh filter
- Diameter: 9-1/2" Height: 11-1/2", Tip 0.D.: 1", Capacity: 8 qt (7.5 L)





INDUSTRIAL THUMB PUMP OILERS

- · Seamless steel body and brass pump mechanism
- · Durable enamel painted finish
- Supplied with flexible and rigid metal spouts

DESCRIPTION
7 oz (200 CC)
10.6 oz (300 CC)
17 oz (500 CC)
24 oz (700 CC)

Website: www.dynaline.com





RETAIL PACKAGED TRAILER BALL, EXTERNAL THREAD

PART NO.	CAPACITY
11147P	1-7/8" x 1", Shank Length: 2", gross load rating: 3,500 lb
11151P	1-7/8" x 3/4", Shank Length: 1-1/2", gross load rating: 2,000 lb
11152P	2" x 3/4", Shank Length: 1-1/2", gross load rating: 3,500 lb
11153P	2" x 1", Shank Length: 2", gross load rating: 5,000 lb
11154P	2-5/16" x 1", Shank Length: 2", gross load rating: 5,000 lb
11155P	2-5/16" x 1-1/4", Shank Length: 2", gross load rating: 10,000 lb

- Solid steel
- · Bright chrome plated finish
- · Individually retail packaged

CHANNEL **COUPLER**

• 1-7/8" ball size



CHANN	EL
COUPL	ER

• 2" ball size



A-	F	F	RA	Λ	/	E
CI	0	U	P	L	E	R

 Standard type PART NO.

11161

11162



Ball size: 2" gross load rating:

Ball size: 2-5/16" gross load

DESCRIPTION

rating: 10,000 lb

5,000 lb

		. "	-	Œ	0
Par	t #1	160	ŝ	VE.	,
	RIF OU			BA	LL
	٥.	_			

- Class 3-4
- 3 ball sizes: 1-7/8", 2", 2-5/16"
- TW: 350 lb, 600 lb, 1,000 lb
- GTW: 3,500 lb, 6.000 lb. 10.000 lb
- · Includes tow hook

DESCRIPTION PART NO. Channel size: 2" gross 11156 load rating: 2,000 lb Channel size: 2-1/2" gross 11157 load rating: 2,000 lb Channel size: 3" gross 11158 load rating: 2,000 lb

DESCRIPTION PART NO. Channel size: 2-1/2" gross 11159 load rating: 3,500 lb Channel size: 2" gross load 11159N rating: 3,500 lb Channel size: 3" gross load 11160 rating: 3,500 lb

LARGE TRIGGER-ACTION LATCH EASES OPERATION –



STANDARD BALL **MOUNT, STRAIGHT**

- Class 3
- Hole: 1", TW: 500 lb, GTW: 5,000 lb



CLEVIS MOUNT RECEIVER

- Hole: 1", TW: 500 lb, GTW: 5.000 lb
- Solid shank



- Class 4
- Hole: 1". TW: 600 lb GTW: 6,000 lb

	PART NO.	DESC.
,	11601	2" drop
	11602	4" drop
	11603	6" drop




- **BALL MOUNT KITS** Class 4
- TW: 600 lb, GTW: 6,000 lb

KIT INCLUDES
Ball mount, traile
ball and pull pin.
Fits 2" receivers

PART NO.	DESC.
11591	2" ball size
11592	2-5/16" ball size

CLASS 4 STEEL BALL MOUNT

- Robotic welded shank
- · Fits 2" receivers
- · Black powder coated finish





Part #11561

ADJUSTABLE BALL MOUNT

- Black powder coated finish
- For use on tow trailers of various coupler heights
- Can be used in the rise or drop position as needed.



Part #11693

SHACKLE (TOW STRAP) BALL MOUNT

- · For use with recovery straps on pickups and ATVs
- Fits 2" receivers. TW 600 lb, GTW 6,000 lb, overall length 9-3/8"

Website: www.dynaline.com

DYNALINE

Part #11780

DUAL HITCH EXTENSION

• Fits 2" receivers. Black powder coated finish. Length: 12-1/4", Height: 6-1/4", Capacity: 4,000 lb



HITCH BOX **EXTENSION**

- 2" extension only
- 14" x 7" stepping area









Part #11782

STEP BUMPER **RECEIVER**

 Welded Class 3 receiver. High gloss powder coated black finish. Fits many factory and other aftermarket step bumpers. Accepts any 2" square ball mount. TW: 500 lb, GTW: 5,000 lb, Capacity: 4,000 lb



HITCH Black powder coated finish **ADAPTERS** Not to be used for towing

PART NO.	DESCRIPTION
11786	Decrease receiver opening from 2" to 1-1/4"; 5/8" pin hole, 3-1/2" length
11787	Decrease receiver opening from 2" to 1-1/4"; GTW 3500 lb
11788	Increase receiver opening from 1-1/4" to 2", GTW 3500 lb



Part #66276 **COUPLER LOCK**

- Fits all latch-type couplers
- · Two keys supplied
- Yellow dichromate finish
- · Clamshell packaging
- Diameter 1/4", Usable Length 7/8" (closed)



Part #66277

COUPLER & RECEIVER LOCK SET

- · Fits most receiver hitches and latch-type couplers
- · Same kev fits both locks
- · Chrome plated
- · Clamshell packaging
- Receiver Diameter 1/2", Usable Length 2-3/4"
- · Coupler Lock 1/4", Usable Length 1"



SPRING LATCHES

- Spring loaded bolt can be locked in the open position
- · Zinc plated bolt housing and keeper
- Turning lever allows the bolt to close under spring pressure.

PART NO.	DESC.
23057	Loop type handle, Pin Dia: 1/2", bracket 5-1/2" x 1-1/2", Overall Length 7-1/4", Hole Dia. 3/16"
23058	4" L shaped handle, Pin Dia: 7/16", bracket 2-3/4" x 1-3/4", Overall Length

6-1/2", Hole Dia.

3/16"

Part #11794

FIFTH WHEEL KING PIN **STABILIZER**

- · Eliminates motion of unhitched trailer or RV
- Includes padlock with inserts
- · Folds for storage, heavy duty steel construction
- King pin height adjusts from 35" to 55"
- Support Capacity: 5,000 lb, Footplate Dimensions: 5" x 5-1/2", Weight: 23 lb



- Bent at the perfect angle for easy removal
- · Made from oil tempered spring wire
- · Clear zinc plated finish
- · Wire diameter 0.148"

PART NO.	DESCRIPTION
66265	Clear zinc plated finish, 25 pkg qty
66266	Vinyl coated non-slip grip, 10 pkg qty



RECEIVER PULL PINS **STAINLESS**

STAINLESS STEEL - WON'T RUST!

- · For securing ball mounts to receiver-type hitches
- Supplied with hair pin clip

PART NO.	DESCRIPTION
66267	1/2" Diameter, 3" U.L.
66268	5/8" Diameter, 3" U.L.
66269	5/8" Diameter, 3-1/2" U.L.

RECEIVER PULL PINS CARBON/ZINC



- High Carbon Steel, Zinc Plated!
- · For securing ball mounts to receiver-type hitches
- Supplied with hair pin clip

Part #66271P

PART NO.	DESCRIPTION
66270	1/2" Diameter, 3" U.L.
66271	5/8" Diameter, 3" U.L.
66271P	66271, carded, 66265 E-Z Clip included
66272	5/8" Diameter, 3-1/2" U.L.

RECEIVER (HITCH) LOCK PINS



- Two sizes to fit most receiver-type hitches
- Two keys supplied
- Bright chrome plated pin
- Black enamel painted lock body
- Clamshell packaging

PART NO.	DESCRIPTION
66274	Diameter 1/2", Usable Length 2-1/2", Tensile Strength 5,500 lb
66275	Diameter 5/8", Usable Length 3", Tensile Strength 8,800 lb

SWING-WAY JACK

- Heavy duty swivel mechanism swings and locks jack to storage position
- Pull-type locking pin secures jack into load-bearing position
- Fits tongues up to 3" x 5"

PART NO.	DESCRIPTION
11466	Lift capacity: 1,200 lb, lift: 10", wheel dia.: 6" height extended: 23" usable, 33" overall
11477	Lift capacity: 1,500 lb, lift: 10", wheel dia.: 8" height extended: 25" usable, 35" overall



LEVELING SCISSOR JACK

- Used for stabilizing and leveling 5th wheels and travel trailers
- · Sturdy steel construction. Designed for today's larger and heavier units
- · Permanently mounted and conveniently concealed when not in use
- Easy to install

PART NO.	DESCRIPTION
11890	Lift Capacity 2,500 lb; Lift 4" to 24"
11891	Lift Capacity 5,000 lb; Lift 4" to 24"



Part #52703

POWER JACK

- Dual sided LED light system
- All cast aluminum motor and gear
- 3.000 lbs of lifting power for instantaneous tongue breakaway
- Tracks 10" in 30 seconds



A-FRAME JACKS

- · Heavy duty round tube with slotted triangular bracket for easy bolt mounting or welding to A-frame type trailer couplers
- Detachable 6-1/2" reinforced polycarbonate wheel
- · Black enamel painted finish

PART NO.	DESCRIPTION
11463	Top wind with wheel, lift capacity: 1,200 lb, lift: 14", extended height: 34"
11465	Top wind with wheel, lift capacity: 1,200 lb, lift: 14", extended height: 34"
11467	Side wind with wheel, lift capacity: 1,200 lb, lift: 15", extended height: 40"
11484	Side wind without wheel, lift capacity: 2,000 lb, lift: 15", extended height: 35"
11492	Top wind without base, wheel, lift capacity: 5,000 lb, lift: 15", extended height: 35"
11493	Top wind without base, wheel, lift capacity: 5,000 lb, lift: 15", extended height: 37"



Part #11468 Part #11472

- · Improved internal gear mechanism and heavy duty rolled threads for smooth operation and dependability
- · 4-position mounting tube, lock-pin and handle
- · Black enamel painted finish

ROUND TUBE IMPLEMENT JACKS


PART NO.	DESCRIPTION
11468	Top wind, lift capacity: 5,000 lb, lift: 10", extended height: 27-1/4"
11469	Top wind, lift capacity: 5,000 lb, lift: 15", extended height 35-1/4"
11472	Side wind, lift capacity: 5,000 lb, lift: 15", extended height: 38-1/4"
11473	Side wind, lift capacity: 5,000 lb, lift: 10", extended height: 27-1/2"



Part #11895

STABILIZER JACK

- · Trailer stabilizer
- Lift capacity 1,000 lb
- Retracted height 11.5"
- Extended height 18"



· Galvanized steel · Supplied on spools

- darvanized steel - Supplied on spools		
PART NO.	DESCRIPTION	
77000	7x7 SDC — 1/16" x 500 ft Break Strength: 480 lb	
77001	7x7 SDC — 3/32" x 500 ft Break Strength: 920 lb	
77002	7x7 SDC — 1/8" x 250 ft Break Strength: 1,700 lb	
77010	7x7 SDC — 1/16" x 1000 ft Break Strength: 480 lb	
77011	7x7 SDC — 3/32" x 1000 ft Break Strength: 920 lb	
77012	7x7 SDC — 1/8" x 1000 ft Break Strength: 1,700 lb	
77003	7x19 SDC — 5/32" x 250 ft Break Strength: 2,800 lb	
77004	7x19 SDC — 3/16" x 250 ft Break Strength: 4,200 lb	
77005	7x19 SDC — 1/4" x 250 ft Break Strength: 7,000 lb	
77006	7x19 SDC — 5/16" x 250 ft Break Strength: 9,800 lb	
77007	7x19 SDC — 3/8" x 250 ft Break Strength: 14,400 lb	
77013	7x19 SDC — 5/32" x 1000 ft Break Strength: 2,800 lb	
77014	7x19 SDC — 3/16" x 1000 ft Break Strength: 4,200 lb	
77015	7x19 SDC — 1/4" x 1000 ft Break Strength: 7,000 lb	
77016	7x19 SDC — 5/16" x 1000 ft Break Strength: 9,800 lb	
77017	7x19 SDC — 3/8" x 1000 ft Break Strength:14,400 lb	
77020	6x19 SDC — 1/2" x 100 ft Break Strength: 22,000 lb	

Website: www.dynaline.com



DYNALINE

CART WHEEL

- Size: 2.50-4
- Hub width: 1.75"
- Capacity: 160 lb

PART NO.	DESCRIPTION
80101	8.5" Pneumatic, Lug
80102	8.5" PU Flat Free, Lug



HAND TRUCK WHEEL

- Size: 4.10/3.50R4
- Hub width: 2.28"
- · Capacity: 260 lb

PART NO.	DESCRIPTION
80105	10" Pneumatic, Sawtooth
80107	10" PU Flat Free, Jag



HAND TRUCK WHEEL, OUTDOORS EQUIP.

- Size: 4.10/3.50R4
- Hub width: 1.53"
- · Capacity: 240 lb

PART NO.	DESCRIPTION	
80109	10" Pneumatic, Diamond	
80111	10" PU Flat Free, Diamond	



HEAVY DUTY HAND TRUCK WHEEL

- Size: 13/5.00R6
- Hub width: 3.15"
- · Capacity: 370 lb

PART NO.	DESCRIPTION
80113	12" Pneumatic, Jag
80115	12" PU Flat Free, Smooth



WHEEL BARROW WHEELS

- Size: 4.80/4.00R8
- Hub width: 6"
- · Capacity: 370 lb



PART NO.	DESCRIPTION
80116	15" Pneumatic, Smooth
80118	15" PU Flat Free, Jag



HIGH-SPEED TRAILER WHEEL

- Spoked, white enamel painted rim
- 5 lug pattern on 4-1/2" bolt circle

PART NO.	DESC.
80120	12" Pneumatic
80124	12" Pneumatic
80128	13" Pneumatic
80130	14" Pneumatic



Part #11285

ROPE LOCK

This unique patented rope securing tool will secure all types and sizes of rope including rubber rope and stretch cord from 1/8" to 7/16" in diameter. The quick release is made of non-corrosive space age composite and is virtually indestructible with only one moving part that will not clog or stick. Comes with 3/8" diameter rope. Tested to 400 lb.



CLEVIS GRAB HOOK, ALLOY

- For use with Grade 70 chain
- Forged alloy steel
- Yellow zinc dichromated

PART NO.	DESCRIPTION
66120	1/4", WLL: 3,600 lb
66121	5/16", WLL: 5,400 lb
66122	3/8", WLL: 7,500 lb



CLEVIS GRAB HOOK

- For use with Grade 30 and Grade 40 chain
- Forged carbon steel
- Clear zinc plated finish

PART NO.	DESCRIPTION
66110	1/4", WLL: 2,600 lb
66111	5/16", WLL: 3,900 lb
66112	3/8", WLL: 5,400 lb

CABLE CLIPS, MALLEABLE IRON

- Meets federal specs FF-C-450, Type 1, Class 2
- Galvanized iron body
- · Complete with U-bolts and nuts



PART NO.	DESC.
77030	1/8"
77031	3/16"
77032	1/4"
77033	5/16"
77034	3/8"
77035	1/2"
77036	5/8"
77037	3/4"
77038	7/8"
77039	1"

CABLE THIMBLES

- Meets federal specs FF-T-276b. Type 2
- · Zinc plated steel



PART NO.	DESC.
77050	1/8"
77051	3/16"
77052	1/4"
77053	5/16"
77054	3/8"
77055	1/2"
77056	5/8"

DYNALI

GRADE 70 TRANSPORT CHAIN

- For farm and truck load binding applications, towing, construction, and logging
- High alloy steel
 Yellow chromate finish



PART NO.	DESCRIPTION
70020	1/4" x 800 ft, WLL: 3,150 lb, Full drums
70021	5/16" x 550 ft, WLL: 4,700 lb, Full drums
70022	3/8" x 400 ft, WLL: 6,600 lb, Full drums
70023	1/2" x 200 ft, WLL: 11,300 lb, Full drums
70034	1/4" x 65 ft, WLL: 3,150 lb, Pails
70035	5/16" x 50 ft, WLL: 4,700 lb Pails
70036	3/8" x 45 ft, WLL: 6,600 lb, Pails

GRADE 30 PROOF COIL CHAIN

- For pulling stumps, lashing cargo, pipeline installations. logging, towing, mooring, and truck tailgates
- Low carbon steel Zinc plated



DESCRIPTION
3/16" x 100 ft, WLL: 800 lb, Pails
1/4" x 65 ft, WLL: 1,300 lb, Pails
3/16" x 150 ft, WLL: 800 lb, Pails
1/4" x 100 ft, WLL: 1,100 lb, Pails
5/16" x 75 ft, WLL: 1,900 lb, Pails
3/8" x 45 ft, WLL: 2,650 lb, Pails



TWIST LINK **MACHINE CHAIN**

- Lays flat against surface. Ideal for tie-down uses for welder tanks and industrial equipment
- Zinc plated

PART NO.	DESCRIPTION
70050	#2/0 x 75 ft, WLL: 520 lb, Reels
70051	#4 x 100 ft, WLL: 200 lb, Reels

DOUBLE LOOP LOIN CHAIN, REELS

- · For animal restraints, swings, door crash stops, and other uses
- · Zinc plated



PART NO.	DESCRIPTION
70060	#2/0 x 150 ft, WLL: 255 lb, Reels
70063	#3 x 200 ft, WLL: 90 lb, Reels
70061	#1/0 x 100 ft, WLL: 200 lb, Green PVC Sheath, Reels
70062	#2 x 125 ft, WLL: 115 lb, Blue PVC Sheath, Reels

SINGLE JACK CHAIN

· For animal restraints, swings, door crash stops, and other uses . Zinc plated



PART NO.	DESCRIPTION
70085	#10T x 150 ft, WLL: 43 lb Reels
70086	#12 x 100 ft, WLL: 29 lb, Reels
70087	#14 x 200 ft, WLL: 16 lb, Reels



Part #70080

FURNACE CHAIN 250FT

- Light duty chain for use as retainer chain
- Zinc plated
- WLL: 411 lb



Part #70070

BRASS SAFETY CHAIN 200FT

- · General utility chain
- · Yellow chromate finish
- WLL: 351 lb



Part #70075

SASH CHAIN 100FT

- Specifically designed to operate smoothly over pulleys
- · Ideal for hanging sash
- Zinc plated
- WLL: 106 lb

Part #70040

STRAIGHT LINK **COIL CHAIN**

- · For guard chain applications, farm implements and animal stakes
- Zinc plated
- WLL: 205 lb



Part #70045

PASSING LINK CHAIN

- Will not kink or knot!
- WLL: 450 lb



Part #80330

Part #80345 Part #80355 Part #80360 Part #80335 Part #80350 Part #80365

PULLEY BLOCKS

- OLLET BESONS		
PART NO.	DESCRIPTION	
80330	Single 3" pulley, WLL 0.5 ton, 8 mm rope diameter, with loop	
80335	Single 3" pulley, WLL 0.5 ton, 8 mm rope diameter, with loop, safety latch, access latch and grease fitting	
80340	Single 4" pulley, WLL 1 ton, 10 mm rope diameter, with loop	
80345	Single 4" pulley, WLL 1 ton, 10 mm rope diameter, with access latch only (no safety latch) and grease fitting	
80350	Double 3" pulley, WLL 0.5 ton, 8 mm rope diameter, with loop	
80355	Double 4" pulley, WLL 1 ton, 10 mm rope diameter, with loop	
80360	Single 3" pulley, WLL 0.5 ton, 8 mm rope diameter, with eye, access latch, safety latch and grease fitting	
80365	Single 4" pulley, WLL 1 ton, 10 mm rope diameter, with eye, access latch, safety latch and grease fitting	

Website: www.dynaline.com



CABLE CUTTERS

DYNALINE

- · Aluminum drop-forged handles
- · Heat-treated blades (HRC 68-64)

PART NO.	DESCRIPTION
77107	3/16", 7-1/2" overall length
77116	5/8", 23" overall length



Part #77100

HAND SWAGER

- · For installing aluminum or copper sleeves and stops
- Heat-treated alloy jaws
- Crimping capacity: 1/16" to 3/16" Diameter
- Length: 24"



CABLE TYPE LOAD BINDER LOCKS

- · Small diameter galvanized cable with aluminum stops and bracket
- · Lockable with padlock (padlock not included)

PART NO.	DESCRIPTION
61205	1/8" cable diameter, 10" length
62205	3/16" cable diameter, 11" length



Part #66203



Part #66204

LEVER LOAD BINDER

- LEBUS style
- · Forged steel
- · Painted finish

PART NO.	DESCRIPTION
66203	1/4"- 5/16" chain, 3.62" take up, WLL: 2,600 lb, ULL: 7,800 lb
66204	5/16"- 3/8" chain, 4.25" take up, WLL: 5,400 lb, ULL: 19,000 lb
66202	3/8" - 1/2" chain, 4.25" take up, WLL: 9,200 lb, ULL: 33,000 lb



- Eliminates load binder release
- Two width adjustments, easy to install and remove
- High visible yellow painted finish, complete with locking pin

RATCHET LOAD BINDERS



Part #66197

- Red/orange painted finish
- · Forged steel
- Load tightener

PART NO. **DESCRIPTION** 1/4" chain, 5" take up, WLL: 66196 2,600 lb 5/16" to 3/8" chain, 8" take up, 66197 WLL: 5,400 lb 3/8" to 1/2" chain, 8" take up, 66198 WLL: 9,200 lb 1/2" to 5/8" chain, 9" take up, 66199 WLL: 13,000 lb

ALUMINIUM CABLE STOPS



PART NO.	DESCRIPTION
77070	1/16" cable, 3/16" length, 10 qty
77071	3/32" cable, 5/16" length, 10 qty
77072	1/8" cable, 5/16" length, 10 qty
77073	5/32" cable, 3/8" length, 10 qty
77074	3/16" cable, 3/8" length, 10 qty
77075	1/4" cable, 11/16" length, 5 qty

CABLE STOPS - DYNAPAKS



PART NO.	DESC.
97070	Incl. 10 x 77070
97071	Incl. 10 x 77071
97072	Incl. 10 x 77072
97073	Incl. 10 x 77073
97074	Incl. 10 x 77074
97075	Incl. 5 x 77075

ALUMINIUM CABLE SLEEVES



PART NO.	DESCRIPTION
77080	1/16" cable, 3/8" length, 10 qty
77081	3/32" cable, 1/2" length, 10 qty
77082	1/8" cable, 5/8" length, 10 qty
77083	5/32" cable, 9/16" length, 10 qty
77084	3/16" cable, 1" length, 10 qty
77085	1/4" cable, 1-1/8" length, 10 qty
77086	5/16" cable, 1-1/4" length, 10 qty
77087	3/8" cable, 1-1/2" length, 10 qty

CABLE SLEEVE DYNAPAKS



PART NO.	DESC.
97080	Incl. 10 x 77080
97081	Incl. 10 x 77081
97082	Incl. 10 x 77082
97083	Incl. 10 x 77083
97084	Incl. 6 x 77084
97085	Incl. 5 x 77085

EIKO Code: 354

Website: www.eiko.com



Part #F32T8/841K

LINEAR FLUORESCENTS

- Long life
- · High quality tri-phosphor blends
- Environmentally-friendly TCLP and CEE ratings

LAMP#	LENGTH
F17T8/841K	24"
F28T8/841/ES*	36"
F28T8/841	48"
F32T8/841K*	48"
F54T5/H0/841	46"
F34T12/CW/RW	48"

^{*}Also available in 3000K, 3500K and 5000K







Part #QT13/41



QT26/41-4P

COMPACT FLUORESCENTS

• Features long life, high quality tri-phosphor blends and TCLP compliance

LAMP#	DESCRIPTION	REPLACES
SP13/27K	13 W 120 V 2700 K Spiral	
SP13/41K*	13 W 120 V 4100 K Spiral	60W
SP23/41K*	23 W 120 V 4100 K Spiral	100W
SP32/41K*	32 W 120 V 4100 K Spiral	130W
SP42/41K*	42 W 120 V 4100 K Spiral	150W
SP85/41/MED	85 W 120 V Spiral 4100 K Medium Base	400W
SP85/50/MED	85 W 120 V Spiral 5000 K Medium Base	400W
SP105/41/MED	105 W 120 V Spiral 4100 K Medium Base	500W
SP105/50/MED	105 W 120 V Spiral 5000 K Medium Base	500W
DT9/41	9 W Duo-Tube 4100 K G23 Base	
DT40/41/RS	40 W Duo-Tube 4100 K 2G11 Base	
QT13/41	13 W Quad-Tube 4100 K GX23-2 Base	
QT26/41-4P	26 W Quad-Tube 4100 K G24q3 Base	

^{*}Also available in 27K, 35K and 50K

Part #DT9/41 Part #DT40/41/RS

Part #MH400/U



METAL HALIDE

· Commercial grade, high quality HID lamps

LAMP#
MH400/U - Clear
MH1000/U - Clear

HALOGEN PAR

• Provides a whiter, brighter light that saves up to 30% in energy costs

Part #75PAR38/H/FL-120V



LAMP#	BEAM SPREAD
50PAR20/H/SP-120V and 50PAR20/H/SP-130V	NFL or SP
50PAR30HNFL120V and 50PAR30HNFL130V*	FL, NFL or SP
35475PAR30HNFL120V and 35475PAR30HNFL130V*	FL, NFL or SP
45PAR38/H/FL-120V and 45PAR38/H/FL-130V	FL, WFL, NSP or SP
75PAR38/H/FL-120V and 75PAR38/H/FL-130V	FL, WFL, NSP or SP
90PAR38/H/FL-120V and 90PAR38/H/FL-130V	FL, WFL, NSP or SP

Part #PAR30LN/15/30K

*Also available in long neck



CFL PAR LAMPS

Uses a halogen PAR style reflector and lens that produces a precise beam pattern

LAMP#	REPLACES
PAR20/9/30K and PAR20/9/41K	50 W PAR 20
PAR30LN/15/41K and PAR30LN/15/30K	75 W PAR 30
PAR38/23/30K and PAR38/23/41K	90 W PAR 38

"A" SHAPED INCANDESCENT

- Clear or Inside frosted
- 130 V extended life

LAMP#	
40A-130V	
60A-130V	
100A-130V	

ROUGH SERVICE INCANDESCENT



• Ideal for workshops and industrial facilities

LAMP#
50A/RS or 50A/RS/TF*
75A/RS or 75A/RS/TF*
100A/RS or 100A/RS/TF*

* TF = Silicone coating

NEW! EIKO BRAND BALLASTS



BALLAST#	DESCRIPTION
PM-2X32T8-UNV-IS	Instant Start 2 lamp T8 ballast, 17W-25W-32W, 120-277VAC
PM-2X54T5-UNV-PS	Program Start 2 lamp T5 ballast, 39W-54W, 120-277VAC, 90CRated 9"Case
PM-4X32T8-UNV-IS	Instant Start 4 lamp T8 ballast, 17W-25W-32W, 120-277VAC
PM-4X54T5-UNV-PS	Program Start 4 lamp T5 ballast, 39W-54W, 120-277 VAC, 90 C Rated Short Case

CLIPLIGHT® Code: 303

Website & Online Catalogue: www.cliplight.com

CCLIPLIGHT

Part #114303

HEMIPLUS 3 LED LIGHT

- 820 Lumens
- 8+ hours continuous cordless run time
- Powerful, wide 70 degree beam with no shadows or hot spots
- 8800 mAh Lithium Ion battery rechargeable in 4 hours - charge any time
- Aircraft-grade aluminum chassis
- · Charging station included
- Optional 12 V charger and magnet
- · All parts replaceable in minutes



Part #111307

13 WATT **FLUORESCENT** ANGLED LAMP

- · Compact, angled lighting for tight spots
- 25 ft/ 7.6 m, SJTW cable with magnet and grounded outlet handle

HEMITECH LED CORD REEL

- · Powerful, wide beam with no shadows or hot spots
- Ultra-compact body design
- · Sliding hook and optional magnet
- · Aircraft-grade aluminum chassis
- · Protective lens shield replaceable in minutes

PART NO.	DESCRIPTION
223112	 1 LED CORD REEL Single high-performance array LED 620 Lumens 84 degree beam 40 ft / 12.2 m, SJOW 18/2
223412	4 LED CORD REEL • 4 LED • 720 Lumens • 70 degree beam • 40 ft / 12.2 m, SJOW 18/2



HEMIPRO LED RECHARGEABLES

Patented Uni-Beam technology, 70 degree beam, 2500 mAh battery, charge any time, most parts user replaceable.

PART NO.	DESCRIPTION
113302	2 LED, 360 Lumens
113303	3 LED, 540 Lumens



FLEX LIGHT

Attaches to a car or metal with a strong magnetic base. This super powerful LED lamp comes with 'BEND ANYWHERE AND STAY THERE' flexibility.

PART NO.	DESCRIPTION
111101	Flex Spot LED Light - 180 Lumens
111103	Magnetic Pick-up 3 LED Light



WORK LIGHT

Grounded outlet handle, metal cage.

PART NO.	DESCRIPTION
101307	23 ft / 7 m, 16/3 SJOW Cable, Black
101315	50 ft / 15 m, 16/3 SJOW Cable, Black
100307	23 ft / 7 m, 16/3 SJTW, Orange
100310	32 ft / 10 m, 16/3 SJTW, Orange



Part #100307

RUGGED DUTY WORK LIGHTS

Grounded outlet handle, metal cage.

PART NO.	DESCRIPTION
769770	25 ft / 7.6 m, 16/3 SJOW
769771	50 ft /15 m, 16/3 SJOW



Part #769770

HEMITECH LED LIGHT

- Powerful, wide beam with no shadows or hot spots
- Ultra-compact body design, sliding hook and optional magnet
- Aircraft-grade aluminum chassis
- Protective lens shield replaceable in minutes

_	
PART NO.	DESCRIPTION
123107	 1 LED LIGHT 620 Lumens Single high-performance array LED 25 ft / 7.6 m, 18/2 SJOW Cable 84 degree beam
123307	3 LED Light • 540 Lumens • 3 LED light • 25 ft / 7.6 m, 18/2 SJOW Cable • 70 degree beam





SYLVANIA Code: 770

Website: www.sylvania.com



T8 OCTRON® FLUORESCENT SYSTEMS

Please refer to Sylvania's Lamp and Ballast e-catalogue for complete product listings.



These are T8 bulbs and ballasts used for offices, houses, retail stores and warehouses that are less than 16 feet in height. These are and will be the best replacement for T12 bulbs that will be outlawed by the government within the next few years. The magnetic ballasts that have gone with the T12 bulbs have already been banned for manufacturing by the government. They will no longer be available for purchase once Sylvania's supply is sold out.

	Sylvania S Lamp and Daii	vacar o datar og do ro	· complete pre	, adot notingo.		
PART NO.	T8 LAMPS	BULB TYPE	LENGTH	WATTAGE	COLOUR TEMP.	CRI
21781	F032841EC0	T8	4 foot	32	4100	82
21779	F032835EC0	T8	4 foot	32	3500	82
21999	F032741EC0	T8	4 foot	32	4100	75
22179	F028841XPSSEC03	T8	4 foot	28	4100	82
22184	F028850XPSSEC03	T8	4 foot	28	5000	82
22143	F032850EC0	T8	4 foot	28	5000	82
21767	F032841XPEC03	T8	4 foot	32	4100	82
21681	F032841XPSEC03	T8	4 foot	32	4100	82
22178	F028835XPSSEC03	T8	4 foot	28	3500	82
21763	F032835XPEC03	T8	4 foot	32	3500	82
21720	F032865XPEC0	T8	4 foot	32	6500	82
21660	F032850XPSEC03	T8	4 foot	32	5000	82
22026	F032850XPEC03	T8	4 foot	32	5000	82
22234	F03225W841XPSSEC03	T8	4 foot	25	4100	82
21777	F032830EC0	T8	4 foot	32	3000	82
22233	F03225W835XPSSEC03	T8	4 foot	32	3500	82
21998	F032735EC0	T8	4 foot	25	3500	75
22137	F017841EC0	T8	2 foot	17	4100	82
21774	F025841XPEC03	T8	3 foot	25	4100	82
22174	F096850XPEC0	T8	8 foot	96	5000	82

QUICKTRONIC® T8 ELECTRONIC BALLASTS

Please refer to Sylvania's Lamp and Ballast e-catalogue for complete product listings.



PART NO.	DESCRIPTION	BULBS TO BE USED	BULB LENGTH ABLE TO USE	NUMBER OF LAMPS	POWER TYPE
49863	QHE2X32T8UNVISLSC	T8	2 - 4 ft	2	Low power
49867	QHE4X32T8UNVISLSC	T8	2 - 4 ft	4	Low power
49473	QHE4X32T8UNVISLSC	T8	2 - 4 ft	4	Low power
49853	QHE2X32T8UNVISNSC	T8	2 - 4 ft	2	Normal power
49869	QHE2X59T8UNVISLSC 120-277V 10/CS 1/S	Т8	8 ft only	2	Normal power
49861	QHE1X32T8UNVISLSC	T8	2 - 4 ft	1	Normal power
49477	QHE4X32T8347ISLSC 347V 10/CS 1/SKU	Т8	2 - 4 ft	4	Normal power
49857	QHE4X32T8UNVISNSC	T8	2 - 4 ft	4	Normal power
49463	QHE2X32T8347ISNSC 347V 10/CS 1/SKU	Т8	2 - 4 ft	2	Normal power
49471	QHE1X32T8347ISLSC 347V 10/CS 1/SKU	Т8	2 - 4 ft	1	Normal power
49467	QHE4X32T8347ISNSC 347V 10/CS 1/SKU	Т8	2 - 4	4	Normal power

Energizer

ENERGIZER CANADA Code: 831

Website: www.energizer.ca





HARD CASE PRO **LED AREA LIGHT**



HARD CASE PRO LED FLASHLIGHT WITH **4 AA BATTERIES**



Part #TUF4CPE **HARD CASE PRO** LED SPOT LIGHT WITH **4 C BATTERIES**

Part #TUF2AAPE HARD CASE PRO LED FLASHLIGHT WITH 2 AA **BATTERIES**

Energizer



HARD CASE PRO **4 LED SWIVEL WITH** 2 AA BATTERIES



Part #1700

INDUSTRIAL WATERPROOF **6 V LANTERN**

- · Resistant to all types of staining and corrosion
- Non-moving internal contact system
- Shockproof
- Shatterproof lens
- Good for marine applications
- · Spare bulb holder



Part #HDL33AINE

6 LED HEADLIGHT

- Energizer 6 LED headlight
- 2 white spot, 2 white flood and 2 red LEDs
- Includes 3 Energizer AAA batteries



Part #V2202ACS **ENERGIZER DISPOSABLE FLASHLIGHT**



Part #5109LS LED 6 V **WATERPROOF**

LANTERN



LED SOLAR/CRANK **FLASHLIGHT**



Part #PLED23AE 2 AAA LED ALUMINUM **PEN LIGHT**


Website: www.swscanada.com





INTELLIGENT™ SERIES LED BEACONS

- Intelligent[™] communicating LED beacons
- Meets or exceeds SAE J845 (2007) Class 1
- 12 24 V DC
- 0.5 1.5 amps max
- · AutoDim technology with photocell and manual override
- Master/slave synchronizable up to 16 lights
- · User selectable flash patterns
- · Battery check voltage monitoring to inform user if vehicle battery drops below ideal voltage with visual indication
- LIN 2.0 Cluster ISO9141 compatible
- · Modular design, upgradeable software
- · Superior thermal management



INTELLIGENT™ SERIES LED MINIBAR

- Full 360° coverage, Intelligent™ communicating series LED minibar with feature rich operations platform
- SAE J845 (2007) Class 1 compliant
- · Parabolic reflector design
- Battery check voltage monitoring system
- User selectable flash patterns
- · Night time auto-dimming feature
- · Modular design, upgradeable software
- 12 24 V DC
- · Superior thermal management
- · Synchronization up to 16 lights
- · Multiple flash patterns

PART NO.	DESCRIPTION
16310	Amber inner lens, clear outer dome
16311	Amber outer dome, clear inner lens



Part #27006

STROBE BEACONS

- · High, medium and low profile strobe beacons
- 12 48 V DC (200 A and 27,000 series), 2.5 amps max
- 12 V DC (201Z model), 0.5 amps max
- User selectable flash pattern; double, single, quad (high and medium profiles)
- Single flash (low profile)
- Various mounting options including permanent mount, flange mount, magnetic mount, NPT conduit mount and mirror bracket mount
- · Low current draw



TRAFFIC DIRECTING DEVICES

- · LED traffic directors and traffic arrows
- 48" and 36" standard (other lengths available)
- 12 V DC
- · Low current draw
- Fully encapsulated LED panels
- · Cab mount controller
- · Rugged anodized aluminum extrusions
- · Four standard patterns: right, left, center-out and wig-wag
- · Power cable sold separately



GROTE Code: 522

Website: www.grote.com | Online Catalogue: www.grote.com/prodcat

Part #62691

GROTE SELECT™ 4" LED BACK UP LAMP, FEMALE-PIN

- Fits standard 4" lamp grommets and brackets
- · Hermetically sealed lamp prevents water intrusion
- Standard aftermarket connection provides for ease of replacement
- · Requires two lamps to meet back-up function

CLASS I LED AMBER BEACON

- Low or high dome options and 12 volt or 24 volt models
- 18 total flash patterns
- Polycarbonate base, permanent mount to dissipate heat

PART NO.	DESCRIPTION
76253	Amber, 12 V Low Dome
76263	Amber, 24 V Low Dome
77953	Amber, 12 V High Dome
77963	Amber, 24 V High Dome



HIGH PROFILE SMART STROBE® LAMP

- · Die-cast aluminum base with a smooth surface outer dome that protects the inner lens
- · Field selectable double or quad flash settings
- · Ideal for light and heavy duty applications
- Smart Strobe® automatically adjusts intensity based on ambient lighting

PART NO.	DESCRIPTION
77453	Yellow



AUXILIARY LED STROBE LAMP

- 4 high power LEDs with 19 flash patterns
- · Synchronize option lets you connect multiple heads
- · Mount anywhere with adjustable bracket

PART NO.	DESCRIPTION
76793	Yellow
76795	Blue
76792	Red



MIGHTY MINI LED STROBE

- SignalAlert[™] provides greater visibility by creating a varied flash pattern (vs. standard strobes with a consistent flash pattern)
- Exclusive side-emitting LED technology rivals standard strobe intensity with a single super LED diode
- 90 flashes per minute

PART NO.	DESCRIPTION	
77473	Yellow, Permanent Mount	1
77483	Yellow, Magnet Mount with Lighter A	dapter

Part #98001-5

MECHANIC'S LED FLASHLIGHT

- Popular black finish on impact resistant aluminum body
- Bright 1 WATT LED uses 3 AA batteries
- Removable head and flexible attachment allow for hands free use that gives the user the opportunity to shine light where it is needed



LOW PROFILE LED STROBE

SAE CLASS I LED LIGHT OUTPUT

- · Unique flash pattern increases visibility to the human eye
- Overhead heat sink design allows for a very low profile pipe mounted solution when flange is removed

		_	
PART NO.	DESCRIPTION		á
76663	Yellow		
76661	Clear		8
76665	Blue		
76675	Blue Vacuum Mount/Magnet	4	2
76673	Amber Vacuum Mount/Magnet		



ROTOLED™ CLASS I LED HYBRID BEACON

SAE CLASS I LED HYBRID BEACON

- High intensity LED's in a rotating warning device
- · No gears, brushes or bulbs to wear out
- 8-3 watt LED's with TIR optics produce an exceptionally bright warning device
- SAE J845 Class I (Amber and Clear/Blue)
- Temperature range: $-22^{\circ}F$ to $+122^{\circ}F$ ($-30^{\circ}C$ to $+50^{\circ}C$)
- Polycarbonate lens with UV hard coating reduces cracking/hazing/fading

PART NO.	DESCRIPTION
76683	Yellow
76685	Blue
76693	Yellow, Vacuum Mount
76695	Blue, Vacuum Mount



15" LOW PROFILE REFLEX™ LED MINI BAR

CLASS II LED MINI BAR LAMP

• 360° visibility to hazardous conditions

PART NO. DESCRIPTION

- Eight (8) LED reflector modules
- LED technology contributes to the minimizing of maintenance and repair downtime

76703	Yellow, Permanent Mount	
76713	Yellow, Vacuum Mount	A STATE OF THE PARTY OF THE PAR
	THE REAL PROPERTY.	
		MANAGEMENT STATES
	No.	

Website: www.grote.com | Online Catalogue: www.grote.com/prodcat



Part #61411

S100 LED WHITELIGHT™ DOME LAMP

- Motion sensor activation
- · Low profile sleek design, less than 15.0 mm height
- · Surface mount allows for quick and easy installation
- 300 lumens of output utilizing the latest LED WhiteLight™ technology

Part #63610

TRILLIANT® MINI FLUSH MOUNT

- Flood pattern gives a wide cast near the mounting source
- Perfect for mounting in situations where knock-off might be a problem
- · Greater lumen output with lower power consumption
- 50,000-hour LED Whitelight[™] for long lasting service

TRILLIANT® 36 LED WHITELIGHT™ WORK LAMP

- Replaces incandescent PAR 36 sealed beams
- TractorPlus[™] pattern lamp
- Encapsulant potting for total circuit board protection against moisture and corrosion
- PAR 36 LED lamp includes a pigtail for hard wired applications
- Long Life LED's rated at 40,000 hours provides 900 Lumens and last 100 times longer than incandescent PAR 36 lamps



PART NO.	DESCRIPTION
63821-5	36 Sealed Beam, TractorPlus™, Spade/Screw Connector
63831-5	36 Wide Flood, Spade/Screw Connector
63971	36 Sealed Beam, TractorPlus™, Packard Connector

TRILLIANT® 36 WITH BRACKET LED WHITELIGHT™ WORK LAMP/CONVERSION BULB

- Replaces incandescent PAR 36 sealed beams
- TractorPlus™ pattern lamp with bracket
- Encapsulant potting for total circuit board protection against moisture and corrosion
- Long life LED's rated at 40,000 hours, provide 900 lumens and last 100 times longer than incandescent par 36 lamps
- Reduces eye fatigue optimizing job performance
- · Colour temperature provides a natural contrast most like sunlight
- PAR 36 LED lamp includes a pigtail for hard wired applications

PART NO.	DESCRIPTION
63861-5	36 TractorPlus™ with Bracket
63871-5	36 Wide Flood with Bracket

TRILLIANT® MINI LED

LED WHITELIGHT™ WORK LIGHT/FLOOD

- 50,000-hour LED WhiteLight™ for long lasting service
- Greater lumen output with lower power consumption than leading competitors' versions
- Polycarbonate hard-coated lens provides many years of service
- Colour temperature provides a natural contrast most like sunlight, reducing eye fatigue and optimizing job performance

PART NO.	DESCRIPTION
63611	Mini LED - Clear Flood
63601	Mini Spot - Clear
63621	Mini Trapezoid - Clear
63741	Mini Flood/24V - Clear





TRILLIANT® HIGH-OUTPUT SPOT

WHITELIGHT™ HIGH-OUTPUT WORK LAMP

- · Field tested in brutal off-road conditions
- Color temperature provides a natural contrast most like sunlight, reducing eye fatigue and optimizing job performance
- Superior lamp for mining, military, construction, off-road, agriculture, utility and emergency vehicles
- · Consistently delivers a bright light over time

PART NO.	DESCRIPTION
63571	High Output Spot
63581	Flood
63591	Trapazoid
63761	Wide Flood
63951	Flood with Reflector/External Switch

TRILLIANT® CUBE LED WHITELIGHT™ WORK LAMP

- New rugged package provides mounting flexibility, small size, and powerful performance
- Strong die cast aluminum housing stands up to shock and harsh workplace environments
- Available in TractorPlus[™] and Wide Flood beam patterns
- Leak proof sealed lamp is certified IP69K; stands up to scratches, pressure washing, and harsh weather
- Available with Amp Superseal and Deutsch connector options
- Potted for complete circuit board protection against moisture and corrosion
- Both models are rated at 50,000 hours and project 1,000 lumens

PART NO.	DESCRIPTION
63981-5	Cube TractorPlus™, Amp Superseal Connector
63991-5	Cube Wide Flood, Amp Superseal Connector





Website: www.hella.com Online Catalogue: www.myhellalights.com









Part #005750941

Part #007133811

Part #H71020201

Part #010186901

AUXILIARY LAMPS

PART NO.	DESCRIPTION
005750941	Lamp Kit 500FF Drv 12 V H3 Fun cube
005750401	500FF Halogen Driving Lamp (single)
005750981	Lamp Kit 500FF Fog 12 V H3 Fun cube
010032801	Lamp Kit FF700 Drv H3
007133811	Lamp Kit Micro FF 12 V H3 Drv
007133801	Lamp Kit Micro FF 12 V H3 Fog
H71020201	Optilux 7" Xen Single Off Road Lamp
H71020171	Optilux 4" Xen Single Off Road Lamp
H71020181	Optilux 4" Xen Off Road Lamp Kit
010186901	Lamp Kit Re4000Xi Xenon
H15176201	Lamp Kit 70 mm MV LED Gen II Power sport







Part #H71020171

CONVERSION HDL

PART NO.	DESCRIPTION
002395801	Headlamp Kit 7" 165 mm H4 12 V Ece
003427811	Headlamp Kit 190 x 132 mm H4 12 V Ece
002850811	Headlamp Kit 5 3/4" 135 mm H4 12 V Ece



Part #002395801



Part #003427811

ELECTRICS

PART NO.	DESCRIPTION
965400001	Relay 12 V 30 A Spst Bkt
933332011	Relay 12 V 20/40 A Spdt Bkt



Part #965400001



Part #933332011

Website: www.hella.com Online Catalogue: www.myhellalights.com



WORK LAMPS HALOGEN

2 2 2	
PART NO.	DESCRIPTION
H15161027	Work Lamp Oval 100 Db H3 12 V Cr Lds
006991664	Work Lamp As115 H3 12 V Cr Std Bulk
006991654	Work Lamp As115 H3 12 V Lr Std Bulk
H15161031	Work Lamp Oval 100 Db H3 12 V Lr Lds
H71030047	Work Lamp Optilux 12 V 55 W 3 x 5 Lead Blk
996134567	Work Lamp Mega Bm H3 12 V Lr Dt Hd Ped
996176491	Work Lamp 70 mm H3 12 V 55 W Cr Std Leads
H15506027	Work Lamp Ultra Beam 12 V H3



Part #H15161027





Part #006991664



Part #006991654





Part #996189001



Part #996188011



Part #996188021

WORK LAMPS LED

PART NO.	DESCRIPTION
996189001	Work Lamp PB2000 LED Mv Std Leads
996188011	Work Lamp PB1000 LED Mv Std Dt Hd
996188001	Work Lamp PB1000 LED Mv Std Dt
996188021	Work Lamp PB1000 LED Mv Std Dt Pmma
996192011	Work Lamp PB 3000 Lr
996192001	Work Lamp PB 3000 Cr
996176721	Work Lamp 70 mm Gen II LED Mv Cr Std Leads

Note: For PB 1000 LED - Pigtail DT2 300 mm is needed



Part #996192001



Part #996192011



Website: www.hella.com Online Catalogue: www.myhellalights.com

ACCESSORIES

PART NO.	DESCRIPTION
H84985241	PGTL DT2 300MM, Pigtail 300 mm with 2 Pin DT Connector
H84985451	PGTL DT6 355MM, Pigtail 355 mm with 6 Pin DT Connector







Part #H84985451

WORK LAMPS XENON

PART NO.	DESCRIPTION
996242511	Work Lamp AS300 D1s 24 V Cr Dt Ped Std
996242101	Work Lamp AS400 D1s 12 V Cr Dt Ped Std



Part #996242511



Part #996242101



Part #996167191



Part #996167201

HEAD LAMPS ADD ON

PART NO.	DESCRIPTION
996167191	Headlamp Oval 120 C120 Hb2 12 V Sae Lh Bkt
996167201	Headlamp Oval 120 C120 Hb2 12 V Sae Rh Bkt
996174051	Headlamp Ext C220 H7/H3 12 V Ece Lh Dt6
996174061	Headlamp Ext C220 H7/H3 12 V Ece Rh Dt6

Note: For C220- Pigtail DT6 355 mm is needed





Website: www.hella.com Online Catalogue: www.myhellalights.com



HELLA AND OPTILUX OWS PRODUCT

Optilux LED Mini Light Bars feature 8 high intensity amber or white LED lightheads plus 10 flash patterns including steady on and rotating. Twin Strobe Mini Light Bar - Amber features two high intensity strobe lights with a central diamond mirror for second flash.

- Fixed or magnetic mounting (4 X floating magnets for optimal fit to vehicle roof)
- · Polycarbonate UV stabilized dome and robust ABS plastic base

PART NO.	DESCRIPTION
H74998001	Light Bar Mini LED 12 V Fxd Amber Optilux
H74998011	Light Bar Mini LED 12 V Mag Amber Optilux
27998001	Light Bar Mini LED G2 Mlb170 12 V Fxd Amber
H27998011	Light Bar Mini LED G2 Mlb 170 12 V Mag Amber
H57921001	Cntrl Mlb 170 G2 Mini Lightbar with Cable
H74999021	Light Bar Mini Strobe 12 V Fxd Amb Optilux
H74999001	Light Bar Mini Hal 12 V Fxd Amb Optilux



Part #H74999001



Part #H57921001



Part #H74999021



Part #27998001

Part #H74998001

WARNING LIGHTS

APPEARS CLEAR WHEN "OFF". **BUT COLORED WHEN "ON".**

PART NO.	DESCRIPTION
H22890001	MS6 Mini LED Lighthead 12-24 V Amber
H22890021	MS6 Mini LED Lighthead 12-24 V Blue
H22890031	MS6 Mini LED Lighthead 12-24 V White
H22890041	MS6 Mini LED Lighthead 12-24 V Red
H22890051	MS6 Mini LED Lighthead 12-24 V Amber/White
H22890061	MS6 Mini LED Lighthead 12-24 V Red/Blue
H22890071	MS6 Mini LED Lighthead 12-24 V Red/White
H22891001	MS3 LED Lighthead 12-24 V Amber
H22891031	MS3 LED Lighthead 12-24 V White

Note: Blue and Red MS3 available upon request.









Part #H22890001







Part #H22890031



Website: www.hella.com Online Catalogue: www.myhellalights.com









Part #H27091231

Part #H27091221

Part #H27091091

Part #H27091101

LED BEACONS

PART NO.	DESCRIPTION
H27091231	Beacon K-LED 500 Twin 12/24 V F Amber with cover
H27091221	Beacon K-LED 500 Twin Mag 12/24 V Amber
H27091091	Beacon K-LED 450 Plus F 12-24 V Amber
H27091101	Beacon K-LED 450 Plus M 12-24 V Amber
H27091071	Beacon LED K-LED 450 F 12-24 V Amber
H27071021	Beacon LED K-LED 360e F 12/24 V White
H93020061	Lens Smooth Cover K-LED 400/450 Clear





Part #H27071021

Part #H93020061









Part #A1400

Part #A0934A

Part #A0935A

Part #A0934

BRIGADE -BACK UP ALARM

PART NO.	DESCRIPTION
A1400	Backup Alarm Broadband 12-24 V Sa-Bbs-107
A1399	Backup Alarm Broadband 12-24 V Sa-Bbs-97
A0935A	Backup Alarm Bbs-97
A0934A	Backup Alarm Broadband 12-24 V Bbs-92
A3398	Cam Kit Rearview Med Size Vbv-770b-010n



Part #A3398

STEWART WARNER Code: 805

Website: www.stewartwarnercanada.com

STEWART WARNER Comp. of

PRESSURE AND VACUUM SWITCHES

Pressure switches feature Kapton diaphragms and vacuum switches feature fluorosilicone rubber for compatibility with a wide variety of fluids such as air, motor oils, transmission oils, jet fuels and other similar fluids.

- Available in various factory set points
- · Single or dual circuit*
- 1 to 3 terminal**
- *Single circuit only for vacuum switches
- **2 terminal only for vacuum switches





TEMPERATURE SWITCHES

Normally open contact, voltage independent, solid brass body, gold-plated contacts and excellent accuracy and repeatability. Available in screw or spade type terminal in various thread sizes.



TEMPERATURE SENDERS

Constructed of high-quality, corrosion-resistant brass for maximum durability and outstanding electrical and thermal conductivity. Phosphor bronze contact spring provides resistance to shock and vibration.



HOURMETERS HOBBS ROUND

- 3 SCREW BLACK, 10,000 HOURS
- #85097 10-80 VDC
- 3 SCREW BLACK, 100,000 HOURS
- #85134 10-80 VDC
- 3 SCREW BLACK, 10,000 HOURS
- #20017 108-132VAC 60 Hertz
- #20019 216-264VAC 60 Hertz



HOURMETERS HOBBS RECTANGLE

- 2 SCREW BLACK, 10,000 HOURS
- #85094 10-80 VDC
- 2 SCREW BLACK, 100,000 HOURS
- #85127 10-80 VDC
- 2 SCREW BLACK, 10,000 HOURS
- #20001 108-132VAC 60 Hertz
- #20007 216-264VAC 60 Hertz



4" X 6" HALOGEN LAMPS

Complete lamp replacement assembly and replacement lamps available in wide, spot and trapezoid types. Because they're designed for use in heavy construction and farming equipment, they're also designed to take shock, vibration and other extreme service conditions in stride.





DELUXE AND HEAVY DUTY GAUGES

- · Easy to read
- · White-on-black graphics
- Nighttime lighting
- Available: voltmeter, ammeter, oil and water pressure, tachometers, and temperature gauges

PROBUILT PROFESSIONAL LIGHTING



Code: **438** Website: www.probuiltlighting.com

Part #E712810 DEFENDER® RECHARGEABLE LED HAND LAMP

Defender® Rechargeable LED Hand Lamp is water resistant and durable, with a tough housing and high-output LED's. It is perfect for small jobs and standard issue equipment for your tradesperson or maintenance teams.



DEFENDER® UPLIGHT V2 - 2 FT

- 2 ft 18 watt fluorescent portable task light
- 1,300 lumens
- 15 ft power cord
- · Built in electrical receptacle for linking units
- Adjustable nylon strap, removable threaded hooks for hanging Part #E712500

DEFENDER® UPLIGHT V2 - 4 FT

- 4 ft 36 watt fluorescent portable task light
- 3,250 lumens
- 15 ft power cord
- · Built in electrical receptacle for linking units
- Adjustable nylon strap, removable threaded hooks for hanging

Part #E712600

DEFENDER® ECO UPLIGHT - 4 FT

- 4 ft 36 watt fluorescent portable task light
- 3,250 lumens
- 15 ft power cord
- Locking tri-pod base
- Adjustable nylon strap, removable threaded hooks for hanging



DEFENDER® UPLIGHT V2 - BASE

Wobble base for use with Defender® Uplight V2s

• 2 ft and 4 ft versions

Part #E709187

DEFENDER® LED FLOOR LIGHT

- 64 high output LEDs
- 350 lumens
- 10 ft power cord

Part # E709165

DEFENDER® FLUORESCENT FLOOR LIGHT

- · 38 watt fluorescent
- 2.850 lumens
- 10 ft power cord

Part #111105F

HANG-A-LIGHT® 105 WATT FLUORESCENT TEMPORARY AREA WORK LIGHT

- 6.900 lumens
- 20-30 ft lighting range
- · Built in electrical receptacle
- 5 ft power cord
- UL/cUL listed



Part #111203

WOBBLELIGHT® 27" PORTABLE JOBSITE LIGHTING

Durable and virtually indestructible, the 27" tall Wobbelight is a self righting, highly durable light that can take rough handling at home or on the job. The high output, cool burning fluorescent light is ideal for use in small, confined areas. No hot surfaces and low energy consumption.

No Set-up. Just plug it in.

WOBBLELIGHT® 36" PORTABLE JOBSITE LIGHTING

Bright and dependable, the self-righting Wobblelight® delivers maximum light output in a highly durable and portable package with no hot surfaces.

PART NO.	DESCRIPTION
111302	500 W halogen work light
111102	175 W metal halide work light
111104	400 W metal halide work light

REFLECTOR SHIELD

The Wobblelight® Reflector Shield conveniently takes your Wobblelight® from 360° of light source to 180° without losing any light. The

built in reflective coating on the inside of the arced nylon reflector allows you to maintain 100% of your light source and focus it.





	PART NO.	DESCRIPTION
-	111901	175 W REPLACEMENT BULB Replacement bulb for 36" Wobbelight 175 watt metal halide work light
	111903	400 W REPLACEMENT BULB Replacement bulb for 36" Wobbelight 400 watt metal halide work light
•	111904	500 W REPLACEMENT BULB Replacement bulb for 36" Wobblelight 500 watt halogen work light

Part #111908

85 W REPLACEMENT BULB

Replacement bulb for 27" Wobblelight 85 watt fluorescent work light



Part #111400PS

HANG-A-LIGHT® 400 WATT METAL HALIDE TEMPORARY AREA WORK LIGHT

- 42,000 lumens
- 50-100 ft lighting range
- Modifiable for 120/208/240/277 volts
- 6 ft power cord
- cUL listed





PRIME WIRE Code: 139

Website: www.primewirecable.com




ARCTIC BLUE™ ALL-WEATHER TPE-RUBBER EXTENSION CORDS WITH PRIMELIGHT™ **POWER INDICATOR LIGHT**

ARCTIC BLUE™ TPE-rubber cords provide superior resistance to sunlight, ozone,

cracking, oils and chemicals, and are outstanding in resistance to abuse, rough handling and wear. Temperature range of -58°F to +221°F (extreme climate).

PART NO.	DESCRIPTION
LT530725	25 ft 14/3 SJEOW
LT530730	50 ft 14/3 SJEOW
LT530735	100 ft 14/3 SJEOW
LT530825	25 ft 12/3 SJEOW
LT530830	50 ft 12/3 SJEOW
LT530835	100 ft 12/3 SJEOW
LT630825	Triple tap, 25 ft 12/3 SJEOW







BULLDOG TOUGH® U-GROUND ADAPTERS

- 2 ft 12/3 STOW
- Double Jacket Triple Tap Adapter

Part #AD050802

SHOCK SAFE® IN-LINE G.F.C.I. ADAPTER

- 3 ft 12/3 SJTW
- Yellow Inline G.F.C.I. Triple Tap Adapter Primelite Power Indicator Light





PATIO AND DECK CORDS

- 35 ft 16/3 SJTW
- Beige Patio and Deck Triple Tap Extension Cord

Part #EC601627

WIRING DEVICES

WORK LIGHTS

TL020625

TL020630

TL210506

PART NO. DESCRIPTION

NEMA U-Ground Wiring Devices - Nylon Plug Design

6 ft 18/2 SJT Cord

- "Autogrip", "Safetygrip" and "Quickgrip" types
- · Neoprene gasket seals the cord hole and keeps dust and moisture out of terminal area







Part #WDA6269G

PART NO.	DESCRIPTION
WDA6269G	5-15R Connector Nylon Safetygrip 15 A, 125 V
WDA6266G	5-15P Plug Nylon Safetygrip 15 A, 125 V

OUTDOOR EXTENSION CORDS AND OUTDOOR TRIPLE TAP EXTENSION CORDS

PRIME® outdoor extension cords provide added protection against rough use, moisture, ozone and gives added flexibility at below freezing temperatures. Molded-on and bonded vinyl plugs and connectors resist breaking or pulling off cord.





PART NO.	DESCRIPTION
EC501610	10 ft 16/3 SJTW Orange Outdoor Extension Cord
EC501625	25 ft 16/3 SJTW Orange Outdoor Extension Cord
EC501630	50 ft 16/3 SJTW Orange Outdoor Extension Cord
EC501635	100 ft 16/3 SJTW Orange Outdoor Extension Cord
EC502608	8 ft 16/3 SJTW Black Outdoor Extension Cord
EC502615	15 ft 16/3 SJTW Black Outdoor Extension Cord
EC600825	25 ft 12/3 SJTW Yellow Triple Tap Extension Cord
EC600830	50 ft 12/3 SJTW Yellow Triple Tap Extension Cord
EC600835	100 ft 12/3 SJTW Yellow Triple Tap Extension Cord

ENERGIZER CANADA Code: 831

Website: www.energizer.ca

ENERGIZER INDUSTRIAL ALKALINE BATTERIES



Energizer

AAA 1.5 V BATTERY



AA 1.5 V BATTERY



Part #EN93 C 1.5 V **BATTERY**



D 1.5 V Battery

PART NO.

NH12BP4

NH15BP4

NH22NBP NH35BP2

NH50BP2

ENERGIZER RECHARGEABLE

DESCRIPTION

4 AAA RECHARGE BATTERIES

4 AA RECHARGE BATTERIES 9 V RECHARGE BATTERIES

2 C RECHARGE BATTERIES

2 D RECHARGE BATTERIES



Part #EN22 9 V **BATTERY**



Part #357BPZ MINI COIN BATTERY



Part # ECR2032BP **3 V LITHIUM BATTERY**



Part #CHFC



Charges AAA, AA, C, D and 9 V NiMH batteries



Part #529 **ALKALINE 6 V** LANTERN BATTERY



Part #1209 **EVEREADY 6 V** SUPER DUTY BATTERY



Part #L91BP4 **AA 1.5 V LITHIUM**



AAA 1.5 V LITHIUM BATTERY



ELECTRICAL ASSEMBLIES, CONNECTORS & AIR ASSEMBLIES







Part #30-4921

Part #11-5150

11-5150

11-5400

POLAR AIR® COILS

15' Pair

(red and blue)

15' Pair (red and

blue), 40" lead

PART NO. DESC.

conditions

extreme weather

- Remains flexible at -85°F (-65°C)
- Excellent ratings for recoil memory, chemical resistance and abrasion
- Features POWER GRIP™ which provides superior coupling/uncoupling leverage
- · Large coil diameter prevents kinking and provides greater recoil
- · Patented jacketing prevents fractures and provides durable, rubber feel
- Meets SAE J844 and J1131 specifications
- Meets FMVSS 571.106 specifications

PERMACOIL

- Recommended for ABS applications
- Flexible from -87°F to 150°F (-66°C to 66°C)
- Good recoil memory, chemical and abrasion resistance

2/0 CLEAR-VU™

9-370

9-371

9-372

Part #12-012

Wide lip

Rubber

Tapered base

BATTERY JUMPERS · Other sizes available

· Replaces OEM battery cables

GLADHAND SEALS

PART NO. DESCRIPTION

· Translucent cable allows you to see corrosion

Clear, four lug, 26"

Translucent, smoke, 4 lug, 26"

Translucent, red, 4 lug, 26"

UNBREAKABLE PERMAPLUGS™ or heavy-duty, zinc die-cast housing

PART NO.	DESCRIPTION
30-4621	ABS, 15' with die-cast plugs
24-4621	Non-ABS, 15' with die-cast plugs - black
30-4921	ABS, 15' 48" lead, with die-cast plugs



Part #15-96

JUNCTION BOX



PART NO.	DESCRIPTION
15-961	CLEAR-VU™ junction box
15-960	7 pole, for ring term, black



Part #12-006



Part #12-008

GLADHANDS

PART NO.	DESCRIPTION
12-006	Service, blue
12-008	Emergency, red



Part #11-5400

SOCKETS

- 2 Hole
- · Wire insertion split pin



STA-DRY® SOCKETS

- 2 Hole
- · Wire insertion



Part #15-740

SOCKET BOOT

• Rubber boot for 15-720



Part #15-762

STA-DRY® ZINC DIE-CAST SOCKETSBREAKER

- · With 20 Amp circuit breaker
- Split pin

Part #16-802

STAY-DRY® DOCUMENT HOLDER



· Waterproof document, license and ownership holder

· Tether strap included



PLUGS

PART NO.	DESCRIPTION
15-730	Heavy duty, reinforced zinc die-cast plug with cable guard
16-730	Permaplug™

CABLE SUPPORTS AND ACCESSORIES

PART NO.	DESCRIPTION
15-042	2 plug 2 Gladhand holder
17-0400	40" chrome
17-148	Kit with single HD spring, 20" with Qwik-Snap
17-420	Kit with dual 16" spring, with Qwik- Snap



Part #15-042





Part #17-420

Part #17-148 Part #17-0400



PICO Code: 931

Website: www.picocanada.com





BUTT CONNECTORS


PART NO.	DESCRIPTION
1700-CS	vinyl 22 - 18 red
1800-CS	vinyl 16 - 14 blue
1900-CS	vinyl 12 - 10 yellow
5800-CS	heat shrink 22 - 18 red
5900-CS	heat shrink 16 - 14 blue

TOOLS, TAPE

PART NO.	DESCRIPTION
335-31	Heavy duty crimp tool, crimps 12 · 4 GA lugs and terminals
340T-E	Crimper, crimps 22 - 10 GA closed end connectors and heat shrinkable terminals
187-E	Crimper, crimps 24 · 14 GA open barrel terminals, makes precision "F" crimps, 5 different crimp nests
8247-31	Torch, Piezo electric ignition gas burner temperature 1,300°C (2,450°F), burning time 60-70 minutes, butane not included
3466-0-RL	All weather PVC insulated tape, package of 10 rolls, each roll is individually cello wrapped 66' x 3/4"
365-31	22-10 INS & Non-INS extra HD crimp tool
650T-E	20 AWG-3/0 cable cut tool
455T-E	26-10 wire stripper

BATTERY TERMINALS

PART NO.	DESCRIPTION
887-11	Top post brass battery terminal with 1/4 turn quick disconnect
891N-11	Battery terminal (negative) with bright tooled brass with accessory capability
899P-BP	Marine battery terminal with 3/8" brass plated wing nut (positive) alloy
731-31	Group size 24 battery box, 11" x 6 3/4" x 8"
880-HD-BP	1pk, 1-4/0 HD universal battery terminal
880-BP	2pk, 6-1/0 universal battery terminal





BOOSTER CABLES

DOOOTER GABLEO	
PART NO.	DESCRIPTION
8180K-E	1 GA booster cables 800 Amp, 20', 100% pure copper conductors, remains flexible in cold weather to -40°C each booster cable comes in its own handy vinyl carrying case
8180-32	Pair of booster clamps 800 Amp
8177-32	Pair of booster clamps 500 Amp parrot jaw clamp
32551-91	Modular terminals and housings
8729-91	800 Amp negative and positive reach, style B cable clamps
8761-31	1/0 20' super flex booster cable 800 Amp



SWITCHES: TOGGLES, PUSH/PULL, PANELS

PART NO.	DESCRIPTION
9432-11	On/off toggle switch, 12 V, 20 Amp, SPST, 5/8" bat handle with indicator plate, 1/2" mount hole
9435-BP	On/off toggle switch, 12 V, 35 Amp, SPST, 2 position / 2 screw terminals, chrome plated bat handle
9436-BP	Extra heavy duty toggle 2 position / 2 screw terminals on/off, SPST, 50 Amp, chrome plated bat handle
9449-31	Master disconnect switch on/off, SPST, 6- 36 Vs, 190 Amp continuous, 1,000 Amp momentary
9459-11	Weatherproof switch ON/OFF, 12 V-25 Amp; 24 V-15 Amp SPST
9460-11	Weatherproof switch, MOM ON-OFF, MOM ON
9450-11	Master battery disconnect switch
9497-31	12 V 85 Amp solenoid switch



Website: www.picocanada.com

PICO Code: 931



TRAILER CONNECTORS AND ADAPTERS

PART NO.	DESCRIPTION
9476-11	Die cast 6 pole male trailer plug with spring
9475-11	Die cast 6 pole male trailer plug
9477-E	Die cast 6 pole female trailer socket 12-24 V 35 Amp
9482-BP	Abs plastic 7 pole male RV blade plug
9483-BP	Abs plastic 7 pole female RV blade socket
7704-11	Abs plastic 7 pole 7 way pin type male plug with 4 way flat female
7717-11	Abs plastic 7 pole 7 way RV blade male plug with 4 way flat female
1871-BP	2 pin trailer connector
1873-BP	4 pin trailer connector
990-E	7 pin junction box #10-32, studs corrosion resistant molded cover and housing
7712-31	7 way RV / 4 way flat trailer connector combo
9490-31	7 pole RV bracket, metal



PART NO.	DESCRIPTION
5141-B	3/8" ID split loom, black
5141-34	3/8" ID split loom, black



WIRE, CABLE, CORD ENDS

	PART NO.	DESCRIPTION
	8059-C	Welding cable (100' x 2/0)
	8114-5-C	Primary wire rated 80oC, meets SAEJ 1128 specifications, 14GA Red X 100'
	8905-C	Rubber cord type SJ00W 90C300 V
	8956-11	3-way plug, 15 Amp, female, U-ground, straight blade cord connector, industrial grade, 125 V
	8957-11	3-way plug, 15 Amp, male, U-ground, straight blade 3 prong plug, industrial grade, 125 V



CABLE TIES

PART NO.	DESCRIPTION
7257-36	Metal PAWL UV black cable ties (package of 100 pcs of 11")
7066-0-C	Cable ties (100 pcs of 7.5" UV black military spec MS3367-1-0)
7272-34	Stainless steel cable tie, 14", 120 lb
7282-34	Stainless steel cable tie, 14", 485 lb
7295-36	7.5", 50 lb cold weather black ties
7298-36	14", 120 lb cold weather black ties
7066N9-C	7.5", neon pink cable ties

DISPLAYS BOARDS AND KITS

D.O. 2711 C	DOMINDO MIND MINO
PART NO.	DESCRIPTION
31505-91	Deutsch kit with tool, 39 pcs
31503-91	WeatherPack kit, 93 pcs
31502-91	Terminal kit with 465T crimp tool, 196 pcs





PROFESSIONAL KITS

Ask your local representative about our product storage solutions!



PICO Code: 931

Website: www.picocanada.com

FUSES, CIRCUIT BREAKERS, RELAYS & HOLDERS



RELAYS

PART NO.	DESCRIPTION
925-11	Relay 12 V 40/30 Amp
926-91	Relay 12 V 40/30 Amp with 5 pin connector
928-91	Relay 12 V 40/30 Amp, weatherproof with pigtail
921-11	Relay 5 pin, 12 V 80/60 Amp
9901-11	Relay socket with terminals

FUSE KITS

PART NO.	DESCRIPTION
33501-91	160 pc fuse assortment
33503-91	152 pc blade fuse assortment
60601-91	80 pc standard blade, mini blade fuse assortment



BLADE FUSES

PART NO.	DESCRIPTION
120-BP	20 Amp, small blade fuse, yellow (5 pk)
966-BP	20 Amp, blade fuse, yellow (5 pk)
9947-14	20 Amp, low profile small blade, yellow (5 pk)
230-11	30 Amp, big blade fuse, green



FUSE HOLDERS

PART NO.	DESCRIPTION
131-11	16 G 15 Amp, small blade holder
977-BP	16 G 15 Amp, blade fuse holder
988-BP	12 G 25-30 Amp with cap blade fuse holder
9711-31	40 Amp - 200 Amp, ANM/AMG fuse holder
206-31	8 GA 60 Amp, big blade in-line fuse holder



SLOW BLOW FUSES


PART NO.	DESCRIPTION
9700-11	80 Amp, bolt on fuse
9722-11	100 Amp, bold on fuse





CIRCUIT BREAKERS

PART NO.	DESCRIPTION
9628-11	Type I mini breaker, 30 A
3788-BP	30 Amp, Type I ATC/ATO plug-in circuit breaker
3794-11	30 Amp, Type I universal automatic reset circuit breaker
3401-31	100 Amp, Type III manual reset circuit breaker
3404-31	150 Amp, Type III manual reset circuit breaker



PICO Code: 931

Website: www.picocanada.com



SHRINK TUBES



MAGMAFLO-DR

PART NO.	DESCRIPTION
8381-43	6MM 4:1 BLK Diesel Resistant MagmaFlo-DR (6 pc x 6")
8382-43	8MM 4:1 BLK Diesel Resistant MagmaFlo-DR (6 pc x 6")
8383-43	12MM 4:1 BLK Diesel Resistant MagmaFlo-DR (6 pc x 6")
8384-43	18MM 4:1 BLK Diesel Resistant MagmaFlo-DR (6 pc x 6")



MAGMAFLO

PART NO.	DESCRIPTION
8361-43	6MM 4:1 BLK MagmaFlo (14 pc x 6")
8362-43	8MM 4:1 BLK MagmaFlo (12 pc x 6")
8363-43	12MM 4:1 BLK MagmaFlo (10 pc x 6")
8364-43	18MM 4:1 BLK MagmaFlo (5 pc x 6")



SHRINK TUBE KITS

PART NO.	DESCRIPTION
30606-91	4:1 Diesel Resistant MagmaFlo-DR Heat Shrink Kit, 22 pc
30607-91	4:1 MagmaFlo Shrink Tube Kit, 22 pc
30602-91	Black & Red Dual Wall 3:1 Shrink Tube Kit, 30 pc x 6"





3:1 SHRINK TUBE

PART NO.	DESCRIPTION
8330-A	3/16" Black DW 3:1 (6 pc x 6")
8331-A	1/4" Black DW 3:1 (6 pc x 6")
8332-A	3/8" Black DW 3:1 (6 pc x 6")
8333-A	1/2" Black DW 3:1 (6 pc x 6")
8335-43	1" Black DW 3:1 (6 pc x 6")





Part #8345-91

SHRINK TUBE ASSORTMENT WITH DISPLAY STAND

- 2:1 SW, 32 pcs
- 3:1 DW, 26 pcs

POWERBRIGHT Code: 908

Website: www.powerbright.com



Part #PW1500-12

PW 1500-12 - 1500 WATT 12 VOLT POWER INVERTER PEAK LOAD POWER RATE: 3000 WATT

Part #PW2300-12

PW 2300-12 - 2300 WATT 12 VOLT POWER INVERTER

PEAK LOAD POWER RATE: 4600 WATT

- Soft Start Technology
- Overload Protection
- Short Circuit Protection
- · High and Low Voltage Protection
- 3 High Speed Thermally Activated Turbo Cooling Fans
- Anodized Aluminum Case with Heat Sink Design (Heat Dissipation)
- Dual AC 110 V Outlets
- · LED Power / Fault Indicator
- Digital LED Volt / Amp Display

Part #PW400-12

PW 400-12 - 400 WATT 12 VOLT POWER INVERTER

PEAK LOAD POWER RATE: 800 WATT

- Soft Start Technology
- Overload Protection
- · Short Circuit Protection
- · Includes Battery Clips
- · High and Low Voltage Protection
- · Electronic Noise Filter
- Dual AC 110 V Outlets
- Anodized Aluminum Case with Heat Sink Design (Heat Dissipation)
- Digital LED Volt / Amp Display
- Includes 12 V DC Cigarette Lighter Connector
- High Speed Thermally Activated Turbo Cooling Fan
- Power Cables for Higher Wattage (above 100 W)

Part #PW3500-12

PW 3500-12 - 3500 WATT 12 VOLT POWER INVERTER

PEAK LOAD POWER RATE: 7000 WATT

- Soft Start Technology
- Overload Protection
- Short Circuit Protection
- High Speed Thermally Activated Turbo Cooling Fan
- High and Low Voltage Protection
- LED Power / Fault Indicator
- Digital LED Volt / Amp Display
- Anodized Aluminum Case with Heat Sink Design (Heat Dissipation)
- Four AC 110 V outlets



Part #APS300

APS 300 - 300 WATT PURE SINE INVERTER

PEAK LOAD POWER RATE: 500 WATT

- Soft Start Technology
- Overload Protection
- Short Circuit Protection
- High Speed Thermally Activated Turbo Cooling Fan
- High and Low Voltage Protection
- Anodized Aluminum Case with Heat Sink Design (Heat Dissipation)
- 120 V AC Outlet
- Available in both 12 V and 24 V DC

Part #XR175-12 **YR 175**-19

XR 175-12 - 175 W 12 VOLT INVERTER

PEAK POWER: 350 WATT

- Soft Start Technology
- Overload Protection
- · Short Circuit Protection
- · Thermally activated cooling fan
- High and Low Voltage Protection
- Single AC 110 V Outlet
- Ultra Slim Technology
- Carbon Fiber Design
- Includes 12 V DC Cigarette Lighter Connector
- Includes Battery Clips
- Power Cables for Higher Wattage (above 100 W)
- USB Charging Port

Part #XR400-12

XR 400 – 400 WATT 12 VOLT POWER INVERTER

PEAK LOAD POWER RATE: 800 WATT

- Soft Start Technology
- Overload Protection
- Short Circuit Protection
- · Thermally Activated Cooling Fan
- · High and Low Voltage Protection
- Dual AC 110 V Outlets
- Carbon Fiber Design
- Includes 12 V DC Cigarette Lighter Connector
- Includes Battery Clips
- Power Cables for Higher Wattage (above 100 W)
- USB Charging Port

Part #APS2200-12

APS 2200-12 - 2200 WATT PURE SINE INVERTER

PEAK LOAD POWER RATE: 4400 WATT

- · Soft Start Technology
- Overload Protection
- · High and Low Voltage Protection
- Electronic Noise Filter
- LED Power / Fault Indicator
- High Speed Thermally Activated Turbo Cooling Fan
- Anodized Aluminum Case for Maximum Heat Dissipation
- Wireless Remote Control (optional)
- Three 120 V AC Outlets







Part #5582

TOGGLE SWITCH

- 2 screw terminals
- 25 A at 12 V DC
- · Silver contacts
- Standard 11/16" (17.5mm) length handle
- Fits panels through 1/4" (6.4 mm)
- Kevway located in the down position
- · Plastic housing with plated steel cap
- · Nickel-plated brass hardware
- Mounting stem: 15/32" -32 thread, 15/32" (11.9 mm) long, nickel-plated brass



TERMINAL BLOCKS

- Terminal block with common, solid brass busbar
- Four 10-32 stud terminals with hex nuts and lock washers
- · Moisture-repellent thermoset plastic insulator base
- Two eyelets for mounting with 3/16" (4.76 mm) screws (not included)
- Evelets are 3.125" (79.4 mm) on centers
- 3 7/8" L x 5/8" W x 27/32" H (44.4 x 15.9 x 21.4 mm)
- · 4-gang



Part #30055-30

CIRCUIT BREAKER - 30 A

- SAE Type I cycling circuit breaker
- Two 10-32 stud terminals
- · Plated steel case
- Snap in type, mounts in a bracket such as Cole Hersee 30090 series
- Indentations on the case hold the breaker securely
- 1.25" L x 0.78" W x 1.33" H (31.8 x 19.8 x 33.8 mm)



Part #48513-01

LOW VOLTAGE BATTERY PROTECTION

· Low voltage disconnect switch with harness 125 A



Part #75920

BATTERY SWITCH

 Master disconnect switch 300/1,000 A waterproof IP67



Part #2484

BATTERY DISCONNECT **SWITCH**

MASTER DISCONNECT **SWITCHES PROTECT** YOUR VEHICLES

- · Master disconnect switch
- Single pole, two positions: off. on
- Two 3/8" 20 copper stud terminals
- · Plated steel case, diecast lever
- UL rated (UL 707B). 175 A continuous, 800 A intermittent, 15 seconds on, 5 minutes off
- UL ratings are conservative: Can handle higher amperages:
- Designed to prevent fires, tampering, theft, battery drain
- Brass mounting stem, 3/4" -16 thread, 23/32" (18.3 mm) long fits panels through 3/16" (4.7 mm) thick



MOMENTARY SWITCHES

- · Push button switch
- SPST
- Off, momentary on, normally off
- 10 A at 12 V DC
- Includes brass housing, stem, plunger button and mounting hardware
- PVC-coated for added protection against moisture and contaminants
- 2 wire leads, 12" (304.80 mm)
- With black snap-on rubber cap
- Mounting stem: 5/8" 32 thread, 15/16" (23.81 mm) long
- Fits panels through 1/2" (12.70 mm) thick



Part #24059

SMART BATTERY ISOLATOR

	PART NO.	DESC.
ĺ	48525	85 A
ĺ	48530	200 A

Part #4825

SOLENOID - 12 V

- · Continuous duty electromechanical solenoid, 85 A
- Ignition and ground terminals: copper 10-32 thread
- Contact terminals: copper 5/16" -24 thread
- SPST insulated



ROCKER **SWITCHES** WITH LED PILOT LIGHTS

Part #58312 Series

PART NO.	DESCRIPTION
58312-G2	SPST On-Off independent green LED*
58312-R2	SPST On-Off independent red LED*
58312-RR2	SPDT On-On dependent red/red LED*
58312-RR	SPDT On-Off-On dependent red/red LED*

^{*}Pilot light, 25 A

PART NO.	DESCRIPTION
58312-A4	Amber LED*
58312-C4	Clear LED*
58312-G4	Green LED*
58312-R4	Red LED*

*SPST On-Off Dependent, pilot light, 25 A

UNITED ABRASIVES/SAIT Code: 640

Website & Online Catalogue: www.unitedabrasives.com



GRINDING WHEELS

- A24N Fast Grinding
- A24R Long Life
- A24T Edge Grinding
- 24Turbo[™] Hard Edge
- A46N Aluminum



THIN HIGH SPEED **CUT-OFF WHEELS**

- A24R General Purpose
- A36T Fast Cutting
- A60T Burr Free
- Saitech Ultimate Performance™

DART NO DECORPORTION	
PAKI NU.	DESCRIPTION
23060	3" x 1/8" x 3/8" – A24R
23040	3" x 1/16" x 3/8" – A36T
23005	2" x 1/16" x 1/4" – A60T
23011	2" x 0.035" x 3/8" - A60T
23021	2-1/2" x 1/16" x 3/8" – A60T
23031	2-1/2" x 0.035" x 3/8" – A60T
23041	3" x 1/16" x 3/8" – A60T
23051	3" x 0.035" x 3/8" – A60T
23066	4" x 1/16" x 3/8" – A60T
23062	4" x 1/16" x 5/8" – A60T
23152	3" x 0.035" x 1/4" - Saitech Ultimate Performance™



PIPELINE CUTTING/NOTCHING/ **GRINDING WHEELS**

• A24R Pipeline – Long Life

Saitech™ Pipeline

PART NO.	DESCRIPTION
22015	4" x 1/8" x 5/8" - A24R Pipeline
22030	4-1/2" x 1/8" x 7/8" - A24R Pipeline
22040	5" x 1/8" x 7/8" - A24R Pipeline
22042	6" x 1/8" x 7/8" - A24R Pipeline
22055	7" x 1/8" x 7/8" - A24R Pipeline
22065	9" x 1/8" x 7/8" - A24R Pipeline
22274	5" x 1/8" x 7/8" - Saitech™ Pipeline


0.045" CUT-OFF WHEELS

THE ULTIMATE CUT.

BEST IN CLASS CUTTING PERFORMANCE.

- Z-Tech High Performance A60S General Purpose
- A46N Aluminum

A46N - Aluminum		
PART NO.	DESCRIPTION	
23334	4-1/2" x 0.045" x 7/8" – Z-Tech Type 27	
23335	5" x 0.045" x 7/8" – Z-Tech Type 27	
23336	6" x 0.045" x 7/8" – Z-Tech Type 27	
23337	7" x 0.045" x 7/8" – Z-Tech Type 27	
23324	4-1/2" x 0.045" x 7/8" – Z-Tech Type 1	
23325	5" x 0.045" x 7/8" – Z-Tech Type 1	
23326	6" x 0.045" x 5/8" – Z-Tech Type 1	
23327	6" x 0.045" x 7/8" – Z-Tech Type 1	
23328	7" x 0.045" x 5/8" – Z-Tech Type 1	
22021	4-1/2" x 0.045" x 7/8" – A60S Type 27	
22071	5" x 0.045" x 7/8" - A60S Type 27	
22047	6" x 0.045" x 7/8" - A60S Type 27	
22053	7" x 0.045" x 7/8" - A60S Type 27	
23101	4-1/2" x 0.045" x 7/8" – A60S Type 1	
23103	5" x 0.045" x 7/8" - A60S Type 1	
23105	6" x 0.045" x 5/8" - A60S Type 1	
23106	6" x 0.045" x 7/8" - A60S Type 1	
23107	7" x 0.045" x 5/8" - A60S Type 1	
22345	4-1/2" x 0.045" x 7/8" – A46N Type 27	
22350	5" x 0.045" x 7/8" - A46N Type 27	
23314	4-1/2" x 0.045" x 7/8" – A46N Type 1	
23315	5" x 0.045" x 7/8" - A46N Type 1	
22230	4-1/2" x 0.045" x 7/8", Ultimate Cut	
22235	5" x 0.045" x 7/8", Ultimate Cut	



LAMINATED DISCS SAIT-LOK-R™

• Z • 2A-H • Z-H

- ZA - Z	▼ ZA·⊓
PART NO.	DESCRIPTION
52271	2" x 36 Grit - 2A, General Purpose
52278	3" x 36 Grit - 2A, General Purpose
55270	2" x 24 Grit Z, Premium
55271	2" x 36 Grit Z, Premium
55277	3" x 24 Grit Z, Premium
55278	3" x 36 Grit Z, Premium
50320	2" x 24 Grit 2A·H, Heavy Duty General Purpose
50321	2" x 36 Grit 2A-H, Heavy Duty General Purpose
50330	3" x 24 Grit 2A·H, Heavy Duty General Purpose
50331	3" x 36 Grit 2A-H, Heavy Duty General Purpose
55450	2" x 24 Grit Z-H, Heavy Duty Premium
55451	2" x 36 Grit Z-H, Heavy Duty Premium
55460	3" x 24 Grit Z-H, Heavy Duty Premium
55461	3" x 36 Grit Z-H, Heavy Duty Premium



UNITED ABRASIVES/SAIT Code: 640

Website & Online Catalogue: www.unitedabrasives.com



COATED SPECIALTY

- Cartridge Roll TA-X Straight
- Spiral Band TA-X

-		
PART NO.	DESCRIPTION	
38074	1/2" x 1-1/2" x 1/8" x 80 Grit – Cartridge Roll – TA-X – Straight	
42022	3/4" x 1-1/2" x 60 Grit – Spiral Band – T/	4-X
42027	1" x 1" x 36 Grit – Spiral Band – TA-X	
42028	1" x 1" x 60 Grit – Spiral Band – TA-X	
42039	1-1/2" x 1-1/2" x 36 Grit – Spiral Band –	TA-X
42040	1-1/2" x 1-1/2" x 60 Grit – Spiral Band –	TA-X
•	<u> </u>	





- Closed coat structure for aggressive stock removal and long life
- · Bulk spindle package of 100 discs keeps discs perfectly flat

PART NO.	DESCRIPTION
59324	5" x 7/8" x 24 Grit – Z
59336	5" x 7/8" x 36 Grit – Z



ABRASIVE SHEETS

- Aluminum Oxide (DA-F) 9" x 11" Sheets
- Aluminum Oxide (AW-C and AW-D) 9" x 11" Sheets
- Waterproof Silicon Carbide (CW-C) 9" x 11" Sheets
- · Zirconium Fileboard Sheets (Z-F)

PART NO.	DESCRIPTION
84909	DA-F 50 Grit
84911	DA-F 80 Grit
84913	DA-F 120 Grit
84915	DA-F 180 Grit
84200	AW-C 150C Grit
84202	AW-C 220C Grit
84204	AW-C 320C Grit
84206	AW-C 500C Grit
84103	AW-C 80D Grit
84104	AW-C 100D Grit
84105	AW-C 120D Grit
84249	CW-C 80C Grit
84251	CW-C 120C Grit
84253	CW-C 180C Grit
84255	CW-C 240C Grit
84257	CW-C 400C Grit
84173	2-3/4" x 17-1/2" x 80D Grit Zirconium Fileboard Sheet

PSA / HOOK AND LOOP DISCS

- 3S Stearate Aluminum Oxide PSA Discs
- 4S/4V Premium Stearated Aluminum Oxide PSA Discs
- Silicon Carbide Heavy Duty C-E/C-F Hook and Loop Discs

	DESCRIPTION		
3S STEARATE ALUMINUM OXIDE PSA DISCS			
36620	6" x 80C		
36622	6" x 120C		
36623	6" x 150C		
36624	6" x 180C		
36625	6" x 220C		
	4S/4V PREMIUM STEARATED ALUMINUM OXIDE PSA DISCS		
37605	6" x 80C		
37607	6" x 120C		
37608	6" x 150C		
37609	6" x 180C		
37610	6" x 220C		
SILICON CARBIDE HEAVY DUTY C-E/C-F HOOK AND LOOP DISCS			
34512	5" x 60 Grit		
34514	5" x 100 Grit		
34518	5" x 220 Grit		
34522	5" x 400 Grit		

NON-WOVEN SAND LIGHT DISCS SAIT-LOK-R™

- Brown
- Maroon
- Blue



PART NO.	DESCRIPTION
77306	2" Coarse (Brown)
77308	2" Medium (Maroon)
77309	2" Very Fine (Blue)
77312	3" Coarse (Brown)
77314	3" Medium (Maroon)
77315	3" Very Fine (Blue)





UNITED ABRASIVES/SAIT Code: 640

Website & Online Catalogue: www.unitedabrasives.com

DA-F SHOP ROLLS

- · Excellent flexibility and durability
- · Primarily for hand applications



PART NO.	DESCRIPTION
80806	1-1/2" x 50 YDS 80 x Handy Roll
81006	1-1/2" x 50 YDS 100 x Handy Roll
81206	1-1/2" x 50 YDS 120 x Handy Roll
81506	1-1/2" x 50 YDS 150 x Handy Roll
81806	1-1/2" x 50 YDS 180 x Handy Roll
82206	1-1/2" x 50 YDS 220 x Handy Roll
80820	2" x 50 YDS 80 x Handy Roll
81020	2" x 50 YDS 100 x Handy Roll
81220	2" x 50 YDS 120 x Handy Roll
81520	2" x 50 YDS 150 x Handy Roll
81820	2" x 50 YDS 180 x Handy Roll
82220	2" x 50 YDS 220 x Handy Roll

ENCORE FLAP DISCS TYPE 29

- Long life
- Made with premium zirconium grain
- Will not contaminate stainless steel
- Grind, blend and finish with one product



PART NO.	DESCRIPTION
79105	Encore T29 4-1/2" x 7/8" Z36x
79106	Encore T29 4-1/2" x 7/8" Z40x
79108	Encore T29 4-1/2" x 7/8" Z60x
79109	Encore T29 4-1/2" x 7/8" Z80x
79111	Encore T29 4-1/2" x 7/8" Z120x
79125	Encore T29 5" x 7/8" Z36x
79126	Encore T29 5" x 7/8" Z40x
79128	Encore T29 5" x 7/8" Z60x
79129	Encore T29 5" x 7/8" Z80x
79131	Encore T29 5" x 7/8" Z120x







SC SF SG

TUNGSTEN CARBIDE BURS

• Use for deburring and finishing on ferrous metals

PART NO.	DESCRIPTION
45000	SA1 DC 1/4" x 5/8" x 1/4"
45001	SA3 DC 3/8" x 3/4" x 1/4"
45002	SA5 DC 1/2" x 1" x 1/4"
45004	SB3 DC 3/8" x 3/4" x 1/4"
45005	SC1 DC 1/4" x 5/8" x 1/4"
45006	SC3 DC 3/8" x 3/4" x 1/4"
45007	SC5 DC 1/2" x 1" x 1/4"
45020	SF1 DC 1/4" x 5/8" x 1/4"
45021	SF3 DC 3/8" x 3/4" x 1/4"
45022	SF5 DC 1/2" x 1" x 1/4"
45030	SG1 DC 1/4" x 5/8" x 1/4"
45031	SG3 DC 3/8" x 3/4" x 1/4"
45032	SG5 DC 1/2" x 1" x 1/4"



SAIT ENCORE MINI FLAP DISCS

- Long life performance
- For use in confined spaces
- More material and longer life than a single layer laminated disc

PART NO.	DESCRIPTION
74820	2" Encore Flap SAITLOK-R 40x
74822	2" Encore Flap SAITLOK-R 60x
74823	2" Encore Flap SAITLOK-R 80x
74825	2" Encore Flap SAITLOK-R 120x
74830	3" Encore Flap SAITLOK-R 40x
74832	3" Encore Flap SAITLOK-R 60x
74833	3" Encore Flap SAITLOK-R 80x
74835	3" Encore Flap SAITLOK-R 120x

Part # 24500

CHOP SAW WHEEL

- Fast cutting on thin metals
- 14 x 3/32 x 1 EZ, Chop Attacker



NON-WOVEN SAIT STRIP

• Fast, safe removal on surface contaminants

PART NO.	DESCRIPTION
77270	4" x 1/4" SAIT Strip Discs
77230	T27 4-1/2" x 1/2" x 7/8" SAIT Strip
77355	3" SAIT-LOK R SAIT Strip



WIRE BRUSHES

PART NO.	DESCRIPTION		
KNOT WIRE -	KNOT WIRE - FOR LOW TO MEDIUM FLEXIBILITY AND AGGRESSIVE CUTTING ACTION		
03501	2-3/4" x 0.020" CS x 5/8-11" Knot Cup		
03407	4" x 0.020" x 5/8-11" Knot Cup		
03409	6" x 0.020" x 5/8-11" Knot Cup 1 Row		
CRIMPED - HIGHER FLEXIBILITY FOR LIGHT CLEANING			
03450	4" x 0.014" CS 5/8-11" Crimp Wheel		
09552	5" x 0.020" x 5/8-11" Crimp Cup		







PHILLIPS & TEMRO INDUSTRIES Code: 810

Website & Online Catalogue: www.phillipsandtemro.com



TEMRO COLD WEATHER ENGINE IMMERSION HEATERS



Part #3500013
For use in heavy duty applications of Caterpillar and John Deere models 1500 W



For use in heavy duty applications of Caterpillar and Detroit diesel models 1500 W



Part #3500038 For use in heavy duty applications of Cummins engines 1500 W



TEMRO INDUSTRIAL TANK HEATER

- Series 41 1500 W shown
- · Additional configurations available



TEMRO MAGNETIC HEATER

SUPER HEAT MAGNET

• 200 W - 120 V AC with quick grip handle to protect hands from heat



TEMRO LOWER RADIATOR HEATER

 Installs in minutes for dependable starts

PART NO.	FITS HOSE SIZE	WATT
3200001	1"	375
3200002	1-1/4"	375
3200003	1-1/2"	600
3200004	1-3/4"	600
3200005	2"	600

Part #8203237

TEMRO DIESEL STARTING FLUID INSTALLATION KIT

- Installation kit for most class 7 and 8 vehicles
- Starting fluid cylinder sold separately



Part #8200327

TEMRO DIESEL STARTING FLUID CYLINDERS

- Cold weather D.O.T. approved replacement starting fluid cylinders
- 18 oz with 1" neck
- 1" x 20 thread



Part #7000101

TEMRO CAB AND CARGO HEATER

- Model 100 12 V, 17,500 BTU shown
- · Additional configurations available



Part #8605688

TEMRO WEATHERPROOF RECEPTACLES

- · Cold weather field wired receptacle
- 120 V, 15 A with 4-holed, chrome plated, square mounting flange





DONALDSON Code: 780

Website: www.donaldson.com

TRUCK MUFFLERS

FOR EVERY BUDGET - DONALDSON IS THE MARKET LEADER IN HEAVY-DUTY MUFFLERS FOR BOTH ON AND OFF-ROAD VEHICLES



Part #M100465





Part #M101158 Part #M101181

- The M100465 is the most common, most popular service muffler in the industry
- Low back pressure provides good fuel economy and efficient engine performance

- The M100580 meets all OEM back pressure, strength and life requirements
- Quieter than the M100465

- 1 million mile warranty on M101158 stainless steel Silent Partner™
- 500,000 mile warranty on M101181 aluminized steel Silent Partner™
- Superior acoustic performance specifically addresses engine brake noise by silencing engine brake "bark"

CLAMPS

U-BOLT CLAMP: DOUBLE FLAT BAND

- · Available in both zinc and chrome
- Fits O.D. pipe 3" (76 mm) to 6" (152 mm)
- All models 3/8-16" UNC-2A

PART NO.	DESCRIPTION
P206602	4" O.D. (102 mm) Zinc
P206603	5" O.D. (127 mm) Zinc
P207596	6" O.D. (152 mm) Zinc

STEPPED SEALCLAMP

SealClamp™ Band Clamps- seal muffler inlets, outlets, elbow joints flex pipes and other system connections

- Stepped preformed models work on any overlapping I.D. to O.D. joint and fit O.D. pipe 2.50" (64 mm) to 6" (152 mm)
- Flat band models fit O.D. pipe 2" (51 mm) to 6" (152 mm)
- · Available in both stainless and aluminized steel
- Minimizes noise and exhaust gas leaks
- Easy to install, no welding or system disconnection needed

PART NO.	DESCRIPTION
X007784	4" O.D. (102 mm) Stainless
X007785	5" O.D. (127 mm) Stainless
X009076	6" O.D. (152 mm) Stainless



STACK CAPS

Designed to be used on vertically mounted mufflers or stack pipes, protects against water and debris. Available in zinc plated and chrome.

PART NO.	DESCRIPTION	
P270539	4" (102 mm) Zinc Plated	10
P270540	4.5" (114 mm) Zinc Plated	9
P270541	5" (127 mm) Zinc Plated	
P206342	5.5" (140 mm) Zinc Plated	
P206343	6" (152 mm) Zinc Plated	

FLEX & STRAIGHT TUBING

FLEX TUBING - 10 FT LENGTH

• Available in both stainless and galvanized steel, in 10' (3 m) or 25' (7.6 m) lengths

• Sized by flex I.D. 2" (51 mm) to 6" (152 mm)

PART NO.	DESCRIPTION
P226146	4" I.D. (102 mm) Stainless
P226147	5" I.D. (127 mm) Stainless
P226153	6" I.D. (152 mm) Stainless



INTAKE STRAIGHT TUBING

- · Available in stainless and aluminized steel
- 10' (3 m) lengths fit 0.D. pipes 2" (51 mm) to 6" (152 mm)

PART NO.	DESCRIPTION
P207367	4" I.D. (102 mm) Aluminum
P206849	5" I.D. (127 mm) Aluminum
P206850	6" I.D. (152 mm) Aluminum



EXHAUST STRAIGHT TUBING

- · Available in stainless and aluminized steel
- 10' (3 m) lengths fit O.D. pipes 2" (51 mm) to 6" (152 mm)

PART NO.	DESCRIPTION
P206336	4" I.D. (102 mm) Aluminum
P206337	5" I.D. (127 mm) Aluminum
P206338	6" I.D. (152 mm) Aluminum



STANDARD CUT TO LENGTH FLEX TUBING

- Also available: Cut Lengths with Finished Ends, Long-Life Cut-to-Length
- · Available in stainless and galvanized steel
- 12", 18", 24", 30" and 36" lengths
- Sized by flex I.D. 3" (76 mm) to 6" (152 mm)
- Deburred ends

PART NO.	DESCRIPTION
J240006	4" I.D. (102 mm) 12" Length Stainless
J240007	5" I.D. (127 mm) 12" Length Stainless
P206556	6" I.D. (152 mm) 18" Length Stainless



DONALDSON Code: 780

Website: www.donaldson.com



EXHAUST SYSTEM ELBOWS: 45°, 60° AND 90°

45° OD-OD

- · Provides directional changes to flow in exhaust system
- · Aluminized or chrome plated steel
- Varving O.D.-I.D. and O.D.-O.D. diameters of 2" (51 mm) to 6" (152 mm), depending on angle
- · Varving leg lengths and center line radius

PART NO.	DESCRIPTION
P207353	4" (102 mm) Aluminized 6"A x 6"B x 5"R
P207354	5" (127 mm) Aluminized 6"A x 6"B x 5"R
P207355	6" (152 mm) Aluminized 6"A x 6"B x 5"R

60° OD-OD

- Provides directional changes to flow in exhaust system
- · Aluminized or chrome plated steel
- Varying O.D.-I.D. and O.D.-O.D. diameters of 2" (51 mm) to 6" (152 mm), depending on angle
- · Varying leg lengths and center line radius

PART NO.	DESCRIPTION
J009644	4" (102 mm) Aluminized 8"A & B x 5"R
J009645	5" (127 mm) Aluminized 8"A & B x 5.5"R

90° OD-OD

- · Provides directional changes to flow in exhaust system
- · Aluminized or chrome plated steel
- Varying O.D.-I.D. and O.D.-O.D. diameters of 2" (51 mm) to 6" (152 mm), depending on angle
- · Varying leg lengths and center line radius

PART NO.	DESCRIPTION
P207330	4" (102 mm) Aluminized 9"A x 15"B x 4"R
P207332	5" (127 mm) Aluminized 11"A x 16"B x 5.5"R
P216175	6" (152 mm) Aluminized 23"A x 23"B x 10"R



REDUCERS CONNECTORS AND EXPANDERS

Shorter length tubes used for connecting two other exhaust pipes of different or the same diameters.





STACK OR TAIL PIPES

Curved, straight, long 90° or dump truck stacks – Donaldson has what you need and in a choice of materials including bright stainless, chrome and aluminized.



MUFFLER BODY BAND CLAMPS

Available for traditional mufflers with high temperature black finish and heavy-duty mufflers in either zincplated or aluminized mild steel.



EXHAUST CLAMPS

Exhaust systems use a variety of exhaust clamps. Selecting the proper clamp for the job is critical to a strong, reliable joint connection. Donaldson offers u-bolt, band clamp, bent bolt clamp and v-band clamps in a variety of styles, sizes and materials.

HANGERS

MUFFLER HANGERS

· Secures the muffler horizontally or vertically

PART NO.	DESCRIPTION
P206515	6" (152 mm) Diameter
P206516	7" (178 mm) Diameter
P206517	8.5" (216 mm) Diameter

PIPE HANGERS

· Secures the pipe horizontally or vertically.

PART NO.	DESCRIPTION
P206523	3" (76 mm) Diameter
P206524	3.5" (89 mm) Diameter
P206525	4" (102 mm) Diameter





RESONATOR

Secondary noise reduction component that generally provides additional noise reduction.



SPARK ARRESTOR

An exhaust system add-on used to capture sparks emitted from internal combustion engines through the exhaust system.



SPLITTER TEE ADAPTER

An adapter pipe with one inlet and two outlet tubes, used to convert a single exhaust system to a dual exhaust system.



WYE CONNECTOR

For joining legs of dual manifold outlet to form a single exhaust system. Can provide additional noise reduction over that of the primary muffler.



CHAMPION Code: 290

Website: www.alwaysachampion.com Online Catalogue: www.fme-cat.com

POWER SPORT SPARK PLUGS

OPTIMIZE PERFORMANCE!

Passive resistors and fine wire centre electrodes deliver more spark energy and focused spark for sure starts, power and faster throttle response for all types of powered sport vehicles, including motorcycles, all-terrain vehicles (ATVs), snowmobiles and personal watercrafts (PWCs).

PART NO.	DESCRIPTION		
8809-1	12 mm thread size, 19 mm (3/4") reach, 11/16" (18 mm) hex size, gasket seat, resistor, removable terminal nut, 0.030 " core nose projection, copper core, heat range 8		
8902-1	Racing plug, 14 mm thread size, 19 mm (3/4") reach, 13/16" (20.6 mm) hex size, gasket seat, non-resistor, copper core, heat range 16		
8339-1	Racing plug, 14 mm thread size, 19 mm (3/4") reach, 13/16" (20.6 mm) hex size, gasket seat, non-resistor, projected tip, copper core, heat range 78		
8810-1	Racing plug, 12 mm thread size, 19 mm (3/4") reach, 11/16" (18 mm) hex size, gasket seat, resistor, 0.030" core nose projection,copper core, heat range 76		





EZ START™ SPARK PLUGS

THE ONE TUG PLUG™

- Starts easier in all conditions!
- Booster gap with fine-wire electrode maximizes energy flow into a concentrated spark
- Maximum anti-foul resistance

PART NO.	DESCRIPTION
5861	14 mm thread size, 9.5mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, non-resistor, heat range 19
5843	14 mm thread size, 9.5mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, resistor, heat range 8
5851	14 mm thread size, 8.25 mm (0.325") reach, 5/8" (16 mm) hex size, tapered seat, non-resistor, cut back ground with modified gap, heat range 6
5071	14 mm thread size, 19 mm (3/4") reach, 5/8" (16 mm) hex size, gasket seat, copper core, projected tip, heat range 12
5846	14 mm thread size, 9.5 mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, resistor, heat range 14





MARINE SPARK PLUGS

STARTS EASILY AND WON'T LEAVE OPERATORS STRANDED!

- For all marine applications, inboards (incl. diesel engines requiring glow plugs), outboards, jet boats or personal watercrafts (PWC)
- Stainless steel threads never rust
- Easy to remove
- Well-suited for saltwater environments

PART NO.	DESCRIPTION
828M	14 mm thread size, 12.7 mm (1/2") reach, 13/16" (20.6 mm) hex size, gasket seat, inductive resistor, cut back ground with modified gap, marine plug, heat range 77





SMALL ENGINE SPARK PLUGS

UPGRADE FOR EASIER STARTING, HIGHER PERFORMANCE!

- For a wide range of lawn and garden power equipment
- Chosen as original equipment by many small engine manufacturers

PART NO.	DESCRIPTION
868	14 mm thread size, 9.5 mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, resistor, special for lawn mowers, heat range 19
861	14 mm thread size, 9.5 mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, non-resistor, special for lawn mowers, heat range 19
843	14 mm thread size, 9.5 mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, non-resistor, heat range 8
852	14 mm thread size, 9.5 mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, resistor, projected tip, heat range 6
810	12 mm thread size, 19 mm (3/4") reach, 11/16" (18 mm) hex size, gasket seat, resistor, 0.030" projected core nose, copper core, removable terminal nut, 0.024" (0.61 mm) gap, heat range 8
123	14 mm thread size, 19 mm (3/4") reach, 13/16" (20.6 mm) hex size, gasket seat, resistor, copper core, heat range 5
848	14 mm thread size, 9.5 mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, non-resistor, projected tip, heat range 8
841	14 mm thread size, 9.5 mm (3/8") reach, 13/16" (20.6 mm) hex size, gasket seat, non-resistor, copper core, heat range 8



CHAMPION INDUSTRIAL SPARK PLUGS

MAXIMUM PERFORMANCE™, LONG SERVICE LIFE!

The technology of choice for engine manufacturers worldwide. Delivers a consistently focused spark and offers maximum performance regardless of engine or ignition type.

PART NO.	DESCRIPTION	
530	RN79G; Gasket Seat; Hex Size, 13/16"; Thread Size, 14mm; Thread Reach, 3/4"; Gap (Inch), 0.013-0.016; Gap (MM), 0.33-0.41; CE, Nickel Copper Alloy; GE, Nickel Copper Alloy; Resistor Plug	
634	RB77WPCC; Gasket Seat; Hex Size, 7/8"; Thread Size, 18mm; Thread Reach, 13/16"; Gap (Inch), 0.01-0.013; Gap (MM), 0.25-0.33; CE, Iridium Firing Tip; GE, Platinum Pad Surface; Resistor Plug	
540	RTN79G; Gasket Seat; Hex Size, 15/16"; Thread Size, 14mm; Thread Reach, 3/4"; Gap (Inch), 0.013-0.016; Gap (MM), 0.33-0.41; CE, Nickel Copper Alloy; GE, Nickel Copper Alloy; Resistor Plug	
519	RM77N; Gasket Seat; Hex Size, 7/8"; Thread Size, 18mm; Thread Reach, 13.5mm; Gap (Inch), 0.01-0.013; Gap (MM), 0.25-0.33; CE, Nickel Copper Alloy; GE, Nickel Copper Alloy; Resistor Plug	
229	KB77WPCC; Gasket Seat; Hex Size, 7/8"; Thread Size, 18mm; Thread Reach, 13/16"; Gap (Inch), 0.01-0.013; Gap (MM), 0.25- 0.33; CE, Iridium Firing Tip; GE, Platinum Pad Surface; Resistor Plug	
535	RL15B; Gasket Seat; Hex Size, 13/16"; Thread Size, 14mm; Threa Reach, 1/2"; Gap (Inch), 0.013-0.016; Gap (MM), 0.33-0.41; CE, Nickel Copper Alloy; GE, Nickel Copper Alloy; Resistor Plug	
641	RM77N; Gasket Seat; Hex Size, 7/8"; Thread Size, 18mm; Thread Reach, 13.5mm; Gap (Inch), 0.01-0.013; Gap (MM), 0.25-0.33; CE, Nickel Copper Alloy; GE, Nickel Copper Alloy; Resistor Plug	

SKF Code: 360

Website & Online Catalogue: www.vsm.skf.com

AG BEARINGS AND SEALS

SKF is your source for premium AG Bearings and Seals.



BEARINGS

PART NO.	DESCRIPTION
RA100-RRB	1" Non-greasable Spherical Adapter Bearing
RA103-RRB2	1-1/4" Non-greasable Spherical Adapter Bearing
GRA100-RRB	1" Greasable Spherical Adapter Bearing
RA100-RR	1" Non-greasable Cylindrical Adapter Bearing
W209-PPB4	1-1/2" Round Bore Non-greasable Disc Harrow Bearing
GW211-PPB2	2-3/16" Round Bore Greasable Disc Harrow Bearing
DHU491-A	1-3/4" Round Flanged Disc Harrow Bearing Assembly
GW211-PPB3	1-1/2" Square Bore Greasable Disc Harrow Bearing
RAK1	1" Pillow Block Assembly
RAK1-1/4	1-1/4" Pillow Block Assembly
G1108-KRRB	1-1/2" Greasable Spherical Adapter Bearing
G1100-KRRB	1" Greasable Spherical Adapter Bearing
G1112-KRRB	1-3/4" Greasable Spherical Adapter Bearing
P204-RR6	3/4" Special AG Bearing-Mower Spindle
GRA103RRB2	1-1/4" Greasable Spherical Adapter Bearing

SEALS

SEAL PART NO.	SHAFT/ID	BORE/OD	WIDTH	SPEEDI- SLEEVE PART NO.
21352	2.1250	3.371	0.375	99212
17617	1.750	2.718	0.359	99174
12407	1.250	1.979	0.250	99125
22558	2.250	3.371	0.438	99225
17404	1.750	2.561	0.313	99174
10035	1.000	1.781	0.469	99100
16069	1.625	2.328	0.438	99162
22532	2.250	3.371	0.438	99225
12165	1.219	1.979	0.475	99123
24898	2.500	3.251	0.375	99250
22550	2.250	3.375	0.375	99225
17413	1.750	2.569	0.313	99174

WEATHERHEAD Code: 129

Website: www.whdcanada.com

WEATHERHEAD

BRASS FITTINGS

Weatherhead has been a manufacturer of fittings for over 30 years and can supply you with all of your brass requirements! Demand the quality only Weatherhead can provide. For a full list of products and part numbers please contact Technical Support at 1.800.265.6434



CABINET

A cabinet containing 63 drawers that can be divided into two or three sections. The bright color and attractive design make the stock cabinet a nice addition to any store front.

- 30 1/4" wide x 25" high x 9 1/4" deep
- 61 lbs



FIELD ATTACHABLE AIR BRAKE MALE CONNECTORS

- DOT approved
- Can be used for nearly any air brake line
- Brass material offers excellent resistance against corrosion
- · Available with spring guard
- Female connectors, hose menders and adapters also available



COILED AIR BRAKE TUBING ASSEMBLIES

- Synflex Eclipse air brake tubing
- Superior abrasion resistance
- Flexible
- · Easy to cut
- Other sizes and colours available

PART NO.	DESCRIPTION
15CA12-12	15 Foot Coil Air Set with 12"Pigtail
15CA48-12	15 Foot Coil Air Set with 48"Pigtail



AIR BRAKE HOSE

- SAE J1402 A DOT All Approved
- · Synthetic EPDM inner tube and cover
- Multi-fibre braid reinforcement
- 225 PSI working pressure
- Assemblies available in many sizes, lengths and configurations

PART NO.	DESCRIPTION
H33806	3/8" Rubber Air Brake Hose
H33808	1/2" Rubber Air Brake Hose
	_





PART NO.	DESCRIPTION
33806B-Y24	3/8" Air Brake Hose x 1/4" Male Connector
33806B-Y26	3/8" Air Brake Hose x 3/8" Male Connector
33806B-Y28	3/8" Air Brake Hose x 1/2" Male Connector
33808B-Y26	1/2" Air Brake Hose x 3/8" Male Connector
33808B-Y28	1/2" Air Brake Hose x 1/2" Male Connector

PART NO.	DESCRIPTION	
33806B-Y34	3/8" Air Brake Hose x 1/4" Male Connector with Spring Guard	
33806B-Y36	3/8" Air Brake Hose x 3/8" Male Connector with Spring Guard	
33806B-Y38	3/8" Air Brake Hose x 1/2" Male Connector with Spring Guard	
33808B-Y36	1/2" Air Brake Hose x 3/8" Male Connector with Spring Guard	
33808B-Y38	1/2" Air Brake Hose x 1/2" Male Connector with Spring Guard	

WEATHERHEAD Code: 129

Website: www.whdcanada.com

WEATHERHEAD

BRASS ASSORTMENT WITH CABINET

Organize your brass in an attractive 63 drawer cabinet. It includes a stock of 100 fast moving brass parts to better service your customers. You can expand or divide the clear, easy to inventory, super-sized, plastic drawers in half or thirds with the plastic dividers provided. Illustrated, colour-coded labels provide instant identification of drawer contents.

Part #CA-631

PART SERIES	DESCRIPTION
105X	Inverted Flare Tube Nuts (Steel)
131X	Inverted Flare Plugs (Steel)
135 & 145	Drain Cocks
202X	Inverted Flare X Male NPT
302X	Inverted Flare Unions
402X	Inverted Flare X Male NPT 90 Elbows
3150X	Pipe Slotted Plugs
3151X	Pipe Square Head Plugs
3152X	Pipe Hex Head Plugs
3200X	Pipe Adapters
3220X	Pipe Bushings
3300X	Pipe Couplings
3325X - 3328X	Pipe Nipples
3350X	Pipe 45 Street Elbows
3400X	Pipe Street Elbows

PART SERIES	DESCRIPTION
3700X	Pipe Tees
3750X	Pipe Run Tees
41X	SAE 45 Flare Long Nuts
48X	SAE 45 Flare X Male NPT Connectors
49X	SAE 45 Flare X Male NPT 90 Elbows
60X	Compression Sleeves
61X	Compression Nuts
62X	Compression Unions
68X	Compression X Male NPT Connectors
69X	Compression X Male NPT 90 Elbows
C-63X	Cabinet
CL-490	Labels



AIR BRAKE SERVICE KIT

- · Designed for shop, field use or the cab of a truck
- · Double sided case with handle

PART NO.	DESCRIPTION	QTY.
1460X10	Air Brake Tube Sleeve 5/8"	2
1460X4	Air Brake Tube Sleeve 1/4"	3
1460X6	Air Brake Tube Sleeve 3/8"	3
1460X8	Air Brake Tube Sleeve 1/2"	3
1461X10	Air Brake Tube Nut 5/8"	2
1461X4	Air Brake Tube Nut 1/4"	3
1461X6	Air Brake Tube Nut 3/8"	3
1461X8	Air Brake Tube Nut 1/2"	3
1462X10	Air Brake Tube Union 5/8"	1
1462X4	Air Brake Tube Union 1/4"	2
1462X6	Air Brake Tube Union 3/8"	2
1462X8	Air Brake Tube Union 1/2"	2
1468X4	Air Brake 1/4" Tube x 1/8" MPT	2
1468X4X4	Air Brake 1/4" Tube x 1/4" MPT	2
1468X6	Air Brake 3/8" Tube x 1/4" MPT	2
1468X6X6	Air Brake 3/8" Tube x 3/8" MPT	2
1468X8	Air Brake 1/2" Tube x 3/8" MPT	2
1469X4	Air Brake 1/4" Tube x 1/8" MPT 90	2
1469X4X4	Air Brake 1/4" Tube x 1/4" MPT 90	2
1469X6	Air Brake 3/8" Tube x 1/4" MPT 90	2
1469X6X6	Air Brake 3/8" Tube x 3/8" MPT 90	2

PART NO.	DESCRIPTION	QTY.
1469X8	Air Brake 1/2" Tube x 3/8" MPT 90	2
1484X10	Air Brake Insert 5/8"	3
1484X4	Air Brake Insert 1/4"	3
1484X6	Air Brake Insert 3/8"	3
1484X8	Air Brake Insert 1/2"	3
3152X4	Pipe Hex Head Plug 1/4"	3
3152X6	Pipe Hex Head Plug 3/8"	2
3152X8	Pipe Hex Head Plug 1/2"	2
3220X4X2	Pipe Bushing 1/4" x 1/8"	3
3220X6X4	Pipe Bushing 3/8" x 1/4" 2	
3220X8X6	Pipe Bushing 1/2" x 3/8"	
3300X2	Pipe Coupling 1/8"	
3300X4	Pipe Coupling 1/4"	
3300X6	Pipe Coupling 3/8"	2
3300X8	Pipe Coupling 1/2"	1
3325X4	Pipe Hex Nipple 1/4"	3
3325X6	Pipe Hex Nipple 3/8"	2
3325X8	Pipe Hex Nipple 1/2"	
3400X4	Pipe Street Elbow 1/4"	
3400X6	Pipe Street Elbow 3/8"	2

Part #WSA-2



EMHART TEKNOLOGIES Code: 530

Website: www.emhartamericas.com

HeliCoil

POP'

Part #5626-150





HELI-COIL® MASTER THREAD REPAIR SETS

· All master sets include a drill, tap, installation tool and quantity of inserts of the most common thread repair sizes

PART NO.	PRODUCT TITLE	DESCRIPTION
5621	Inch Coarse Master	For 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13
5625	Inch Fine Master	For 10-32, 1/4-28, 5/16-24, 3/8-24, 7/16-20, 1/2-20
5626-150	Metric Coarse Master	For M5x0.8, M6x1, M8x1.25 and M10x1.25
5626-125	Metric Fine Master	For M5x0.8, M6x1, M8x1.25 and M10x1.25



SPARK PLUG AND SAV-A-THREAD® MASTER REPAIR SETS

- Sav-A-Thread is the easiest way to permanently repair stripped spark plug thread holes
- All master sets include a piloted reamer tap, (no drilling necessary), an installation tool and quantity of inserts

PART NO.	PRODUCT TITLE	DESCRIPTION
5334-14	Sav-A-Thread® Spark Plug Kit	M14 x 1.25, includes 1 short, 1 normal and 1 long insert per kit
5408-14	Sav-A-Thread® Spark Plug Kit	M1 4 x1.25, includes 6 short, 6 normal and 6 long inserts per kit
5396-14	Sav-A-Thread® HT Spark Plug Kit	M14 x 1.25, for Ford 4.6 + 5.4 L Engines
5396-16	Sav-A-Thread® 3 Valve Head Spark Plug Thread Kit	M16 x 1.5, for 4.6 + 5.4 L Ford Triton Engines

POP KITS

PART NO.	KIT TYPE	DESCRIPTION
PS15-KIT	POP Set® Kit	Manual rivet tool kit comes with rivet tool with 200 different rivet varieties in multiple sizes and back up plates
PNT110-I-KIT POP Nut® Kit Inch		Manual threaded insert tool kit comes with tool, mandrel and nosepieces for 8-32, 10-24, 10-32, 1/4-20
PNT110-M-KIT POP Nut® Kit Metric		Manual threaded insert tool kit comes with tool, mandrel and nose pieces for M4, M5, M6







REPAIR KITS

THREAD



PART NO.	SIZE	SERIES
5546-8	M8 x 1.25 x 12.0 mm	Metric, Coarse
5521-6	3/8-16 x 0.562"	Inch, Coarse
5521-5	5/16-18 x 0.469"	Inch, Coarse
5546-10	M10 x 1.5 x 15.0 mm	Metric, Coarse
5546-6	M6 x 1 x 9.0 mm	Metric, Coarse
5543-10	M10 x 1.25 x 15.0 mm	Metric, Fine
5521-4	1/4-20 x 0.375"	Inch, Coarse
5521-7	7/16-14 x 0.656"	Inch, Coarse
5528-5	5/16-24 x 0.469"	Inch, Fine

HELI-COIL BULK INSERTS

- Used for higher quantity applications
- Each size comes in three different lengths:

Short (length same as diameter of bolt/ screw), Medium (1-1/2 X diameter of bolt/screw), Long, (2 X diameter of bolt/screw)

•	Multiple size
	available



PART NO.	SIZE	SERIES
1191-6CN562	3/8-24 x 0.562"	Inch, Fine
1185-7CN438	7/16-14 x 0.438"	Inch, Coarse
1185-6CN562	3/8-16 x 0.562"	Inch, Coarse
1084-10CN100	M10 x 1.5 x 10.0 mm	Metric, Coarse

HELI-COIL PACKAGED INSERTS

- · Packaged according to thread size
- Length in inches and metric = 1-1/2 X diameter of the bolt
- Multiple sizes available

PART NO.	SIZE	SERIES
R1191-5	5/16-24 x 0.469"	Inch, Fine, 12 pk
R1185-4	1/4-20 x 0.375"	Inch, Coarse, 12 pk
R1185-6	3/8-16 x 0.562"	Inch, Coarse, 12 pk
R1084-8	M8 x 1.25 x 12.0 mm	Metric, Coarse, 12 pk

POP® RIVETS

- Ideal for structural repairs, body and collision work, modifications, parts and accessory mounting and other in-shop applications
- Rivet Types: Open end, Closed end and T-Rivets
- Head Styles: Dome Head, Large Flange and Countersunk

PART NO.	SIZE
59442	SD44 STL RVT 100BX
59447	SD48 STL RVT 100BX
59493	ADL68-A ALUM RVT 100BX
59490	AD66-A ALUM RVT 100BX

Part #60980



POP® BODY SHOP RIVET ASSORTMENT

Contains 265 assorted special application rivets for the most common repairs

STENS Code: 710

Website: www.stens.com



STENS REPLACEMENT PARTS

Stens carries over 7,000 quality products including blades, belts, filters, saw chain and bars, spark plugs, and internal engine parts. Stens also carries a variety of universal products such as oil, lubricants, safety gear, trimmer line, tools, and hardware.



AIR FILTER

Part #102-549

Replacement Briggs and Stratton

- Fits models 112200, 12A800-12T899, 92200 and 128700-129799 series
- For 3 through 5 HP horizontal, 3.5 through 6 HP (12 CID) Quantum and 6 HP (13 CID) vertical engines
- 4 1/2" W x 5 1/4" L x 3/4" HT
- Uses Stens 100-446 or 100-442 pre-filters



Replacement Honda Honda code 5222211

- Fits model GX240; for 8 HP engines
- Not compatible with greater than 10% ethanol fuel



AIR FILTER

Part #102-305

Replacement Ariens, Bad Boy, Briggs and Stratton, Case, Club Car, Exmark, E-Z-Go, Ferris, Grasshopper, Gravely, Hustler, Jacobsen, John Deere, Kawasaki, Kohler, Kubota, Snapper Pro, Toro, Yanmar

- Fits models 540000 and 610000 series
- 2 1/2" ID x 4 1/8" OD x 10 3/4" HT
- Uses Stens 100-780 inner filter



OIL FILTER

Part #120-345

Replacement Bad Boy, Bobcat, Briggs and Stratton, Case, Grasshopper, Gravely, Husqvarna, Jacobsen

- 3/4" 16 thread size
- 3" OD x 3-7/16" HT
- 27 micron
- 8 11 PSI pressure relief; anti-drain



SOLID STATE **MODULE**

Part #440-401

Replacement Briggs and Stratton

- Fits models 133200, 133700, 135200 and 135700
- . For 5 HP vertical and horizontal engines



Replacement MTD

- Fits 300 400 series, 38" decks (1990 and older)
- 5/8" W x 43" L
- Variable speed to transmission



SILVER STREAK THE EDGE® TRIMMER LINE

Part #380-822

- 1 lb donut
- 0.095" diameter
- 275' approximate length



TURF TIRE

Part #160-204 CST

- 16-6.50-8 tire size
- Tubeless



STARTER SWITCH Part #430-538

Replacement AYP, Bobcat, Bunton, Craftsman, Cub Cadet, Dixon, Grasshopper, Great Dane, Honda, Husqvarna, John Deere, Lawn-Boy, MTD, Murray, Noma, Poulan, Scag, Sears, Simplicity, Toro, Troy Bilt

- Magneto
- 3 positions, 5 terminals
- 5/8" mounting stem



STARTER SOLENOID

Part #435-435

Replacement Ariens, AYP, Exmark, Grasshopper, Gravely, Husqvarna, John Deere, Simplicity, Snapper, Toro, Troy Bilt

- · Double pole (terminal ground)
- Unique terminal post and sleeve will accomodate both 5/16" and 1/4" terminal eyelets



TOOTHED BLADE

Part #302-618

Replacement Ariens, Bobcat, Bunton, Encore, Exmark, Ferris, Giant Vac, Gravely, Great Dane, Husqvarna, Jacobsen, John Deere, Kees, Scag, Simplicity, Snapper, Toro, Wright Mfg

- 2 1/2" W x 18" L
- 5/8" center hole
- 0.203" thickness
- Requires 2 for 36" deck; 3 for 50" deck

MULCHING BLADE

Part #340-066

Replacement AYP

- Fits Sears model 917.270722
- 2 1/4" W x 21" L
- 5 point star center hole
- 0.140" thickness
- · Requires 2 for 42" deck



TRICO Code: 823

DART NO DESCRIPTION

Website: www.tricoproducts.com
Online Catalogue: www.tricoproducts.com/Trade/OnlineCatalog





63 SERIES

HD - TRANSPORT WIPER BLADES

	DESCRIPTION	PANT NU.	DESCRIPTION	
61-150	International-Navistar, Volvo	67-321	Diesel Equipment	
63-151	Volvo	61-180	GMC, International-Navistar, Volvo	
67-261	Chevrolet, GMC, Hino, International-Navistar, UD Trucks, Volvo	67-241	Volvo	
63-180	Ford, Freightliner, GMC, Marmon, Volvo, Western Star	61-200	AutoCar, Dodge, Ford, GMC, International-Navistar, Kenworth, Peterbilt, Volvo	
63-200	Freightliner, International-Navistar, Kenworth	64-160	AutoCar, Volvo	
63-181	Ford, Kenworth, Volvo	61-151	Volvo	
63-160	Ford, Freightliner, GMC, International-Navistar, Volvo	61-181	Volvo	
61-130	Brockway, Kenworth, Volvo	61-161	Freightliner, Volvo	
61-201	Peterbilt, Volvo	63-201	Volvo	
61-160	Ford, Diamond-Reo, Freightliner, GMC, International	61-131	Volvo	
	Navistar, Volvo			
		ME.	Sacres (1)	

Website: www.tricoproducts.com
Online Catalogue: www.tricoproducts.com/Trade/OnlineCatalog







68 SERIES

HD - OFF ROAD WIPER BLADES

PART NO.	DESCRIPTION
67-281	Mack
63-200	Mack
63-160	Mack
61-160	Mack
61-180	Mack
61-200	Mack
64-160	Mack

COMMERCIAL LIGHT HD WIPER BLADES

PART NO.	DESCRIPTION
61-160	Toyota Dyna
61-180	Toyota Dyna
61-200	Toyota Dyna
68-281	Toyota Dyna
68-261	Toyota Dyna
63-201	Toyota Dyna
68-241	Toyota Dyna

SCHOOL BUS WIPER BLADES

PART NO.	DESCRIPTION
63-180	Blue Bird, Thomas Built
63-200	Thomas Built
63-160	Blue Bird
61-140	Thomas Built, Wayne Works
61-160	Thomas Built, Ward Body Works
61-180	Blue Bird, Thomas Built
67-241	Blue Bird
61-200	Thomas Built, Ward Body Works

HD - SPECIALTY WIPER BLADES

Refuse, Airport Refueling, Terminal Tractors

PART NO.	DESCRIPTION
61-140	Oshkosh
61-160	Ottawa Truck
61-180	Crane Carrier
61-200	Oshkosh
63-201	Oshkosh

RECREATIONAL VEHICLE WIPER BLADES

PART NO.	DESCRIPTION
67-284	Itasca, Monaco, Safari
67-321	Gulf Stream, Country Coach, Forest River, Coachman, Beaver Motor
67-324	Damon, Four Winds, Forest River, Fleetwood, Holiday Rambler, Newmar
67-261	Forest River, Monaco
67-281	Air Stream
67-241	Damon
68-261	Damon, Four Winds
68-241	Four Winds, Winnebago

MOTOR COACH AND TRANSIT BUS WIPER BLADES

PART NO.	DESCRIPTION
67-261	Country Coach
61-160	Flexible
61-180	Flexible, Gillig Brothers
67-241	Country Coach
61-200	Flexible
68-261	Grumman Flexible
68-241	Gulf Stream



VEYANCE Code: 500

Website: www.goodyearep.com

INDUSTRIAL HOSE PRODUCTS



F5 AIRLINE HOSE

- Ultra-Flexible abrasion resistant air hose for construction, manufacturing and other industries
- Thermoplastic construction with temperature rating -40°C to 70°C, 300 psi

PART NO.	DESC.
65179	3/8" x 50'
65177	1/4" x 25'
20465473	1/2" x 25'
20465475	1/2" x 100'
20480053	1/2" x 50'





Part #A300AL

Part #DC300AL

INSTA-LOCK CAM AND GROOVE COUPLINGS

Interlocking ferrules that are permanently crimped, patented automatic locking handles snap down, preventing accidental coupler detachment

PART NO.	DESCRIPTION
A300AL	3" Type A Male Adapter X Female NPT Thread
A400AL	4" Type A Male Adapter X Female NPT Thread
C300AL	3" Type C Female Coupler X Hose Shank
C400AL	4" Type C Female Coupler X Hose Shank
DC300AL	3" Dust Cap

GORILLA AIR AND MULTI-PURPOSE HOSE

 A premium quality, multi-purpose industrial hose with a wide range of application in factories, construction, agriculture, quarries, mines, railroads, the oil and gas industry and ship building

PART NO.	DESCRIPTION
20129563	1/4" x 25' coupled
20129566	3/8" x 25' coupled
20132978	3/8" x 100' coupled
20129582	3/4" x 50' coupled
20132764	3/8" x 50' coupled

HORIZON AIR AND MULTI-PURPOSE

- An economical air and water hose, Horizon® is for a wide range of industrial, construction and agricultural applications
- Available in 200 and 250 psi working pressure

PART NO. DESCRIPTION 20025750 3/8" x 500' reels 200 psi 20025869 3/8" x 500' reels 250 psi 20025899 1/2" x 500' reels 250 psi 20025932 3/4" x 500' reels 250 psi

1" x 500' reels 200 psi

20025966

NEPTUNE 3000 CLEANING EQUIPMENT HOSE

- For use on pressure washer machines with working pressures up to 3,000 psi
- Temperature rating -29°C to 121°C

PART NO.	DESCRIPTION
20023623	1/4" x 500' reel
20023638	3/8" x 500' reel
20023670	1/2" x 500' reel
20023699	3/8" x 50' coupled
20023703	3/8" x 75' coupled







VEYANCE Code: 510

Website: www.goodyearep.com



HYDRAULIC HOSE & FITTINGS

HYDRAULIC FITTINGS

Low, medium and high pressure fittings are available for braided, spiral and thermosplastic hose. Thread-ends SAE, FPTF, JIC, British Standard, DIN, JIS API and Komatsu

PART NO.	DESCRIPTION
B2-JCFX-0808	Female Swivel
B2-JCFX-0606	Female swivel
B2-NPM-0808	National pipe male
B2-NPM-0606	National pipe male
B2-JCFX-0404	Female swivel

PART NO.	DESCRIPTION
B2-JCFX-1212	Female swivel
B2-JCFX-0810	Female swivel
B2-JCFX-0608	Female swivel
B2-NPM-0608	National pipe male
B2-NPM-0404	National pipe male



GR2SN HYDRAULIC HOSE

· High pressure hydraulic oil lines used in construction, machine tool and agricultural applications using petroleum or water-based hydraulic fluids

PART NO.	DESC.
GR2SN-04X250RL	1/4" x 250' reel
GR2SN-06X250RL	3/8" x 250' reel
GR2SN-08X250RL	1/2" x 250' reel
GR2SN-12X250RL	3/4" x 250' reel
GR2SN-16X250RL	1" x 250' reel



GCP3 HYDRAULIC HOSE

· High pressure hydraulic applications designed to replace 100R1 where higher pressures and a more flexible hose is required

PART NO.	DESC.
GCP3-04X50BX	1/4" x 50' box
GCP3-04X250RL	1/4" x 250' reel
GCP3-06X50BX	3/8" x 50' box
GCP3-06X250RL	3/8" x 250' reel
GCP3-08X250RL	1/2" x 250 reel



GR12 HYDRAULIC HOSE

· Use for very high pressure applications subject to surges or flexing such as construction equipment, mining and the high performance industrial market

PART NO.	DESC.
GR12-08X50BX	1/2" x 50' box
GR12-12X50BX	3/4" x 50' box
GR12-16X50BX	1" x 50' box
GR12-08X200BX	1/2" x 200' box
GR12-12X200CL	3/4" x 200' coil

HYDRAULIC EQUIPMENT



Part #PC125

PERMA CRIMPER

• Crimp capability of 1/4" through 1 1/4" ID, 2 wire braid hose and 1" ID 4-spiral hose











Part #PC150

STATIONARY CRIMPER

• Crimp capability of 1/4" through 1 1/2" ID, 2 wire braid hose and 4-spiral hose

Part #PCTB1500

PCTB SERIES TEST BENCHES

 Goodyear Engineered Products PCTB Series Test Benches provide a safe and efficient method to test hose assemblies for burst or proof testing. Test pressure range to 21,500 PSI (1500 bar)

Part #HS150

HOSE SAW

 Designed to cut 1 and 2 braid hydraulic hose up to 1-1/2" ID and up to 1-1/4" 4-spiral hose



VEYANCE Code: 500

Website: www.goodyearep.com

POWER TRANSMISSION PRODUCTS



INSTA-POWER WITH FLEXTEN

- Dual branded, high-performance, Flexten® reinforced classical V-belts for both lawn and garden and heavy duty industrial applications
- · Cushion section compound is fiber loaded to handle high stress
- Tension member is Flexten® for superior load carrying capacity
- Engineered to handle sudden shock loads, high ambient temperatures and resist damage from oil and dust

PART NO.	DESCRIPTION
84350	Insta-Power V Belt 35"
84380	Insta-Power V Belt 38"
84400	Insta-Power V Belt 40"
84410	Insta-Power V Belt 41"

HY T PLUS

- Traditional classical belts designed for operating at higher speeds over small diameter pulleys and short center distances
- Also for use in multiple V-belt drives where high shock load and heavy duty loads are encountered

PART NO.	DESCRIPTION
B42	HY T Plus 42"
B48	HY T Plus 48"
B51	HY T Plus 51"
B52	HY T Plus 52"
B54	HY T Plus 54"



TORQUE FLEX

- Premium classical profile belt delivering increased HP over traditional classical belts
- Designed for tough, small sheave diameter, high tension drives

PART NO.	DESCRIPTION
AX21	Torque Flex 21"
AX36	Torque Flex 36"
AX39	Torque Flex 39"
AX40	Torque Flex 40"
AX48	Torque Flex 48"



HY T WEDGE

 A narrow cross section V-belt that distributes stresses more uniformly over tension members to deliver more consistent and reliable power transmission

PART NO.	DESCRIPTION
3VX375	HY T Wedge 37.5"
3VX425	HY T Wedge 42.5"
3VX475	HY T Wedge 47.5"
3VX600	HY T Wedge 60"
3VX670	HY T Wedge 67"



GATES CANADA INC.

Code: 512, 825, 806



ULTRA LUBE / LUBRIMATIC

Code: **512**

Website: www.plews-edelmann.com

ECO-SAFE AND NON TOXIC GREASE AND LUBRICANTS

- Ultra Lube products instantly penetrate into areas where lubrication is needed most, creating a long-lasting bond to metal and plastic surfaces
- Ideal for environmentally sensitive areas



PART NO.	DESCRIPTION			
10301	*Multi purpose grease, biobased, 14 oz			
10320	*Red grease, biobased, LMX, red, 14 oz			
10307	*White lithium grease, biobased, 8 oz			
10314	Moly EP grease, biobased, 14 oz			
10333	*Disc/drum grease, biobased, 16 oz			
10337	5th wheel smash packs, biobased, 2 oz			
10424	Air tool oil, biobased, 8 oz			
10400	Gear lube, biobased, 1 qt			
10420	Chain saw bar & chain oil, biobased, 1 qt (avail in 1 gal bottle)			
10557	LSO hydraulic oil, 5 gal			
10442	Spray lubricant, 4 oz (avail in 2, 8, 12 oz, 1 qt, 1 gal)			

*Available in 5, 16, 55 gal





PLEWS 18 V CORDLESS GREASE GUN

18 volt battery operated grease gun.

TRIDON IDEAL HD HOSE CLAMPS

Code: **825**

Website: www.idealclamps.com





TRIDON IDEAL HEAVY DUTY HOSE CLAMPS

For full product details and application part #'s go to www.idealclamps.com

	INC	HES	MN	1	
DESCRIPTION	PART NO.	MIN	MAX	MIN	MAX
Standard T-Bolts	300100138	1-3/8	1-9/16	35.1	38.6
Standard T-Bolts	300100175	1-3/4	2	44.5	50.8
Standard T-Bolts	300100200	2	2-5/16	50.8	58.7
Standard T-Bolts	300100300	3	3-5/16	76.2	84.1
Standard T-Bolts	300100400	4	4-5/16	101.6	109.5
Channel Bridge T-Bolts	300200150	1-1/2	1-5/8	38.1	41.7
Channel Bridge T-Bolts	300200163	1-5/8	1-7/8	41.4	46.0
Channel Bridge T-Bolts	300200175	1-3/4	2	44.5	50.8
Channel Bridge T-Bolts	300200200	2	2-5/16	50.8	58.7
Channel Bridge T-Bolts	300200225	2-1/4	2-9/16	57.2	65.0
Channel Bridge T-Bolts	300200250	2-1/2	2-13/16	63.5	71.4
Channel Bridge T-Bolts	300200288	2-7/8	3-3/16	73.2	81.0
Channel Bridge T-Bolts	300200425	4-1/4	4-9/16	108.0	115.8
Spring Loaded T-Bolts	300300306	3-1/16	3-3/8	77.8	85.7
Spring Loaded T-Bolts	300300356	3-9/16	3-7/8	90.5	98.4
Spring Loaded T-Bolts	300300456	4-9/16	4-7/8	115.9	123.8
Flex-Gear	45175	1	1-3/4	25.4	44.5
Flex-Gear	45200	1-1/4	2-1/8	31.8	54.0

STANT Code: **806** Website: www.stant.com



KEY ALIKE LOCKING GAS CAPS

- Available in 38 models
- For cars and light trucks
- Available for 2 or more vehicles using same key at no extra charge



LOCKING SADDLE TANK GAS CAP

- 7 part numbers available
- For heavy truck applications



WEIR-STAT® THERMOSTAT

- 7 part numbers available
- For heavy truck applications



Website: www.rawpowerelectric.com







HEAVY DUTY

Part # 6356N Part # 6911N

Part # 18951N

PART NO.	DESCRIPTION	SPECS	OE REPLACEMENT	APPLICATION	FEATURES
6356N	Starter - Delco 42MT Series	12 Volt, CW, 11-Tooth Pinion	Caterpillar 2N2761, 8L8206, PR5347, PR5348; Cummins 3021034; Delco 1990337, 348, 352, 354, 358, 363, 375, 376, 386, 392, 396, 398, 400, 420, 423, 424, 458, 465, 468, 470, 475, 477, 478, 483, 495; 1993803, 807, 816, 823, 975, 985; 10478810, 963; 10479037, 065, 072, 081, 110, 112, 113, 150, 185, 277; Delco Reman. 10461038, 10461052; IHC 263819C91, 510275C91	Ford, Freightliner, International, Kenworth, Mack, Peterbilt, Sterling, Volvo, Western Star, White Medium and Heavy-Duty Trucks	100% New Armature with heat treated shaft and welded steel-core riserless commutator Varnish dipped field coils Ductile iron D.E. housing Solenoid positioned at 82 degrees Solenoids are 100% tested for coil strength, voltage drop across contacts and 'reserve burnoff' on the contacts Painted gloss black with zinc plated hardware 100% computerized load tested
8078N	Alternator - Delco 22SI Series	145 Amp / 12 Volt, 1-Wire System, 14.1 Vset, Neg. Grd.	Delco 19020302, 19020303	Freightliner, Kenworth, Peterbilt, Volvo Trucks	100% New Transpo premium rectifier and regulator Premium, hi-temperature WBD bearing Rotor coil leads are epoxied to prevent vibration failure Diode trio with auto start pkg Hi-temperature class-H windings Precision CNC machined castings OE performance output curve
7685N	Alternator - Delco 21SI Series	145 - 160 Amp / 12 Volt, 1-Wire System, 14.1 Vset, Neg. Grd.	Delco 1117917, 1117919, 1117920, 1117921, 1117922, 1117934, 1117964, 19010202	Freightliner, Kenworth, Mack, Peterbilt, Volvo Trucks	100% New Transpo premium rectifier and regulator Premium, hi-temperature WBD 6305 bearing Long-shaft rotor and longer needle bearing provides more bearing surface to spread the load for longer lasting service 1/4-20 through bolts - larger than OE 10-24 bolts Rotor coil leads are epoxied to prevent vibration failure Hi-temperature class-H windings Precision CNC machined castings OE performance output curve
8362N	Alternator - Delco 22SI Series	145 Amp / 12 Volt, 1-Wire System, Neg. Grd.	Delco 19020387, 388, 389, 803, 804, 889; 10459318, 320, 321	Freightliner, International, Kenworth, Mack, Peterbilt, Sterling, Volvo, Western Trucks	100% New Transpo premium rectifier and regulator Premium, hi-temperature WBD bearing Rotor coil leads are epoxied to prevent vibration failure Diode trio with auto start pkg Hi-temperature class-H windings Precision CNC machined castings OE performance output curve
6911N	Starter - Delco 39MT Series	12 Volt, CW, 11-Tooth Pinion, OCP Thermostat	Delco 8200033, 040, 083, 289; 8300009; 10461753, 753, 753, 777; 19011506, 516, 518, 519, 521	Freightliner, International, Volvo Truck with Caterpillar C10, C11, C12, C13, C15; Cummin ISX Engines	100% New IMS (Integral Magnetic Switch) OCP (Overcrank protection)
6370N	Starter - Delco 42MT Series	24 Volt, CW, 11-Tooth Pinion	Delco 1990456, 1990485 & others; Delco Reman. 10461024	Freightliner , Interna- tional , Kenworth , Mack , Volvo, Western Star, White Medium & Heavy-Duty Trucks	100% New Armature with heat treated shaft and welded steel- core riserless commutator Varnish dipped field coils Ductile iron D.E. housing Solenoids are 100% tested for coil strength, voltage drop across contacts and 'reserve burnoff' on the contacts Painted gloss black with zinc plated hardware 100% computerized load tested
18951N	Starter - Bosch 223 Series PLGR	2.3 kW / 12 Volt, CW, 9-Tooth Pinion	Bosch 0-001-223-016; KHD 118-1751, 118-2384	KHD	100% New

Website: www.rawpowerelectric.com









Part #8003N

Part #18940N

Part #16608N-M127

AGRICULTURE/INDUSTRIAL

					AGRICULI URE/INDUS I RIAL
PART NO.	DESCRIPTION	SPECS	OE REPLACEMENT	APPLICATION	FEATURES
7186-3N	Alternator - Delco 10SI/116 Series	72 Amp / 12 Volt, 1-Groove Pulley	Delco 1102922, 1103035, 1103165, 1105178, 1105423	Farm & Industrial Applications	100% New
18954N	Starter - Bosch PMGR	2.2 kW / 12 Volt, CW, 9-Tooth Pinion	Bosch 6-004-AA3-014, F-000-AL0-115; John Deere RE508922	John Deere Loaders, Skid Steer Loaders, Tractors with 4024T, 5030T, 5225, 5325 Engines	100% New
16990N	Starter - Denso OSGR	2.5 kW / 12 Volt, CW, 13-Tooth Pinion	Case A170746; Cummins 3904466, 3920643; Denso 128000-021, 128000-054, 128000-227, 128000-248, 228000-195; Versatile 89332, 104668	Case, Ford, Versatile Loaders, Tractors, Cummins 3.9 L, 5.9 L Diesel Engines	100% New
18566N	Starter - Denso OSGR	4.0 kW / 12 Volt, CW, 11-Tooth Pinion	Denso 228000-808	John Deere	100% New
8003N	Alternator - Delco 21SI Series	70 Amp / 24 Volt, 1-Wire System, Neg. Grd.	Cummins 3675201RX, 3920617; Delco 1117897, 1117900, 1117944, 19010108, 19010111, 19010182, 19010199; Dresser 1305787H91, 1307203H1, PB6874; Komatsu 130- 578-7H91	Cummins, Timberjack with Cummins 5.9 L, 8.3 L Diesel	100% New Transpo premium rectifier and regulator premium, hi-temperature WBD 6305 bearing Long-shaft rotor and longer needle bearing provides more bearing surface to spread the load for longer lasting service 1/4-20 through bolts - larger than OE 10-24 bolts Rotor coil leads are epoxied to prevent vibration failure Hi-temperature class-H windings Precision CNC machined castings OE performance output curve
12161N	Alternator - Bosch IR/EF	65 Amp / 12 Volt, CW	Bosch 0-120-488-205, Thermo King 44-8499	Atlas Copco, Case, Ingersoll Rand, Thermo King	100% New
18940N	Starter - Marelli PLGR	3.0 kW / 12 Volt, CW, 10-Tooth Pinion	Denso 428000-129; JCB 71440231, 71440531; Marelli 63280041; Perkins 2873K405, 2873K624	JCB with Perkins Engines	100% New
8721N	Alternator - Delco 11SI Series	95 Amp / 12 Volt, CW, 8-Groove Pulley, 03:00 Plug Clock	Case 87038475; Delco 19020208; New Holland 87038475	Case Ag, New Holland	100% New
16608N- M127	Starter - Lucas M50, M127	2.8 kW / 12 Volt, CW, 10-Tooth Pinion	Ford D4NN-11000-B; Lucas 26211, 26291, 26338, 26339, 26395, 27500, 27569	Case Tractors; Ford Farm and Industrial Equipment; Fordson, New Holland	100% New

Website: www.rawpowerelectric.com







POWER SPORTS

OIILII	or orrio					
PART NO.	SUB CATEGORY	DESCRIPTION	SPECS	OE REPLACEMENT	APPLICATION	FEATURES
18600N	Motorcycle / Scooter	Starter - Mitsuba PMDD	12 Volt, CW	Honda 31200-371-005, 31200- 463-405; Mitsuba SM-224	(1983-75) Honda GL1100 Gold Wing Motorcycles	100% New
18300CN	Motorcycle / Scooter	Starter - Hitachi DD	12 Volt, CCW, 10-Tooth Pinion	Harley-Davidson 31570-73C	(1980-75) Harley-Davidson 1,200 cc Motorcycles (1988-79) Harley-Davidson 1,340 cc Motorcycles	100% New Chrome finish
18727N	Motorcycle / Scooter	Starter - Mitsuba PMDD	12 Volt, CW, 31-Spline Shaft	Yamaha 42X-81800-60-00	(1985-81) Yamaha XV700, XV750, XV920 Virago Motorcycles	100% New Includes wire harness
18645N	ATV / UTV	Starter - Mitsuba PMDD	12 Volt, CW, 9-Spline Shaft	Polaris 3084981	(2005-04) Polaris ATP 330, 500 ATV (2002-98) Polaris Big Boss 500 UTV (2006-95) Polaris Magnum 2X4, 4X4, 325, 330, 500 ATV (1997-96) Polaris Magnum UTV (2007-98) Polaris Ranger UTV (2007-97) Polaris Scrambler 500 ATV (2007-96) Polaris Sportsman 335, 400	100% New
5746N	ATV / UTV	Starter - Briggs & Stratton PMDD	12 Volt, CCW, 16-Tooth Pinion	Briggs & Stratton 393499, 394943, 399169, 490420, 494148, 494198, 494490, 494990, 497401, 499529, 691262; Generac 075255, 75255, 75255A; John Deere AM106883, AM38136, AM39285, LG490420, LG497401, LG691262	Briggs and Stratton Single Cylinder 11 - 16 hp Engines	100% New
18331N	ATV / UTV	Starter - Mitsuba PMGR	12 Volt, CW, 9-Spline Shaft	Mitsuba SM132-98; Polaris 3084403, 3085393	(2006-89) Polaris 244 cc, 283 cc, 352 cc, 378 cc 2-Stroke ATV	100% New
18420N	Personal Water Craft	Starter - Mitsuba PMDD	12 Volt, CW, 9-Spline Shaft	Mitsuba S13-237; Yamaha 6M6- 81800-10, 6M6-81800-10-00	(2005-90) Yamaha 650 cc, 701cc Personal Watercrafts (PWC)	100% New
18416N	Personal Water Craft	Starter - Denso PMDD	12 Volt, CCW, 9-Tooth Pinion	Bombardier 278-000-576, 278- 000-577, 278-001-038, 278-001- 301; Denso 228000-456	(1999-95) Sea-Doo 782cc Personal Watercrafts (PWC) and Sport Boats	100% New
18330N-K	Personal Water Craft	Starter - Mitsuba PMDD	12 Volt, CW	Kawasaki 21163-3702, 21163- 3709, 21163-3712, 21163-3714	(2007-86) Kawasaki 650, 743, 781, 891, 1,071 cc Personal Watercrafts (PWC)	100% New
5768N	Snowmobile	Starter - United Technologies PMDD	12 Volt, CW, 9-Tooth Pinion	Arctic Cat 0645-184; Polaris 4170006; United Technologies 5698340M030SM	(2007-97) Polaris 339, 488, 500, 544, 599, 679, 700, 794 cc Snowmobiles	100% New
18875N	Snowmobile	Starter - Denso PMDD	12 Volt, CW, 8-Tooth Pinion	Bombardier 515-175-562, 515- 175-843, 515-176-003; Denso 228000-984, 428000-110	(2007-06) Lynx Adventure 600 Snowmobiles (2006-03) Lynx Ranger 600 Snowmobiles (2007-06) Lynx Rave XT N-Duro 550, 600, 800 Snowmobiles (2006-02) Lynx Sport Touring 500, 600, 700, 800 Snowmobiles (2006) Lynx Yeti 600 Snowmobiles (2006-05) Ski-Doo Expeditio	100% New
18871N	Snowmobile	Starter - Denso PMDD	0.6 kW / 12 Volt, CW, 9-Tooth Pinion	Bombardier 410-212-400, Denso 128000-429	(2008-99) Lynx Snowmobiles (2008-96) Ski-Doo Snowmobiles	100% New

Website: www.rawpowerelectric.com









Part #6562N

Part #10822MN

Part #10810N

MARINE

	Part #6562N		F	art #10822MIN	Part #1	U810N WIANINE
PART NO.	SUB Category	DESCRIPTION	SPECS	OE REPLACEMENT	APPLICATION	FEATURES
6562N	Inboard / Outboard Marine	Starter - Delco PG260L Series	12 Volt, CW, 11-Tooth Pinion	Clark 923045, Daewoo A232158; Delco 9000762, 768, 789, 819, 821, 885, -886; Hyster 1469604; Mercury Marine 50-806964A2, A3, A4; 50-812428A3, 50- 812604A2, 50-822330A2; OMC 3854751, 3855177, 3856004; Volvo-Penta 3587625-10, 3854751-9, 3856004-1, 3860764	Cobra, Mercury Mercruiser, Yamaha, Volvo-Penta Marine Engines	100% New OE performance torque and output Field case assys. are 100% tested on a computerized gaussmeter to measure magnet strength andposition Zinc plated field case, solenoid, C.E. cover and hardware Armatures are precision balanced and feature banded hairpins Commutators are stake-welded and polished for longer brush life Starter, drive and solenoid are endurance tested
6788N	Inboard / Outboard Marine	Starter - Delco PG260L Series	12 Volt, CW, 11-Tooth Pinion	Clark 930707, 2817056; Delco 9000820, 822, 850, 895; 12301334;Hyster 1457047, 1486530; Mercury Marine 50-812429A2; 50-806965A2, A4; 50-806963A2, A4; OMC 988217, 3850526, 3854750, 3855882, 3856003, 3858463; Volvo-Penta 3854750-1, 3856003-3; Yale 5800022-10, 5800197-25	Mercury Marine, OMC, Volvo-Penta	100% New OE performance torque and output OE interchangeable components Field case assays are 100% tested on a computerized gaussmeter to measure magnet strength and position Zinc plated field case, solenoid, C.E. cover andhardware Armatures are precision balanced and feature banded hairpins Commutators are stake-welded and polished for longer brush life Starter, drive and solenoid are endurance tested
10816N-L	Tilt and Trim Motor	Tilt Trim Motor	12 Volt	OMC 438531	Evinrude, Johnson Marine Outboards	100% New
10827N	Tilt and Trim Motor	Tilt Trim Motor	12 Volt	Mercury Marine 809885A1, A2, T2; 819479A1, 819480A1, 885654T1	Mariner, Mercury 50-125 hp Marine Outboards with 1-Ram Trim/Tilt System	100% New
10822MN	Tilt and Trim Motor	Tilt Trim Motor	12 Volt	Mercury Marine 17649A1, 87828	Mercury Marine Outboards, Mercury Mercruiser with Oildyne Pump	100% New
10810N	Tilt and Trim Motor	Tilt Trim Motor	12 Volt	OMC 391264, 393259, 393988, 394176, 983019	(1992-81) Evinrude Johnson, OMC, Sea-Drive	100% New
10815PN	Tilt and Trim Motor	Tilt Trim Motor	12 Volt	Mercury Marine 99186, 99186-1, 99186T	Mariner, Mercury 35-220 hp Outboard Motors with Design 1, 3-Ram Side Fill Integral Trim / Tilt System	100% New OE square design

HARD PARTS



RAW POWER ROTATING ELECTRICAL Code: 126

Website: www.rawpowerelectric.com







LAWN AND GARDEN

Part #5742N

Part #6744N

Part #5898N

PART NO.	SUB CATEGORY	DESCRIPTION	SPECS	OE REPLACEMENT	APPLICATION	FEATURES
5742N	Outdoor Power Equipment	Starter - Briggs and Stratton PMDD	12 Volt, CCW, 16-Tooth Pinion	Briggs and Stratton 390838, 391423, 392749, 394805, 491766, 497594, 497595, 693054; John Deere AM122337, AM37352, AM39137, LG497595	Briggs and Stratton Single Cylinder 5, 6, 8, 10, 11 hp Engines	100% New
6744N	Outdoor Power Equipment	Starter - Delco PMDD	12 Volt, CCW, 10-Tooth Pinion	Delco 10455513, 10455516; John Deere AM132702; Kohler 25- 098-08, 25-098-08S, 25-098-09, 25-098-09S; Kubota E7194-63010	Cub Cadet, Grasshoper, John Deere, Kubota, Toro Lawn Tractors, Mowers and UTV with Kohler 16-25 hp Engines	100% New
5898N	Outdoor Power Equipment	Starter - Tecumseh	120 Volt, CCW, 16-Tooth Pinion	Tecumseh 33329, A, B, C, D, E; 37000	Tecumseh HM80, HM100 Snowblower Engines	100% New Includes extension cord to plug into 110 Volt standard outlet







OUTDOOR POWER EQUIPMENT

Part #15421N

Part #15435N

Part #10711N

PART NO.	SUB Category	DESCRIPTION	SPECS	OE REPLACEMENT	APPLICATION	FEATURES
15421N	Golf Cart	Starter / Generator - Hitachi	12 Volt, CW	Club Car 1012316, E-Z-Go 16511G1; Hitachi GSB107-01A, GSB107-04A	Club Car, E-Z-GO Golf Carts and Utility Vehicles	100% New
15423N	Golf Cart	Starter / Generator - Hitachi	12 Volt	E-Z-GO 27065G01, Hitachi GSB107-10B	E-Z-GO 4-Cycle Golf Carts	100% New
15435N	Golf Cart	Starter / Generator - Mando	25 Amp / 12 Volt, CCW	Club Car 1018294-01, Mando M063686, Valeo TMC001B0011	Club Car FE290, FE350 Golf Carts	100% New
10711N	DC Motor	Motor - Salt Spreader	12 Volt, CCW	Johnson Electric 4854440; United Technologies 4854420M048HM, HM02223; Ref. No. W-8805	Meyers Salt Spreaders	100% New Single ball bearing Seals and rings to keep out water
10735N	DC Motor	Motor - Pump	12 Volt, CW, 9-Spline Shaft	Fenner Stone 1175AC, 1185AC, 1785AC, 1787AC, 1931AC; Prestolite 46-4048, MUE-6114S; Waltco 70392900; Ref. No. W-9787	Dell Liftgates, Fenner Stone, Maxon, Snowaway Plows, Waltco	100% New Double ball bearings
5200N	DC Motor	Motor - Snow Plows	12 Volt, CCW	Meyer 15054; Prestolite 46-2415, MKW-4007; United Technologies MM48826	Meyer Snow Plow	100% New
5687N-DB	DC Motor	Motor - Winch	12 Volt, Bi- directional, 0.75 Dia. Shaft, 2.5 hp	Prestolite 46-103, 46-2099, 46-2285, 46-2287, 46-2401, 46-2426, 46-2636, 46-4157, 46-4214, MBJ-4003, MBJ-4007, MBJ-4008, MBJ-4201, MBJ-4202, MBJ-4209, MBJ-4407, MBJ-4411, MBJ-4415, MBJ-4416, MBJ-6201, MRV-B8, MUR-6202, MUR-6202S; Ref. No. W-9143	Braden, Pierce Sales, Ramsey, Tulsa	100% New Bi-directional, forward and reverse Double ball bearings

LUBER-FINER Code: 384

Website: www.luberfiner.com



PROVEN OE-GRADE PERFORMANCE AND A FULL RANGE OF LIGHT, MEDIUM AND HEAVY-DUTY FILTRATION SOLUTIONS FOR ALL MARKETS.

LUBE/OIL FILTERS, SPIN-ON AND ELEMENT STYLE

- Luber-finer filters are designed and manufactured according to stringent OEM requirements.
- Micro-glass synthetic and cellulose medias provide high filtering efficiency and dirtholding capacity that is among the leading nationally branded filters.



AIR FILTERS, PANEL AND RADIAL STYLE

- Luber-finer air filters remove more than 99% of airborne contaminants.
- Luber-finer air filters provide 25-30% more dirt holding capacity - even in the most extreme operating environments.



CABIN AIR FILTERS

- A Luber-finer cabin air filter helps trap bacteria, dust, pollen and exhaust gases that come through your vehicle's ventilation system.
- Cabin filters are particularly beneficial for people with allergies.



FUEL FILTERS

- High performance and protection keep vital engine components such as fuel injectors and carburetors clean and functioning well.
- The highest in quality fuel filter components ensuring OE replacement for form, fit and function.



PCV VALVES

 PCV valves are designed to meet all applicable NIOSH, OSHA and EPA air sampling standards.



BREATHERS

- All our breathers contain an effective filter which traps oil vapor and prevents engine compartment contamination.
- These breathers are designed for a wide variety of applications.



AUTOMATIC TRANSMISSION FILTERS

- Manufactured with only the highest quality components, Luber-finer transmission filters offer exceptional performance.
- Designed and constructed to improve transmission performance by protecting sensitive shift control parts.



HYDRAULIC FILTERS

- Broad range of hydraulic filters for virtually any light commercial and heavy-duty application.
- Built utilizing the latest technology, materials and manufacturing processes.



COOLANT FILTERS

- Broad range of automotive, light commercial and heavy-duty coolant filters.
- Constructed using only the highest quality components for increased filter integrity, extended filter life and reduced downtime costs.



MECHANIX WEAR Code: 132

Website & Online Catalogue: www.mechanixwear.ca



THE ORIGINAL® GLOVE

ALL PURPOSE

• Secure Fit

Flexible thermal plastic rubber wrist closure increases flexibility and adds protection

• Comfortable Fit

Clarino synthetic leather meets two-way stretch spandex for the ultimate in comfort and dexterity

PART NO.	DESCRIPTION		
	Red - Small		
MG-02-008			
MG-02-009	Red - Medium		
MG-02-010	Red - Large		
MG-02-011	Red - X-Large		
MG-02-012	Red - XX-Large		
MG-03-008	Blue - Small		
MG-03-009	Blue - Medium		
MG-03-010	Blue - Large		
MG-03-011	Blue - X-Large		
MG-03-012	Blue - XX-Large		
MG-05-005	Black - XXX-Small		
MG-05-006	Black - XX-Small		
MG-05-007	Black - X-Small		
MG-05-008	Black - Small		
MG-05-009	Black - Medium		
MG-05-010	Black - Large		
MG-05-011	Black - X-Large		
MG-05-012	Black - XX-Large		
MG-05-013	Black - XXX-Large		

MATERIAL 4X® ORIGINAL® GLOVE

MAXIMUM DURABILITY

- Material 4X® High abrasion Material 4X® resists puncture and tearing better than leather
- Comfortable Fit Synthetic leather meets two-way stretch Spandex for the ultimate in comfort and dexterity



PART NO.	DESCRIPTION
MG4X-75-008	Black/Tan - Small
MG4X-75-009	Black/Tan - Medium
MG4X-75-010	Black/Tan - Large
MG4X-75-011	Black/Tan - X-Large
MG4X-75-012	Black/Tan - XX-Large

KNIT NITRILE GLOVE

DIPPED NITRILE COATING

- Comfort 13-gauge seamless liner for flexibility and breathability
- Grip Microfinish nitrile coating adds oil resistance and exceptional dry and wet grip



PART NO.	DESCRIPTION
ND-05-500	Black - Small/Medium
ND-05-540	Black - Large/X-Large

FASTFIT® GLOVE

EASY ON/OFF

• Elastic Cuff

Snug-fitting cuff keeps glove in place while offering easy on and off flexibility

Secure Fit

Stretch panels hug fingers and thumb crease areas providing a snug, secure fit



PART NO.	DESCRIPTION
MFF-02-008	Red - Small
MFF-02-009	Red - Medium
MFF-02-010	Red - Large
MFF-02-011	Red - X-Large
MFF-02-012	Red - XX-Large
MFF-03-008	Blue - Small
MFF-03-009	Blue - Medium
MFF-03-010	Blue - Large
MFF-03-011	Blue - X-Large
MFF-03-012	Blue - XX-Large
MFF-05-008	Black - Small
MFF-05-009	Black - Medium
MFF-05-010	Black - Large
MFF-05-011	Black - X-Large
MFF-05-012	Black - XX-Large

M-PACT® GLOVE

IMPACT PROTECTION

• Better Control

Impact Guard™ index finger replaces molded TPR for more dexterity when using hand tools

Padded Palm

High impact PORON® XRD is used to absorb more shock and vibration than ever before



PART NO.	DESCRIPTION
MPT-51-008	Black/Yellow - Small
MPT-51-009	Black/Yellow - Medium
MPT-51-010	Black/Yellow - Large
MPT-51-011	Black/Yellow - X-Large
MPT-51-012	Black/Yellow - XX-Large
MPT-52-008	Black/Red - Small
MPT-52-009	Black/Red - Medium
MPT-52-010	Black/Red - Large
MPT-52-011	Black/Red - X-Large
MPT-52-012	Black/Red - XX-Large
MPT-58-008	Black - Small
MPT-58-009	Black - Medium
	Diagle Large
MPT-58-010	Black - Large
MPT-58-010 MPT-58-011	Black - Large

MECHANIX WEAR Code: 132

Website & Online Catalogue: www.mechanixwear.ca



SAFETY M-PACT® ORHD GLOVE

OIL & GAS SAFETY

- Rugged Protection Top of hand foam padding with integrated rubber molded exoskeleton extended from fingertip to wrist
- Full Palm Protection Dual layer rubberized grip and synthetic leather palm with EVA foam heel pad for excellent anti-vibration



PART NO.	DESCRIPTION
SHD-91-008	Hi-Viz Yellow - Small
SHD-91-009	Hi-Viz Yellow - Medium
SHD-91-010	Hi-Viz Yellow - Large
SHD-91-011	Hi-Viz Yellow - X-Large
SHD-91-012	Hi-Viz Yellow - XX-Large

SAFETY M-PACT® 2 GLOVE

HI-VIZ HEAVY DUTY PROTECTION

- Extreme Knuckle Guard Accordion design with dense EVA foam padding reduces impact
- Max Protection Complete impact protection from fingertip to wrist area



PART NO.	DESCRIPTION
SP2-91-008	Hi-Viz Yellow - Small
SP2-91-009	Hi-Viz Yellow - Medium
SP2-91-010	Hi-Viz Yellow - Large
SP2-91-011	Hi-Viz Yellow - X-Large
SP2-91-012	Hi-Viz Yellow - XX-Large

M-PACT® EXP-1™ GLOVE

SAFETY SPECIALTY

- Impact Protection TPR molded fingertips, thumbguard and padded knuckle provide full coverage for the top of the hand. PORON® XRD palm pads for cushioning
- Ergonomic Cuff Extended, CE length compliant neoprene cuff provides protection, flexibility and optimal range of motion

PART NO.	DESCRIPTION
XMP-91-008	Hi-Viz Yellow - Small
XMP-91-009	Hi-Viz Yellow - Medium
XMP-91-010	Hi-Viz Yellow - Large
XMP-91-011	Hi-Viz Yellow - X-Large
XMP-91-012	Hi-Viz Yellow - XX-Large
XMP-95-008	Safety Black - Small
XMP-95-009	Safety Black - Medium
XMP-95-010	Safety Black - Large
XMP-95-011	Safety Black - X-Large
XMP-95-012	Safety Black - XX-Large





THE M-PACT® 2 GLOVE

HEAVY DUTY PROTECTION

- Extreme Knuckle Guard
 Accordion design with dense EVA foam padding reduces impact
- Improved Grip
 Rubberized grip panels on thumb,
 fingertip and palm improve control



PART NO.	DESCRIPTION
MP2-02-008	Red - Small
MP2-02-009	Red - Medium
MP2-02-010	Red - Large
MP2-02-011	Red - X-Large
MP2-02-012	Red - XX-Large
MP2-03-008	Blue - Small
MP2-03-009	Blue - Medium
MP2-03-010	Blue - Large
MP2-03-011	Blue - X-Large
MP2-03-012	Blue - XX-Large
MP2-05-008	Black - Small
MP2-05-009	Black - Medium
MP2-05-010	Black - Large
MP2-05-011	Black - X-Large
MP2-05-012	Black - XX-Large

SAFETY FASTFIT® GLOVE

HI-VIZ EASY ON/OFF

- High-Visibility Day-Glow two-way stretch Spandex offers excellent visibility in low light conditions
- Reflective Reflective strip panel across top of hand for added visibility

PART NO.	DESCRIPTION
SFF-91-008	Hi-Viz Yellow - Small
SFF-91-009	Hi-Viz Yellow - Medium
SFF-91-010	Hi-Viz Yellow - Large
SFF-91-011	Hi-Viz Yellow - X-Large
SFF-91-012	Hi-Viz Yellow - XX-Large
SFF-99-008	Hi-Viz Orange - Small
SFF-99-009	Hi-Viz Orange - Medium
SFF-99-010	Hi-Viz Orange - Large
SFF-99-011	Hi-Viz Orange - X-Large
SFF-99-012	Hi-Viz Orange - XX-Large



MECHANIX WEAR Code: 132

Website & Online Catalogue: www.mechanixwear.ca





THERMAL KNIT **DIPPED GLOVE**

EXCELLENT FIT AND COMFORT

- Waterproof Palm MicroFinish® coating provides secure grip while keeping palm and fingers dry
- Extended Cuff Elongated knit cuff keeps glove secured for use under or over jacket sleeve

PART NO.	DESCRIPTION
MCW-KD-500	Black - Medium/Large
MCW-KD-540	Black - X-Large/XX-Large



WINTER ARMOUR GI OVF

COLD WEATHER PERFORMANCE

- Durable Warmth Double stitching in critical areas resist tearing and a Nylon shell to protect against the elements
- Rubberized Grip Dual layer rubber panels on fingertips and partial palm provide better grip

PART NO.	DESCRIPTION
MCW-WA-008	Black - Small
MCW-WA-009	Black - Medium
MCW-WA-010	Black - Large
MCW-WA-011	Black - X-Large
MCW-WA-012	Black - XX-Large



WIND RESISTANT **GLOVE**

WARD OFF THE COLD

- Wind Resistant Heavy weight fleece top and wind resistant barrier
- **Grip Palm** Rubberized high grip water repellent palm

PART NO.	DESCRIPTION
MCW-WR-009	Black - Medium
MCW-WR-010	Black - Large
MCW-WR-011	Black - X-Large
MCW-WR-012	Black - XX-Large



ARMORCORE® UTILITY GLOVE

CUT LEVEL 5 PROTECTION

- Fabric Our exclusive fabric meets ANSI/ CE Level 5 standards for cut and puncture resistance
- Extra Grip Strategically placed silicone dots situated on top of our cut and puncture resistant fabric provide extra grip

PART NO.	DESCRIPTION	
CFF-505-008 Black/Beige - Small		
CFF-505-009 Black/Beige - Medium		
CFF-505-010	010 Black/Beige - Large	
CFF-505-011	Black/Beige - X-Large	
CFF-505-012	Black/Beige - XX-Large	

CG4X UTILITY GLOVE

VALUE WITHOUT COMPROMISE

Durability

Material 4X® reinforced fingertips and thumb for added durability

Easy Entry

Wide-opening elastic cuff makes it easy to pull on and off



PART NO.	DESCRIPTION	
CG4U-29-008	Moss - Small	
CG4U-29-009	Moss - Medium	
CG4U-29-010	Moss - Large	
CG4U-29-011	Moss - X-Large	
CG4U-29-012	Moss - XX-Large	

CG4X PADDED PALM GLOVE

ANTI-VIBRATION

Padded Palm

Reduces fatigue and protects against vibration and abrasion

Light Knuckle Protection

Material 4X® padded top of knuckle for abrasion protection





	PART NO.	DESCRIPTION
	CG4P-29-008	Moss - Small
,	CG4P-29-009	Moss - Medium
	CG4P-29-010	Moss - Large
	CG4P-29-011	Moss - X-Large
	CG4P-29-012	Moss - XX-Large

CG HEAVY DUTY GLOVE

GENUINE LEATHER

- 100% Leather All leather palm and dual layer fingertips and thumb offer ultimate durability
- Knuckle Guard Molded rubber design protects against impacts and abrasion



|--|--|

PAKI NU.	DESCRIPTION	
CG40-75-008	Black/Tan - Small	
CG40-75-009	Black/Tan - Medium	
CG40-75-010	Black/Tan - Large	
CG40-75-011	Black/Tan - X-Large	
CG40-75-012	Black/Tan - XX-Large	

CG4X IMPACT PRO GLOVE

FOR THE TOUGHEST JOBS

• Impact Protection

Molded rubber design adds knuckle protection

Padded Palm

Extremely durable Material 4X® palm and finger panels for comfort and protection



PART NO.	DESCRIPTION	
CG4M-28-008	Rust - Small	
CG4M-28-009	Rust - Medium	
CG4M-28-010	Rust - Large	
CG4M-28-011	Rust - X-Large	
CG4M-28-012	Rust - XX-Large	
CG4M-29-008	Moss - Small	
CG4M-29-009	Moss - Medium	
CG4M-29-010	Moss - Large	
CG4M-29-011	Moss - X-Large	
CG4M-29-012	Moss - XX-Large	

MASTERLOCK Code: 233

Website & Online Catalogue: www.masterlock.com

Mastę



NIGHT WATCH DUAL STAGE DEADBOLTS

- Stage 1 Standard Security: Allows access with homeowner key
- Stage 2 Extra Nighttime Security: Locks out all keys when activated



SILVABOND

 Antimicrobial Protected Finish Fights the spread of germs

NIGHTWATCH ENTRY LOCK COMBO SETS

Entry, ball knob and deadbolt set, polished brass or satin nickel





Part #BACCON0615

NIGHTWATCH DEADBOLT LOCKS

Polished brass or satin nickel



Part #DSON0603



Part #DSON0615

DEADBOLT LOCKS

GRADE 2

Deadbolt, commercial

single cylinder

Part #DSC0632DKA4

ENTRY LOCKS GRADE 3 Entry, ball knob,

polished brass or satin nickel



Part #BAO0115



Part #BAO0103

ENTRY LOCKS GRADE 2

Entry, ball, stainless steel commercial cylindrical lockset



Part #BLC0132DKA4



Part #6121

PRO SERIES RE-KEYABLE WEATHER TOUGH



Part #8413BLCDPF

PYTHON ADJUSTABLE **LOCKING CABLE**

6' (10 mm)



LAMINATED LOCK

1-3/4" (44 mm)

COVERED LAMINATED LOCK, BLUE, KEYED ALIKE (3 PK)

Part #BACCON0603

1-9/16" (40 mm)



Part #312TRI

SOLID BRASS PADLOCK (4 PK)

1-9/16" (40 mm)



Part #140Q

LAMINATED LOCK **KEYED ALIKE (4 PK)**

1-9/16" (40 mm)



Part #3008D

MAGNUM PADLOCKS

THE MAGNUM ADVANTAGE:

- · Tough-cut octagonal boron-carbide shackle
- Dual-armour laminated locks for strength and weather resistance
- Professional grade ball bearings for superior pull strenath
- · Covered key cylinder provides extreme protection from moisture/grime
- · Greater shackle clearance for improved utility
- · Reinforced body bumpers for protection







Part #M175BLCDLFHC





Part #M5BLCTHC

PART NO.	DESCRIPTION
M1BLCDHC	1-3/4", 3/4" shackle
M1BLCQLFHC	1-3/4", 1-1/2" shackle, 4 pack KA
M1BLCDLJHC	1-3/4", 2-1/2" shackle
M115BLCTRILFHC	1-3/4" covered, 1-1/2" shackle, 3 pack KA
M5BLCDHC	2", 1" shackle
M5BLCTHC	2", 1" shackle, 2 pack KA
M5BLCTRILFHC	2", 1-1/2" shackle, 3 pack KA
M175BLCDLFHC	2", 1-1/2" shackle, resettable combination
M515BLCDLHHC	2" covered, 2" shackle
M15BLCDLFHC	2-1/2", 1-1/2" shackle
M930BLCDLHHC	2-1/2" solid body, 2" shackle



BRADY Code: 458

Website & Online Catalogue: www.bradycanada.ca

PAKI NU.	DESCRIPTION		
BP0100	15" x 17", 100/bale	Heavy weight oil only pad, dimpled and perforated	
BP0500	15" x 17", 100/bale	Light weight oil only pad, dimpled and perforated	
BR0150	30" x 150', 1/bale	Heavy weight oil only roll, dimpled and perforated every 30"	
BPU100	15" x 17", 100/bale	Heavy weight universal pad, dimpled and perforated	
BPU500	15" x 17", 100/bale	Light weight universal pad, dimpled and perforated	
BRU150	30" x 150', 1/bale	Heavy weight universal roll, dimpled and perforated every 30"	
BP0200	15" x 17", 100/bale	Light weight oil only pad, dimpled and perforated	





SPC™ - MAXX

SPC BASIC™ · High absorption rates, up to 20x their weight in oil Low-linting finish, dimpled and perforated Applications:

Convenient and cost-effective. made with MAXX Technology.

· Ideal for outdoor applications

Production/machine areas

- Dimpled and perforated, single-ply sorbents
- Heavier and bonded to enhance strength and
- Applications: Spill response and clean up, off-shore or ship-board spills, outdoor industrial applications where lint is not a concern

PART NO.	DESCRIPTION	
SPC100	Heavy weight, dimpled and perforated, 15" x 19", 100/bale	
SPC500	Light weight, dimpled and perforated, 15" x 19", 100/bale	
SPC150	Heavy weight, dimpled convenient width, 38" x 144', 1 bale (roll)	

ENV™ MAXX ENHANCED OIL SORBENTS

ENV™ Oil Sorbents are "contractor grade" oil sorbents ideal for environmental applications

- · Efficient single-ply construction
- · Equally effective on land and water
- Repels water and floats indefinitely, even when saturated
- Ideal for marine applications where low cost and high absorption capacity is desired



PART NO.	DESCRIPTION	
ENV100	Heavy weight economy, 15" x 19", 100/bale	
ENV200	Light weight economy, double coverage, 15" x 19", 100/bale	
ENV300	Medium weight economy, 15" x 19", 100/bale	
ENV150	Medium weight, value roll, 30" x 150', 100/bale	

MRO PLUS™

MRO Plus™ is a universal sorbent in all-purpose, gray maintenance sorbents.

- · Absorbs all industrial liquids
- Three-ply construction makes it stronger
- · Perforated to help you use only what you need
- Applications: Anywhere there is a leak, drip or spill. Production/machine areas, maintenance areas, under assembly lines or equipment, and liquid storage areas

PART NO.	DESCRIPTION
MR0100	Heavy weight, all-purpose pad, 15" x 19", 100/case
MR0300	Medium weight pad, 15" x 19", 100/case
MR050	Jumbo heavy weight pad, 30" x 30", 50/bale

RE-FORM™ PADS AND ROLLS

- · Environmentally friendly sorbent that absorbs up to 50% more than traditional meltblown polypropylene sorbents
- Netted construction (Re-Form); Spunbound coverstock (Re-Form Plus)



PART NO.	DESCRIPTION	ABSORBENCY
RF100	Re-Form heavy weight pad, 15" x 19", 100/case	40 (151L)
RF500	Re-Form light weight pad, 15" x 19", 100/case	24 (90L)
RFP100	Re-Form Plus heavy weight pad, Perf'd, 15" x 19", 100/case	40 (151L)
RFP500	Re-Form Plus light weight pad, Perf'd, 15" x 19", 100/case	24 (90L)
RFP14P	Re-Form Plus heavy weight roll, Perf'd, 14.25" x 150', 1/case	30 (113L)
RF300	Medium weight pad, 15" x 19", 100/case	32 (121 L)

GP™ MAXX ENHANCED


SXT® OIL ABSORBENTS

The ideal absorbent when durability.

abrasion resistance and low linting is required

GP™ "General Purpose" maintenance pads and rolls can be used to clean up virtually any liquid.

- · Universal in nature, absorbs basically all fluids
- · Efficient single-ply construction
- Applications: Machine shop, refineries, transportation maintenance, steel manufacturing, and paper mills
- · Made with MAXX: greater performance without the extra weight!



Made to handle petroleum based spills · Repels water and floats indefinitely Spunbound Coverstock on both sides PART NO. DESCRIPTION SXT100 Heavy weight pad, 15" x 19", 100/case



BRADY®

BRADY SAFETY PADLOCK

- · Lightweight, non conductive and non-sparking body
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Lock body dimensions: 1.75"H x 1.D"W x 0.8"D



DESC.
Red
Blue
Green
Yellow
Orange
Black
Brown
Purple

BRADY STEEL PADLOCKS 3/4" SHACKLE

- · Reinforced laminated steel withstands severe physical abuse
- · Hardened steel shackle resists tampering
- · Body plates individually coated for superior rust protection
- One key supplied with each padlock for safer key management
- Body size is 1 1/3" H x 1 9/16" W x 7/8" D


PART NO.	DESC.
99500	Red
99504	Blue
99508	Green
99512	Yellow
99516	Orange
99520	Black
101957	Brown
104920	Purple



STEEL GROUP LOCKOUT HASPS

- · Constructed of vinyl-coated high tensile steel with rust resistant plating
- Lock Holes: 3/8" diameter
- Standard Package: 12 hasps

PART NO. DESCRIPTION		
65375	1" Diameter Jaws	
65376	1.5" Diameter Jaws	



55 GALLON **DRUM**

Open and close this lever locked 55 gallon drum for fast response. Drum meets

UN specifications. For medium spill

response. Absorbs up to 38 gallons per kit.

CONTENTS:

50 pads (15" x 19"), 4 SOCs (3" x 12"), 8 pillows (17" x 19") goggles, nitrile gloves, 5 disposal bags, emergency response handbook.

PART NO.	DESC.
SK0-55	Oil Only
SKA-55	Allwik®
SKH-55	Hazwik®

ECONOMY SPILL KIT™

The highly visible yellow PVC bag is "just right" for small spills. The right price, the right size and the right value. Absorbs up to 5 gallons per kit.

CONTENTS: 10 pads (15" x 19"), 2 SOCs (3" x 4"), goggles, nitrile gloves, 1 disposal bag, and



PART NO.	DESC.
SKO-PP	Oil Only
SKA-PP	Allwik®
SKH-PP	Hazwik®

ACCIDENT PREVENTION TAGS

Size is 3" x 5.75" with 0.375" metal grommet







PART NO.	DESCRIPTION		
76168	Caution - Economy Polyester		
86418	Danger - Heavy Duty Laminated Polyester		

SOCS

- · For routine spill containment and control
- · Dependable, flexible tubes that contain and absorb liquids
- · Molds around corners and conforms to uneven
- · Everyday working tool for



PART NO.	DESCRIPTION
SW46	Slikwik® - 3" x 42", 40/case
AW412	Allwik® - 3" x 4", 12/case
AW124	Allwik® - 3" x 4", 4/case
0IL412	Oil Only - 3" x 4", 12/case
OIL124	Oil Only - 3" x 12", 4/case

instruction sheet.

ENV™ SORBENT MARINE BOOMS

- Specifically designed for cleaning up oil spills on the water. These products have been used for nearly 30 years.
- Premium SPC™ booms are lint free and easy to handle
- Economical ENV™ booms feature a lint free blue sleeve

PART NO.	DESCRIPTION	
SPC810	8" x 10', 4/bale, strong, lint-free booms with no gaps	
SPC510	5" x 10', 4/bale, strong, lint-free booms with no gaps	
ENV810	8" x 10', 4/bale, economy boom with blue sleeves, lint free	
ENV510	5" x 10', 4/bale, economy boom with blue sleeves, lint free	

PORTABLE METAL GROUP LOCKOUT BOX

- · Made of heavy duty steel, powder-coated for extra rust resistance
- 13 lock holes on lid, plus lockable clasp on front
- Dimensions: 6"H x 9"W x 3.5"D

UNIVERSAL MULTI-POLE **BREAKER LOCKOUT**

- Single device works with major multi-pole breakers that employ a tie-bar
- · Made of durable impact-modified nylon



PART NO.	DESC.
66321	1/Pkg
66320	6/Pkg



BRADY Code: 458

Website & Online Catalogue: www.bradycanada.ca

BMP™21 **LABEL PRINTER**

- · Large display with backlight
- · Automatic label formatting
- Advanced serialization, barcoding and symbols
- · Dual label cutter with label retention
- Magnet, wrist strap and flashlight for onehanded operation

PART NO.	DESCRIPTION
BMP21	BMP21 Mobile Printer
BMP21-AC	BMP21 AC Adapter
BMP21-HC	BMP21 Hardside Carrying Case
BMP21-MAGNET	BMP21 Magnet
BMP21-TOOL	BMP21 Multifunctional Accessory

CARTRIDGES FOR BMP™21

PART NO.	DESC.	TEXT ON MATERIAL COL.	WIDTH	LEN.
NYLON CLOTH				
M21-375-499	3/8" B499	Black on White	9.525 mm	16'
M21-500-499	1/2" B499	Black on White	12.700 mm	16'
M21-750-499	3/4" B499	Black on White	19.050 mm	16'
M21-375-423	3/8" B423	Black on White	9.525 mm	21'
M21-500-423	1/2" B423	Black on White	12.700 mm	21'
M21-750-423	3/4" B423	Black on White	19.050 mm	21'
POLYESTER				
M21-375-430	3/8" B430	Black on Clear	9.525 mm	21'
M21-500-430	1/2" B430	Black on Clear	12.700 mm	21'
M21-750-430	3/4" B430	Black on Clear	19.050 mm	21'
VINYL				
M21-375-595-WT	3/8" B580	Black on White	9.525 mm	21'
M21-500-595-WT	1/2" B580	Black on White	12.700 mm	21'
M21-750-595-WT	3/4" B580	Black on White	19.050 mm	21'
M21-375-595-YL	3/8" B580	Black on Yellow	9.525 mm	21'
M21-500-595-YL	1/2" B580	Black on Yellow	12.700 mm	21'
M21-375-595-YL	3/4" B580	Black on Yellow	19.050 mm	21'
PERMASLEEVE™	WIRE MARKII	NG SLEEVES		
M21-125-C-342	0.125" B342	Black on White	5.969 mm	7'
M21-187-C-342	0.187" B342	Black on White	8.509 mm	7'
M21-250-C-342	0.250" B342	Black on White	11.151 mm	7'
M21-375-C-342	0.375" B342	Black on White	16.383 mm	7'
SELF LAMINATING VINYL				
M21-750-427	0.375" x .75"	Black on White	3/4"	14'
M21-1000-427	0.375" x 1"	Black on White	1"	14'
M21-1250-427	0.5" x 1.25"	Black on White	1 1/4"	14'
M21-1500-427	0.5" x 1.5"	Black on White	1 1/2"	14'

INDOOR/OUTDOOR VINYL (B-595)

- Durable, low-shrink vinyl with Brady's most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces



• Durability: 8-10 years

PART NO.	DESC.	
B30C-500-595-GY		
B30C-500-595-RD	0.5" x 100'	
B30C-500-595-GN	0.5 X 100	
B30C-500-595-CL		
B30C-1125-595-GN		
B30C-1125-595-GD	1 105" v 100'	
B30C-1125-595-BK	1.125" x 100'	
B30C-1125-595-RD		
B30C-2250-595-0R		
B30C-2250-595-BK	2 25" x 100'	
B30C-2250-595-CL	2.25 X 100	
B30C-2250-595-YL		
B30C-4000-595-BK	4" x 100'	
B30C-4000-595-WT		
B30C-4000-595-GD		

BBP®31 SIGN & LABEL **PRINTER**

The BBP31 Sign and Label Printer is an easy-to-use, versatile printer that can print signs and labels up to 4" wide. It features a large touch screen display with drag and drop label design and an intuitive home screen that allows you to create labels quickly and easily - in as little as 2 steps.

	PART NO.	DESCRIPTION
	BBP31	BBP31 Sign & Label Maker
	BBP31-360P-MWL	BBP31 Printer with Brady 360 Preferred plan and Markware™ Lean Software
	BBP31-ARCFLASH KIT	BBP31 Printer with Arc Flash Supply Kit
	B30KIT-GENIND	General Industrial & 5S Supply Kit

LOW-HALIDE POLYESTER (B-569)

- For labelling stainless steel and smooth surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels
- Average Outdoor Durability: 3-5 years
- Durability: 8-10 years

PART NO.	DESC.
B30C-500-569-LB	
B30C-500-569-BR	0.5" x 100'
B30C-500-569-PK	
B30C-1125-569-0C	
B30C-1125-569-SB	1.125" x 100'
B30C-1125-569-GN	1.120 X 100
B30C-1125-569-0R	
B30C-2250-569-BR	
B30C-2250-569-CL	2.25" x 100'
B30C-2250-569-LB	2.23 X 100
B30C-2250-569-TN	
B30C-4000-569-SB	
B30C-4000-569-WT	
B30C-4000-569-0R	4" x 100'
B30C-4000-569-BK	
B30C-4000-569-GN	

BMP®51 LABEL MAKER

The BMP51 Label Maker has all the

latest features for portable printing on the go: a large display screen, easy-to-use label design apps, fast print speed, and more. You can carry this printer throughout your facility to quickly and easily make labels on the go. It has a 300 dpi print head and prints at a speed of 1 inch per second. It can print on a variety of continuous and die-cut materials up to 1.5" wide. With a built-in cutter, easy top-loading cartridges, and 3 different options for battery power, the BMP51 Label Maker is a powerful printer for on-the-job label making.

PART NO.	DESCRIPTION
75447314703	BMP51 printer with battery pack/AC adaptor
75447314705	BMP51 with LabelMark 5 and AC adaptor
75447314707	BMP51 with AC adaptor



Website & Online Catalogue: www.bradycanada.ca



TDG UN PLACARDS

TDG Placards preprinted with the UN

PART NO.	UN	MATERIAL	PLACARD	SHIPPING NAME
09093	1072	Styrene	Non-Flammable Gas	Oxygen Compressed
09092	1075	Styrene	Flammable Gas	LPG
09092	1978	Styrene	Flammable Gas	Propane
09095	1202	Styrene	Flammable Liquid	Fuel Oil
09095	1263	Styrene	Flammable Liquid	Paint
09095	1268	Styrene	Liquid Petroleum	Distillates
09082	1203	Self-Sticking	Flammable Liquid	Gasoline

PART NO.

B30-R10000-MA

B30-R10000-RD

DESC.

Magenta

Red

HEAVY DUTY PRINT RIBBONS

- Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions



RAISED PROFILE LABELS - ENGRAVED PLATE SUBSTITUTES (B-593)

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive
- 0.70 mm thick
- High performance, low cost substitute to engraved plates
- 10-year outdoor durability rating
- · Average outdoor durability: up to 10 years

PART NO.	DESCRIPTION
B30EP-167-593-GN	1.5" x 1.2", 22.5 mm diameter keyed hole (235 labels/roll)
B30EP-167-593-BK	1.3 × 1.2 , 22.5 mm diameter keyed note (233 labels/1011)
B30EP-168-593-RD	1 0" v 1 2" 22 5 mm diameter leved halo (190 lahala/rall)
B30EP-168-593-GN	1.9" x 1.2", 22.5 mm diameter keyed hole (180 labels/roll)
B30EP-169-593-BK	1 0" v 1 0" 20 FF mm diameter layed halo (100 labele/rall)
B30EP-169-593-YL	1.8" x 1.8", 30.55 mm diameter keyed hole (190 labels/roll)
B30EP-170-593-RD	2.4" x 2.4", 30.5 mm diameter (145 labels/roll)



TOUGHSTRIPE™ FLOOR MARKING

SIZE	YELLOW	BLACK/YELLOW
2" x 100'	104312	104317
3" x 100'	104342	104347
4" x 100'	104372	104377

ToughStripe™ floor marking products are made with Brady's new B-514 polyester. ToughStripe products are ideal for marking aisles, passageways and storage locations. Also used for pointing out important safety equipment and egress paths.

- Service temperature range of -17°C -53°C
- · Resists harsh chemicals
- Exceeds safety standards for clean, dry, non-slip surfaces

SELF-LAMINATING WIRE & CABLE MARKERS

Features a clear, non-printable "tail" that wraps around the wire and serves as an overlamiante for the printed text. Protected print area offers a superior chemical and abrasion resistance.



PART NO.	DESCRIPTION
M-11-427	Black on White - 16-10 Gauge - 360 lbs/roll
M-96-427	Black on White - 16-10 Gauge - 200 lbs/roll
M-31-427	Black on White - 10-4 Gauge - 200 lbs/roll
M-103-427	Black on White - 10-4 Gauge - 200 lbs/roll
M-19-427	Black on White - 12-10 Gauge - 200 lbs/roll
M-18-427	Black on White - 12-10 Gauge - 200 lbs/roll
M-21-427	Black on White - 3 Gauge -2/0 - 80 lbs/roll
M-32-427	Black on White - 10-4 Gauge - 180 lbs/roll
M-17-427	Black on White - 12-10 Gauge - 360 lbs/roll
M-115-427	Black on White - 10-4 Gauge - 200 lbs/roll
M-30-427	Black on White - 10-4 Gauge - 200 lbs/roll
M-33-427	Black on White - 3/0 - 400 kcmil - 70 lbs/roll

PERMASLEEVE® PS WIRE MAKING SLEEVES

These heat shrink sleeves are the ultimate in marker durability, performance and aesthetic appearance. Fast shrink rate saves time and costs during installation.

PART NO.	DESCRIPTION
M-187-1-342	Black on White - 20-10 Gauge
M-250-1-342	Black on White - 16-8 Gauge
M-125-1-342	Black on White - 22-16 Gauge
MC-187-342	Black on White - 22-10 Gauge
M-375-1-342	Black on White - 12-4 Gauge
MC-125-342	Black on White - 22-16 Gauge
MC-250-342	Black on White - 16-8 Gauge
MC-375-342	Black on White - 12-4 Gauge





BRADY Code: 458

Website & Online Catalogue: www.bradycanada.ca

NOTICE AUTHORIZED PERSONNEL ONLY









DANGER HIGH **VOLTAGE**



DANGER EXPLOSIVES KEEP OUT

DANGER DO NOT ENTER EMERGENCY EXIT ONLY

ECONOMY GRADE BARRICADE TAPE

- · Made of lightweight polyethylene
- · 2 ml thickness
- Ideal for temporary use outdoors or permanent indoor warning
- Available in roll side: 3" x 1,000'
- Standard package: one roll

DANGE	R

CAUTION

PART NO.	DESC.	PLACARD
92306	Black/Yellow	CAUTION DO NOT ENTER
92353	Black/Yellow	CAUTION HIGH VOLTAGE
92354	Black/Yellow	CAUTION KEEP OUT
92366	Black/Red/White	DANGER DO NOT ENTER
92369	Black/Yellow	HAZARDOUS MATERIAL DO NOT ENTER
92303	Black/Yellow	CAUTION
92320	Black/Red	DANGER DO NOT ENTER
92327	Black/Red	DANGER

PERMANENT PLACARDS

to match the life of the vehicle. All placards are 10-3/4" x 10-3/4" to comply with TDG regulations. Alternate placards and orange panels are also available.



PART NO.	DESC.	PLACARD
09024	Self Sticking	Flammable Gas Class 2
09025	Self Sticking	Non-Flammable Gas, Non- Poisonous Gas Class 2
09028	Self Sticking	Flammable Class 3
09038	Styrene	Corrosive Class 8
09044	Self Sticking	Non-Flammable Gas Class 2
09054	Styrene	Poison
09058	Styrene	Corrosive Class 9
09059	Styrene	Danger
09800	Styrene	Danger Class 9 Canada

HEALTH AND SAFETY SIGNS

PART NO.	DESCRIPTION
	ADMITTANCE SIGNS
22218	DO NOT ENTER
22186	RESTRICTED AREA: NO UNAUTHORIZED PERSONNEL BEYOND THIS POINT
22142	NOTICE - AUTHORIZED PERSONNEL ONLY
22084	DANGER: DO NOT ENTER - EMERGENCY EXIT ONLY
95496	SECURITY NOTICE - VIDEO SURVEILLANCE IN USE ON THESE PREMISES (W/PICTO) 14" H x 20" W · BradyTuff™ Plastic
	CHEMICAL AND HAZARDOUS MATERIALS
25657	DANGER - EXPLOSIVES KEEP AWAY
25659	DANGER - EXPLOSIVES KEEP OUT
25441	DANGER - HAZARDOUS CHEMICALS
	ELECTRICAL HAZARD
25533	DANGER - HIGH VOLTAGE
22104	DANGER - HIGH VOLTAGE KEEP OUT
22112	DANGER - KEEP OUT
	FIRE
47039	FIRE EXTINGUISHER (IN DOWNWARD ARROW)
	FIRST AID
22645	SAFETY FIRST · FIRST AID KIT
22665	EYE WASH STATION
22670	FIRST AID EQUIPMENT (W/PICTO) - 7" H x 10" W Plastic
	NO SMOKING
25083	DANGER - NO SMOKING, NO OPEN FLAMES, NO SPARKS
25120	NO SMOKING (WITH PICTO)
25118 NO SMOKING	
	PROTECTIVE WEAR SIGNS
88546	CAUTION - EYE AND EAR PROTECTION MUST BE WORN BEYOND THIS POINT 10 "HX 14" W - Self-Sticking
41160	CAUTION - SAFETY GOGGLES REQUIRED IN THIS AREA 7" H x 10" W - Aluminum

INDOOR/OUTDOOR **GRADE FACILITY &** SAFETY LABELS



Pliable Vinyl that conforms well to smooth or rough surfaces such as pipes, walls, doors, panels, shelving, bins and equipment. Excellent resistance to oils, detergents, dirt, grime, and many solvents. Lasts up to 8-10 years outdoors.

PART NO.	DESCRIPTION
MC-1500-595-WT-BK	Black on White - 1.5' X 25'
MC-1000-595-WT-BK	Black on White - 1' X 25'
MC-500-595-WT-BK	Black on White - 0.5' X 25'
MC-1500-595-BL-WT	White on Blue - 1.5' X 25'
MC-1000-595-BL-WT	White on Blue - 1' X 25'
MC-1500-595-YL-BK	Black on Yellow - 1.5' X 25'
MC-1000-595-YL-BK	Black on Yellow - 1' X 25'
MC-500-595-YL-BK	Black on Yellow - 0.5' X 25'
MC-1500-595-OR-BK	Black on Orange - 1.5' X 25'
MC-1000-595-OR-BK	Black on Orange - 1' X 25'
MC-1500-595-RD-WT	White on Red - 1.5' X 25'

BOOT COMPAN



ALL PRODUCTS SHOWN ARE 100% WATERPROOF

CHORE HIGH, CSA SAFETY BOOT

- · All conditions work boot
- Tall height, black
- Steel toe, puncture resistant midsole
- Unisex boots. Men's size listed.

PART NO.	SIZE	PART NO.	SIZE
CHS-CSAA-7	7	CHS-CSAA-11	11
CHS-CSAA-8	8	CHS-CSAA-12	12
CHS-CSAA-9	9	CHS-CSAA-13	13
CHS-CSAA-10	10	CHS-CSAA-14	14

WOODY SPORT

PART NO.	SIZE
WDS-M0BU-7	7
WDS-M0BU-8	8
WDS-M0BU-9	9
WDS-M0BU-10	10
WDS-M0BU-11	11
WDS-M0BU-12	12
WDS-M0BU-13	13
WDS-M0BU-14	14

Unisex boots. Men's size listed

- · All terrain hunting boot
- Comfort zone of -30°C to 20°C
- Tall height, mossy oak camo



· All conditions field boot

· All conditions work boot

Comfort zone of

-5°C to 20°C

· Tall height, black

· Self cleaning outsole

· Tall height, moss

KIDS ARCTIC SPORT

PART NO.	SIZE
ASP-200A-1	1
ASP-200A-2	2
ASP-200A-3	3
ASP-200A-4	4
ASP-200A-10	10
ASP-200A-11	11
ASP-200A-12	12
ASP-200A-13	13

- · Winter sport boot
- · Fleece lining
- 100% waterproof
- Children's sizes listed



WOMEN'S ARCTIC SPORT MID

PART NO.	SIZE
WAS-404-6	6
WAS-404-7	7
WAS-404-8	8
WAS-404-9	9
WAS-404-10	10

- Extreme conditions sport boot
- · Contoured to fit a woman's foot
- 100% waterproof
- Comfort zone of -40°C to 10°C



EDGEWATER HIGH

PART NO.	SIZE
EWH-333T-7	7
EWH-333T-8	8
EWH-333T-9	9
EWH-333T-10	10
EWH-333T-11	11
EWH-333T-12	12
EWH-333T-13	13
EWH-333T-14	14

Unisex boots. Men's size listed.

ARCTIC SPORT HIGH

ARCTIC SPORT MID ALSO AVAILABLE

PART NO.	SIZE
ASP-000A-6	6
ASP-000A-7	7
ASP-000A-8	8
ASP-000A-9	9
ASP-000A-10	10
ASP-000A-11	11
ASP-000A-12	12
ASP-000A-13	13
ASP-000A-14	14

Unisex boots. Men's size listed

- · Extreme conditions sport boot
- · Comfort zone of -40°C to 10°C
- · Tall height, black



MUCKSTER

PART NO.	SIZE
MST-998K-7	7
MST-998K-8	8
MST-998K-9	9
MST-998K-10	10
MST-998K-11	11
MST-998K-12	12
MST-998K-13	13
MST-998K-14	14

Unisex boots. Men's size listed.

- Pet lovers shoe
- · Great for all things around the yard
- · Shoe style, bark colour



CHORE HIGH

PART NO.	SIZE
CHH-000A-7	7
CHH-000A-8	8
CHH-000A-9	9
CHH-000A-10	10
CHH-000A-11	11
CHH-000A-12	12
CHH-000A-13	13
CHH-000A-14	14

Unisex boots. Men's size listed

CHORE MID

PART NO.	SIZE
CHM-000A-7	7
CHM-000A-8	8
CHM-000A-9	9
CHM-000A-10	10
CHM-000A-11	11
CHM-000A-12	12
CHM-000A-13	13

Unisex boots. Men's size listed.

· All conditions work boot

Comfort zone of -5°C to 20°C



JOBBER

PART NO.	SIZE
J0B-000A-7	7
J0B-000A-8	8
JOB-000A-9	9
J0B-000A-10	10
J0B-000A-11	11
J0B-000A-12	12
J0B-000A-13	13
J0B-000A-14	14

Unisex boots. Men's size listed

- All conditions work boot
- Comfort zone of -5°C to 20°C
- Over ankle height, black



ALLIANCE MERCANTILE Code: 725

Website & Online Catalogue: www.alliancemercantile.com

VIKING JOURNEYMAN SAFETY MESH T-SHIRT



Alliance Mercantile Inc.

PART NO.	DESCRIPTION
6005G-XL	Green
60050-XL	Orange

SAFETY T-SHIRT FEATURES:

- Premium soft polyester mesh fabric in fluorescent CSA colours
- Fully compliant with CSA Z96-09 Class 2. Level 2
- Becomes CSA Class 3 in combination with right model arm and leg bands
- Fully compliant with ANSI/ISEA 107-2010 Class 2, Level 2
- 2" Vi-brance® reflective material in 4" WCB/Worksafe/DOT configuration
- Clip on straps on both chests for radio phone
- · Available in sizes S 3XL

OPEN ROAD SAFETY VEST



SAFETY VEST FEATURES:

- Polyester mesh tape configuration meets WCB requirements
- 2" Vi-brance® reflective material in 4" WCB/ Worksafe/DOT configuration
- · Safety D ring slot access
- 5 point Velcro® tear away design and four front pockets

PART NO.	DESCRIPTION
6115G	Green
61150	Orange

One Size Fits All

VIKING SOLID SAFETY VEST



PART NO.	DESCRIPTION
6135G-L/XL	Green
61350-L/XL	Orange

SAFETY VEST FEATURES:

- · Safety D ring slot access
- 5 Point Velcro® tear away design
- Fully compliant with ANSI/ISEA 107-2010 Class 2 Level 2
- 2" Vi-brance® reflective material in 4" WCB/ Worksafe/DOT configuration
- Fully compliant with CSA Z96-09 Class 2, Level 2
- Becomes CSA Class 3 in combination with right model arm and leg bands
- · Breathable solid polyester material
- Available in sizes S/M, L/XL, 2XL/3XL and 4XI /5XI

SAFETY HOODIE



PART NO.	DESCRIPTION
6420JG-XL	Green
6420J0-XL	Orange

Available in sizes S - 4XL

SAFETY HOODIE FEATURES:

- Fully compliant with CSA Z96-09 Class 2, Level 2. Becomes CSA Class 3 when worn with Viking Ankle Bands
- Fully compliant with ANSI/ISEA 107-2010 Class 3. Level 2
- 2" Vi-brance® reflective material in 4" WCB/Worksafe/DOT configuration
- Warm 260 gm/m polyester quick dry
- Chest cell phone pocket and clip on radio phone straps
- · Warm full size drawstring hood
- Tear away detachable hood
- Taffeta lined sleeves
- · Two large pockets

JOURNEYMAN 3-IN-1 SAFETY JACKET AND PANT

JACKET & PANT FEATURES:

- Fully compliant with CSA Z96-09 Class 2, Level 2, becomes CSA Class 3 when worn as a suit
- Fully compliant with ANSI/ISEA 107-2010 Class 3, Level 2 on the jacket; Class E, Level 2 on the bib pants
- 2" Vi-brance® reflective material in 4" WCB/ Worksafe/DOT configuration
- 3-in-1 all season safety design
- Removable bib with inside zipper pockets, H.D. suspenders and boot zip on pants
- H.D. 300D polyester/PVC material and 260 gr premium polyester inner safety jacket with detachable hood
- Resistant to abrasion, puncture, rips and snags
- Flexible in sub-zero conditions
- Pit zips provide breathability
- Two front pockets and chest cell pocket
- Hood 6330HO, 6330HG sold separately
- Includes fleece inner safety jacket with removable hood

PART NO.	DESCRIPTION
6400JG-XL	Jacket Green
6400J0-XL	Jacket Orange
6400PG-XL	Pant Green
6400P0-XL	Pant Orange
6330HG	Hood Green
6330HO	Hood Orange

Available in: Orange: Jackets S - 4XL, Pants S - 3XL Green: Jackets XS - 4XL, Pants XS - 3XL



SAFETY MAXX 150

SAFETY JACKET AND PANTS FEATURES:

- Fully compliant with CSA Z96-09 Class 2 Level 2, becomes Class 3 when worn as a suit, and ANSI/ISEA 107-2010 Class 3, Level 2
- 100% waterproof, windproof and machine washable
- 2" Vi-brance® reflective material in 4" WCB/ Worksafe/DOT configuration
- 150 Denier polyester/PU material light weight and flexible even in cold condition
- Double sewn, taped and heat sealed seams
- Generous sizing for working comfort and ventilation
- · Adjustable wrist cuffs
- Hood snaps off or stuffs into collar
- Multi-vented front and back for breathability
- ID patch/cell/radio clip on belts
- Attached bib pants with elasticized waist, elastic suspenders and adjustable boot cuffs

PART NO.	DESCRIPTION
6325JG-XL	Jacket Green
6325J0-XL	Jacket Orange
6325PG-XL	Pant Green
6325P0-XL	Pant Orange

Available in sizes S - 3XL

ALLIANCE MERCANTILE Code: 725

Website & Online Catalogue: www.alliancemercantile.com





HI VIZ HD FR PVC RAINWEAR

FR JACKET AND PANT FEATURES:

- Premium 0.45 mm PVC/Polyester/PVC material with Flame Retardant (FR) treatment
- Fully compliant with CSA Z96-09 Class 1. Level FR CSGB-155.1-2001 Flame resistant
- 2" reflective tape
- Resistant to motor oil, diesel, chemicals, animal fat and fish oil
- Nylon snap closure system and heavy duty suspenders meet Electric Shock Resistance standards
- · Back vents and cotton corduroy collar
- Reversible bib and elastic suspenders on pants, includes detachable hood
- Large zip pocket and pen holder

PART NO.	DESCRIPTION
6310J-XL	Jacket
6310P-XL	Pant

Available in sizes S - 4XL

Part #X030-10

BEKINA STEPLITE X WHITE PU SAFETY BOOT

SAFETY BOOT FEATURES:

- CSA Class # 1 Steel Toe
- · Thermo-insulating waterproof construction remains flexible up to -30°C
- Sizes 3-14

Part #Z040-10

BEKINA THERMOLITE GREEN PU BOOT

SAFETY BOOT FEATURES:

- CSA Class # 1 steel toe and plate
- Extra thick PU compound
- Thermo-insulating waterproof construction is light weight and remains flexible to -40°C
- Sizes 6-14





Part #X040-10

BEKINA STEPLITE X GREEN PU SAFETY BOOT

SAFETY BOOT FEATURES:

- CSA Class # 1 steel toe and plate
- Thermo-insulating waterproof construction is light weight and remains flexible up to -30°C
- Sizes 4-14

Part #X010-10

BEKINA STEPLITE X GREEN PU BOOT

- Non safety ultra light polyurethane construction
- Durable and flexible up to -30°C
- Sizes 4-14





Part #VW12-1-10

VIKING ARCTIC EXTREME BOOT

SAFETY BOOT FEATURES:

- CSA Class # 1 steel toe and plate
- CSA Omega -Electric Shock Resistant
- Warmth up to -70°C
- Sizes 6-14



Part #VW88-10

VIKING ULTIMATE CONSTRUCTION BOOT

SAFETY BOOT FEATURES:

- CSA Class # 1 steel toe and plate
- CSA Omega -Electric Shock Resistant
- CSA Class # 1/ASTM
- CE 0321 Chainsaw Cut Protection Class 2
- Sizes 6-14



Part #VF22-10/11

VIKING **AMC SOCKS**

SOCK FEATURES:

- · Dual laver thermal. acrylic / cotton construction
- Provides ventilation and wicks away sweat
- Sizes 4/5-14/15



Part #VW10-10

VIKING TUNDRA WINTER BOOT

BOOT FEATURES:

- · Non safety insulated boot for warmth up to - 70°C
- · Handcrafted 100% waterproof and oil resistant rubber
- Sizes 6-14



Part #VW2-1-10

VIKING JOURNEYMAN PVC BOOT

SAFETY BOOT FEATURES:

- CSA/ANSI Class # 1 steel toe and plate
- Premium PVC compound provides tensile strength and tear resistance
- Sizes 6-14



Part #9726V-10

HARVIK DIELECTRIC BOOT

SAFETY BOOT FEATURES:

- CSA Omega, Electric Shock Resistant 10 kV (wet), ASTM F1117-03 or 37 kV (dry)
- Fuel and oil resistant sole. 30% better slip resistance than a PVC sole
- Sizes 6-14



Part #VW42-10

VIKING MET **GUARD BOOT**

SAFETY BOOT FEATURES:

- CSA Z195-02/ASTM F2413-05
- CSA Class # 1 steel toe and plate
- SNUG FIT construction with comfortable ergonomic insole
- Sizes 6-14



Part #VW49-10

VIKING MINER **49ER BOOT**

SAFETY BOOT FEATURES:

- ASTM MT/75 metatarsal protection
- CSA Class # 1 steel toe and plate
- CSA Omega -Electric Shock Resistant • Sizes 5-14



Part #VW76-10

VIKING ERICSEN **WORK BOOT**

SAFETY BOOT FEATURES:

- CSA Class # 1 steel toe
- Ballistic nylon cut resistance
- Heavy duty cotton canvas lining CSA Omega - Electric
- Shock Resistant Sizes 6-14



Part #VW58-1-10

VIKING BUSHWHACKER CHAINSAW BOOT

SAFETY BOOT FEATURES:

- CSA 7195-09 Green Tree Chainsaw Protection
- CSA Class # 1 steel toe and plate CSA Omega -
- Electric Shock Resistant · CSA Class 1/ASTM
- Sizes 4-15



3M Code: **815**

Website: www.3mcollision.com

RESPIRATORS

REPLACEMENT FILTER & CARTRIDGE FOR 37078

31

O/111111111111111111111111111111111111		
PART NO.	DESCRIPTION	
07046	Organic Vapor Cartridge	
07194	Particulate Filter	
07054	Retainer	



3M™ PROFESSIONAL **SERIES HALF FACEPIECE** PAINT SPRAY **PACKOUT MEDIUM**

Designed to be fully maintainable

3M™ N95 PARTICULATE **RESPIRATOR**

- · Designed for use in grinding, sanding and buffing
- Features 3M's Advanced Electret Media (AEM) and an adjustable nose clip to help provide a custom fit and secure seal



SCOTCH-BRITE™

3M™ ROLOC™ SURFACE CONDITIONING DISCS

· Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings

PART NO.	DESC.
07480	2" Course
07481	2" Medium
07485	3" Course
07486	3" Medium







SCOTCH-BRITE™ **ULTRA FINE HAND PAD**

- 6" x 9", grey
- · For final sanding of primer-surfacer
- For light cleaning, finishing of metal, plastic, composite and wood surfaces
- Rinses clean, will not rust and can be used over and over again



Part #07447

SCOTCH-BRITE™ **GENERAL PURPOSE HAND PAD**

- 6" x 9". maroon
- For scuffing before applying paint and primer-surfacer
- For used car reconditioning, cleaning upholstery, headlines and door pads, chrome and white wall tires
- · Rinses clean, will not rust and can be used over and over again

GRINDING DISCS

3M™ GREEN CORPS™ ROLOC™ DISCS

- Generally used for hard to reach areas in paint, rust and weld removal
- Fits any standard 1/4 in drill or air tool
- Easy, quick change tool

PART NO.	DESC.
01396	2" 50 Grade
01397	2" 36 Grade
01406	3" 50 Grade
01407	3" 36 Grade



Part #B01131

3M™ PLATINUM™ PLUS BODY FILLER -GALLON



A super creamy formula that achieves extreme adhesion to galvanized steel, aluminum, E-coat, fiberglass, SMC, cured epoxy, urethane and primers.

TAPE

SCOTCH™ SUPER 33+




- 3/4 inch x 66 feet (19 mm x 20.1 m), black
- 7 mil premium grade all-weather vinyl
- Its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures



3M TEMFLEX VINYL ELECTRICAL TAPE

- 3/4" x 66 ft black
- 7 mil vinyl tape for general use, protective jacketing and harnessing
- An economical solution for less demanding indoor jobs



VINYL DUCT TAPE

- Tartan™ Duct Tape 3939, silver, 2 " x 60 yard, 48 mm x 55 m
- · Waterproof, used for demanding duct tape applications



Part #06975

VINYL DUCT TAPE

- 3M™ Duct Tape 3900, black, 2" x 60 yard, 48 mm x 54.8 m
- General purpose, or general maintenance. wrapping, sealing, protecting and color coding



3M AUTOMOTIVE ACRYLIC PLUS ATTACHMENT TAPE

Acrylic Plus Attachment Tapes are OEM approved and are stronger, higher performing, high stress handling products than other automotive attachment tapes

Typical applications include body side moldings, rocker panel moldings, claddings, wheel flares, bumper trim and other exterior and interior automotive trim components

PART NO.	DESCRIPTION
06382	45 mil, 1/2" x 20 yd, Black
06383	45 mil, 7/8" x 20 yd, Black
06396	Adhesion Promoter

3M SCOTCH PERFORMANCE MASKING TAPE 233+

- · Has excellent conformability, transfer and bleed through resistant
- Better UV resistance than traditional masking tapes



transfer man man man and the part		
PART NO.	DESCRIPTION	
26334	3/4", 18 mm x 55 m, Green	
26338	1-1/2", 6 mm x 55 m, Green	
26340	2", 48 mm x 55 m, Green	

Website: www.efwalter.com

EF WALTER Code: 678

COMFORT REPLACEMENT INSOLES

- Fabric top cloth features Aegis Microbe Shield® technology
- 40 perforations for breathability and ventilation
- 2 mm blue open cell polyurethane foam provides extra comfort
- Arch support and deep heel cup provides superior comfort, support and cushioning
- · Lightweight insole is suitable for all activities

PART NUMBER	SIZE
416005007	Men's size 9
416005008	Men's size 10
416005009	Men's size 11
416005010	Men's size 12



TOUGH LACES FOR THE TOUGHEST WORK ENVIRONMENTS

- · High quality laces for work footwear
- Available in black, yellow/tan and white
- Different sizes available: 54"/137 cm, 63"/160 cm. 72"/183 cm
- Featuring FUSED TIP guaranteed for life!
 Work boot laces are made in Canada
- PART NUMBER DESCRIPTION 443004003 Black 54" high quality lace featuring FUSED TIP 443004004 Black 63" high quality lace featuring FUSED TIP 443004005 Black 72" high quality lace featuring FUSED TIP 443004009 Yellow/tan 54" high quality lace featuring FUSED TIP 443004010 Yellow/tan 63" high quality lace featuring FUSED TIP 443004011 Yellow/tan 72" high quality lace featuring FUSED TIP 443004015 White 45" sport high quality lace 443004016 Black 45" sport high quality lace







Part #443001002

HEAVY DUTY BOOT GUARD

Heavy Duty Boot Guard provides lasting, breathable protection that creates an invisible silicone shield and prevents water and stains from settling in. Preserves and protects boots from the elements.

- · Water and stain repellant
- Protects against rain, snow, salt and dirt
- Suitable for most types of genuine or synthetic leather, suede, nubuck and fabric
- Best selling SKU!



DUBBIN PROTECTOR

- Heavy duty water proofing protection for leather
- Dubbin with Silicone
- Waterproofs all types of leather
- · Prevents cracking



Part #8670/3

WORK FORCE®

THERMAL

LIGHT

SEASONS:

4 Seasons

ACTIVITIES:

FEATURES:

· Indoor and outdoor

rugged work

Cotton, natural.

DESCRIPTION

· Size: Large

Colour: Black

Package Qty: 3/pk

Part #8450-01

LITE WALKER

EXPEDITION®

· Fall, spring, summer

· Indoor and outdoor

work, biking, walking,

Protectguard® inhibits

growth of bacteria and

SEASONS:

ACTIVITIES:

runnina

FEATURES:

fungi

Anti-microbial

easy care fibre

THE GREAT CANADIAN SOX CO. / J. B. FIELD'S

Code: **592** Website: www.greatsox.ca

Part #8565-09

ICE - 50 BELOW

GUMBOOT CUFF

Outdoor work, camping, hunting / fishing

· Pre-shrunk new wool.

Anti-odour inhibits

machine wash and dry

growth of odour causing

ICELANDIC®

SEASONS:

Winter -50°C

ACTIVITIES:

FEATURES:

bacteria

DESCRIPTION

Size: Large

Colour: Beige

Package Qty: 1

Part #8516-09

Outdoor work, hunting /

snow shoe walking

Anti-odour Protectquard®

causing bacteria

and protection

DESCRIPTION

Size: Large

Colour: Beige

Package Qty: 1

· Pre-shrunk new wool.

inhibits growth of odour

machine wash and dry

X-High Cushion, warmth

fishing, mountaineering,

ICE SOCK

Winter -50°C

SEASONS:

ACTIVITIES:

FEATURES:

ICELANDIC®



TRADITIONAL **BOOTSOCK**

SEASONS:

ACTIVITIES:

rugged work

DESCRIPTION

- Package Qtv: 3/pk



Part #8515-06

POLYPROPYLENE LINER **SECOND SKIN®**

SEASONS:

ACTIVITIES:

work, skiing, snowboarding

FEATURES:

- Anti-blister, reduced ahrasion
- Anti-soil Protectguard® provides protection against soiling
- · Wick dry provides inside to outside
- · Coolmax moisture added insulation

remova DESCRIPTION

- · Size: Medium
- Colour: Grey
- Package Qty: 1



WORK FORCE®

• 4 Seasons

· Indoor and outdoor

- Material: Wool
- Colour: Red Stripe

4 Seasons

• Indoor and outdoor

- Polypropylene thermal insulation
- moisture removal from
- Full terry provides

DESCRIPTION

- · Size: Large
- Colour: Black
- · Package Qty: 1

30 BELOW CLASSIC ICELANDIC® SEASONS: Winter -30°C

Outdoor work, skiing, winter sports, snowboarding

PART NO.

8030-06

8030-13

8030-02

8033-06

8033-13

8930-06

8930-13

ACTIVITIES:

- Anti-odour Protectquard® inhibits growth of odour causing bacteria
- Pre-shrunk new wool, machine wash and dry
- · X-High Cushion, warmth and protection



X-Large

Large

Large

Mid-Grev

Mid-Grey

Black

1	nair	ner	pack

SUPER WOOL HIKER GX EXPEDITION®

Icelandic - 30 Below Knee High

Icelandic - 30 Below Knee High

Icelandic - 30 Below

SEASONS:

4 Seasons

ACTIVITIES:

 Indoor and outdoor work, backpacking, hiking, trails, trekking

FEATURES:

- · Anti-microbial Protectguard® inhibits growth of bacteria and fungi
- Arch support, superior fit
- Impact support zones provides protection and comfort
- Double cuff comfort
- Half cushion comfort and protection
- Merino wool provides softness and natural warmth



PART NO.	SIZE	COLOUR
8761-26	Large	Taupe
8762-26	Medium	Taupe

1 pair per pack

VAGDEN DIABETIC CASUAL COTTON NON-ELASTIC SOCKS

SEASONS:

4 seasons

ACTIVITIES:

· Indoor and outdoor work

FEATURES:

- 90% cotton, 5% nylon, 5% spandex
- Anti-microbial treatment keeps feet smelling fresh
- Fits shoe sizes 8-12
- Casual weight and non-elastic comfort for superior comfort



PART NO.	COLOUR
5610/2-06	Black
5610/2-26	Taupe
5610/2-02	Navy

2 pair per pack

GROUPE BBH INC. Code: 140

Website: www.groupebbh.com



NITRILE DISPOSABLE BLACK

PART NO.	DESCRIPTION
7924556S	5 ml, Small, powder free, 100 per box
7924556M	5 ml, Medium, powder free, 100 per box
7924556L	5 ml, Large, powder free, 100 box
7924556XL	5 ml, X-Large, powder free, 100 per box

NITRILE FOAM

- · Black Nitrile foam on black nylon liner
- · Ideal for working in wet or dry conditions
- Unchallenged dexterity
- · Sanitized to reduce sweat and odour
- · Anti-slip grip
- · Ideal for assembly, repair, tire changes, material handling

PART NO.	DESCRIPTION
751180C8	Medium
751180C9	Large
751180C10	X-Large

LATEX DIPPED

- · Black latex dipped palm, HIVIS poly knit back
- · Excellent dexterity
- · Abrasion and puncture resistance
- · Anti-slip grip
- Ideal for working with tools, general construction, material handling
- Also available in winter version

- Also available	III WIIILGI VOISIOII	
PART NO.	DESCRIPTION	111
B58124HS	Small	JAA
B58124HL	Large	
750762L	Winter lined, Large	
750762XL	Winter lined, X-Large	

POLY ROPE

- Yellow 3 strand polypropylene rope, cardboard reel
- · Widely used in a multitude of applications such as, construction, commercial, DIY, sporting, tie-downs
- · Also available in pre-packed sizes for retail

PART NO.	DESCRIPTION	
A1PJ/316	3/16" x 2,125'	
A1PJ/014	1/4" x 1,300'	MARKET
A1PJ/516	5/16" x 975'	
A1PJ/038	3/8" x 630'	
A1PJ/012	1/2" x 335'	
A1PJ/058	5/8" x 200'	
A1PJ/034	3/4" x 125'	



Part #05H657C **NITRILE WORK**

Pasted cuff

Ideal for working with

oils and petroleum

GLOVE · Nitrile fully dipped

NITRILE DISPOSABLE

- 4 ml blue Nitrile disposable gloves
- Ideal for oil changes, working with greases, general automotive maintenance
- Available powder free and powdered

PART NO.	DESCRIPTION
792455S	4 ml, Small, powder free, 100/box
792455M	4 ml, Medium, powder free, 100/box
792455L	4 ml, Large powder free, 100/box
792455XL	4 ml, X-Large, powder free, 100/box
792455PS	4 ml, Small, lightly powdered, 100/box
792455PM	4 ml, Medium, lightly powdered, 100/box
792455PL	4 ml, Large, lightly powdered, 100/box
792455PXL	4 ml, X-Large, lightly powdered, 100/box

LINED WELDING GLOVE

- · Hand lined for comfort and added heat protection
- · Stiff cuff for added puncture resistance
- Oil and water resistant palm
- Durable leather palm
- Ideal for welding, working with sharp objects, general construction

PART NO.	DESCRIPTION
060394	Large, fully hand lined
060394XL	X-Large, fully hand lined

COWHIDE WORK GLOVE

- · Economy cowhide work glove
- · Patch palm
- · Palm lined

PART NO.	DESCRIPTION
021600PLPP	Large
021600PPXL	X-Large



DICKIES WORK GLOVES

- · Synthetic leather
- · Rubber padding on back
- Velcro

PART NO.	DESCRIPTION
78700DIL/XL	Large/X-Large
78700DIS/M	Small/Medium

TYING TWINE

- · Blue and white polypropylene tying twine
- Mainly used for tie down applications

PART NO.	DESCRIPTION
A1M/140BB	9,000', breaking strength up to 140 lb
A1M/180BB	7,000', breaking strength up to 180 lb
A1M240BB	5,250', breaking strength up to 240 lb
A1M/500BB	2,720', breaking strength up to 500 lb
A1M/800BB	1,450', breaking strength up to 800 lb





HONEYWELL SAFETY PRODUCTS Code: 230 Code: 399

Website: www.honeywellsafetyproducts.com Online Catalogue: www.honeywellsafety.com

EYE PROTECTION



Part #T56555BL

Honeywell

Part #T56555BS

N-VISION ™ T5650 SERIES SAFETY GLASSES

Universal comfort bridge, 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9%

CSA approved

PART NO. DESCRIPTION	
T56555BL	Blue Frame, Clear Lens
T56555BS	Black/Gray Frame, Smoke Lens

Line Code 399



Part #T65005

Part #T65005S

LIGHTNING™ T6500 SERIES SAFETY GLASSES

State of the art stylish protection, provided with 2 Flexi-Fit soft nose pieces and 4A protection

· CSA approved

PART NO.	DESCRIPTION
T65005	Black Frame, Clear Lens
T65005S	Black Frame, Smoke Lens

Line Code 399

Part #A200

A200 SERIES SAFETY EYEWEAR

Durable frame, integrated side protection. Adjustable temple lengths.

Line Code 230



A900 SERIES SAFETY EYEWEAR

Sporty, 8-base wrap around poly-carbonate lens. Non slip, padded temples

Meets CSA Z94.3 standards

PART NO.	DESCRIPTION
A900CSA	Black/Clear Hardcoat
A901CSA	Black/Clear Anti-fog

Line Code 230



Part #A404 Part #A400AF

A400 SERIES SAFETY EYEWEAR

Sporty, wrap-around, one piece lens. Scratch Resistant Hardcoat

Certified to CSA Z94.3 standards

PART NO. DESCRIPTION		
A400	Clear/Clear, Anti-scratch	
A401	Gray/Gray, Anti-scratch	
A402	Amber/Amber, Anti-scratch	
A403	Gray/Silver Mirror, Anti-scratch	
A404	Clear/I/O Silver Mirror, Anti-scratch	
A400AF	Clear/Clear Fog-Ban, Anti-fog	
A401AF	Gray/Gray, Fog-Ban, Anti-fog	

Line Code 230



VAPOR® SERIES

Contoured fit, lightweight sporty styling in a metallic blue frame. Soft nosepiece and includes break-away FlexiCord.

PART NO.	DESCRIPTION	
11150900	Metallic Blue/Clear, Anti-scratch	
11150901	Metallic Blue/TSR Gray, Anti-scratch	
11150904	Metallic Blue/Silver Mirror, Anti-scratch	
11150905	Metallic Blue/Clear, Fog-Ban Anti-fog	

Line Code 230



Part #A703

Ph.

Part #A702

Part #A704 Part #A705

A700 SERIES SAFETY EYEWEAR

Sport temples with soft temple tip pads for comfort. Polycarbonate, distortion free, scratch resistant, wrap around lenses

Certified to CSA Z94.3 standards

PART NO.	DESCRIPTION
A700	Clear/Clear, Anti-scratch
A701	Gray/TSR Gray, Anti-scratch
A702	Amber/Amber, Anti-scratch
A703	Gray/Blue Mirror, Anti-scratch
A704	Gray/I/O Silver, Anti-scratch
A705	Clear/Clear, Fog-Ban, Anti-fog

Line Code 230

GENESIS® REPLACEMENT LENS

PART NO.	DESC.
S6900	Clear, Ultra-dura Anti-scratch
S6900X	Clear, Uvextreme Anti-fog
S6901	Espresso, Ultra-dura Anti-scratch
S6901X	Espresso, Uvextreme Anti-fog
S6902	Amber, Ultra-dura Anti-scratch
S6902X	Amber, Uvextreme Anti-fog
S6903	Gold Mirror, Ultra-dura Anti-scratch
S6904	SCT-Reflect 50, Ultra- dura Anti- scratch

Line Code 230



UVEX ASTROPEC® OTG 3001 SERIES

Lightweight unilens design offers panoramic vision. Adjustable lens inclination and temple length for a custom fit. Designed with attractive OTG (over-the-glass) styling

Certified to CSA Z94.3 standards

PART NO.	DESCRIPTION
S2500	Black/Clear, Ultra-dura Anti-scratch
S2500C	Black/Clear, Uvextreme Anti-fog
S2504	Black/Gray, Ultra-dura Anti-scratch
S2504C	Black/Gray, Uvextreme Anti-fog
S2508	Black/Shade 3.0 Infra-dura, Ultra-dura Anti-scratch
S2509	Black/Shade 5.0 Infra-dura, Ultra-dura Anti-scratch
S2510	Blue/Clear, Ultra-dura Anti-scratch
S2510C	Blue/Clear, Uvextreme Anti-fog

Line Code 230

HONEYWELL SAFETY PRODUCTS Code: 230

Website: www.honeywellsafetyproducts.com Online Catalogue: www.honeywellsafety.com

Honeywell



UVEX GENESIS® X2 SERIES

 Adding a new level of sports-inspired style to the Genesis series with ratcheting temples for customized lens inclination

PART NO.	DESCRIPTION
S3500	Silver & Navy/Clear, Ultra-dura Anti-scratch
S3520	Black & Yellow/Clear, Ultra-dura Anti-scratch
S3520D	Black & Yellow/Clear, Dura-streme, Dual Anti-fog/ Anti-scratch
S3521	Black & Yellow/Espresso, Ultra-dura Anti-scratch
S3522	Black & Yellow/Amber, Ultra-dura Anti-scratch
S3523	Black & Yellow/Gold Mirror, Ultra-dura Anti-scratch
S3531X	Black & Yellow/SCT-Blue Lens, Uvextreme Anti-fog
S3532X	Black & Yellow/Dark Gray, Uvextreme Anti-fog
S3533X	Black & Yellow/50% Gray, Uvextreme Anti-fog

Line Code 230



UVEX PROTÉGÉ® SERIES

Proprietary floating lens design offers increased flexibility and fit. Ultra-lightweight at 27.5 g for all day comfort. Expandable: Secure wrap-around brow expands to fit a wide range of users.

• Certified to CSA Z94.3 standards

PART NO.	DESCRIPTION
S4200	Metallic Black/Clear, Anti-scratch
S4200X	Metallic Black/Clear, Uvextreme Anti-fog
S4201	Metallic Black/Gray, Anti-scratch
S4201X	Metallic Black/Gray, Uvextreme Anti-fog
S4202	Metallic Black/SCT-Reflect50, Anti-scratch
S4203	Metallic Black/Silver Mirror, Anti-scratch
S4221XC	Metallic Black/SCT-Blue, Anti-scratch
S4221XXC	Metallic Black/SCT-Blue, Uvextreme Anti-fog
S4222XC	Metallic Black/Amber, Anti-scratch
S4222XXC	Metallic Black/Amber, Uvextreme Anti-fog

Line Code 230



UVEX GENESIS® SERIES

Engineered for comfort, protection, and style. Built with MMT (Multi-Material Technology®) and a high level of adjustability, providing extraordinary all-day comfort.

- Wrap-around lens provides exceptional peripheral vision and protection
- Flexible fingers adjust to most nasal profiles
- · Elastomer browguard deflects impact
- Certified to CSA Z94.3 standards



PART NO.	DESCRIPTION	
S3200	Black/Clear, Ultra-dura Anti-scratch	
S3200D	Black/Clear, Dura-streme, Dual Anti-fog/Anti-scratch	
S3200X	Black/Clear, Uvextreme Anti-fog	
S3201	Black/Espresso, Ultra-dura Anti-scratch	
S3201X	Black/Espresso, Uvextreme Anti-fog	
S3202	Black/Amber, Ultra-dura Anti-scratch	
S3202X	Black/Amber, Uvextreme Anti-fog	
S3203	Black/Gold Mirror, Ultra-dura Anti-scratch	
S3205X	Black/SCT-Gray, Uvextreme Anti-fog	
S3206	Black/Shade 2.0 Infra-dura, Ultra-dura Anti-scratch	
S3208	Black/Shade 5.0 Infra-dura, Ultra-dura Anti-scratch	
S3209	Black/SCT-Low IR Lens, Ultra-dura Anti-scratch	
S3210X	Black/SCT-Vermilion Lens, Uvextreme Anti-fog	
S3211X	Black/SCT-Blue Lens, Uvextreme Anti-fog	
S3212X	Black/Dark Gray, Uvextreme Anti-fog	
S3213X	Black/50% Gray, Uvextreme Anti-fog	
S3240	Vapor Blue/Clear, Ultra-dura Anti-scratch	
S3240X	Vapor Blue/Clear, Uvextreme Anti-fog	
S3241	Vapor Blue/Espresso, Ultra-dura Anti-scratch	
S3241X	Vapor Blue/Espresso Lens, Uvextreme Anti-fog	
S3242	Vapor Blue/Amber, Ultra-dura Anti-scratch	
S3243	Vapor Blue/Gold Mirror, Ultra-dura Anti-scratch	
S3244	Vapor/SCT-Reflect 50, Ultra-dura Anti-scratch	
Line Code 230		

EYE PROTECTION CONTINUED ON NEXT PAGE

by Honeywell

Website: www.honeywellsafetyproducts.com Online Catalogue: www.honeywellsafety.com

Part #1011996

LEIGHTNING® NOISE

mance and robust durability

PART NO. DESCRIPTION

easy maintenance

1011996

1010922

1011993

1013941

BLOCKING EARMUFFS

• Steel-wire construction provides high perfor-

Technology's patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for

The Leightning® series also features Bilsom®

Model-L3N, Black,

Metal, NRR 27

Metal. NRR 30

Ultra lightweight design, only 6 oz

and below the chin

Features an adjustable crown strap for a secure fit over the head, behind the head

Alternative to cap-mounted earmuffs –

wear with hard hats, face shields,

respirators and other PPE

Neckband, Metal, NRR 28 Model-L1, Light Gray,

Headband, Metal, NRR 25 Model-L3H, Black, Helmet,

Model-Hi-Visibility L3HV,

Bright Green, Headband,

Part #QM24+

NOISE

QM24+®

BLOCKING

EARMUFFS



UVEX SEISMIC® SEALED EYEWEAR

Contemporary style. Provides protection against impact, sun, wind, dust, and airborne debris. Ideal for high-particulate environments such as grinding, chipping and sanding.

PART NO.	DESCRIPTION
S0600	Black/Clear, Anti-scratch
S0600X	Black/Clear, Uvextreme Anti-fog
S0600D	Black/Clear, Dura-streme Dual, Anti-fog/Anti-scratch
S0601X	Black/Expresso, Uvextreme Anti-fog
S0602X	Black/Amber, Uvextreme Anti-fog
S0604X	Black/SCT-Reflect 50 Lens, Uvextreme Anti-fog

Line Code 230



Part #S3960C Part #S3961C Part #S3962C Part #S39610C

UVEX STEALTH®

Futuristic, low profile design for chemical splash and impact. Toric lens provides superior optics and peripheral vision. Quick adjust headband. Uvextreme anti-fog coating minimizes fogging. Chemical and scratch resistant.

PART NO.	DESCRIPTION
S3960C	Gray/Clear, Uvextreme Anti-fog
S3961C	Gray/Gray, Uvextreme Anti-fog
S3962C	Gray/Amber, Uvextreme Anti-fog
S39610C	Teal/Gray, Uvextreme Anti-fog

Line Code 230



UVEX CLEAR® PERMANENT LENS CLEANING STATION

1.16 oz cleaning solution, 4 BX of 500 tissues, 3.5" x 4.5". Screw mounts and adhesive foam included. Measures 22.5" x 12.5".



Part #S467

UVEX CLEAR® DISPOSABLE LENS CLEANING

Portable and disposable. 1 16 oz cleaning spray, and 1,500 tissues.



Part #S468

UVEX CLEAR TOWELETTES

Pocket sized, lens cleaning, 100/box.



Part #S501

UVEX HANG CORDS

Black, universal neck cord.

EAR PROTECTION

HONEYWELL SAFETY PRODUCTS Code: 230



Part #R-01526

IMPACT™ SPORT ELECTRONIC EARMUFF

- Keeps wearers both protected from hazardous noise and connected to their environment
- Built-in directional microphones amplify range commands and other ambient sounds to a safe 82 Db, allowing wearers to hear important communications



Part #1030110

SYNC™ RADIO/ STEREO EARMUFF

Provides proper levels of hearing protection, highfidelity sound and ability to listen to portable audio devices safely at work - and at home.

- · Plugs into any smartphone or mp3 player, 3.5 mm input cable included

Part #1010922

- Volume Management Technology™
- · Perfect for DIY, travel, or anytime







Part #1010926

VIKING™ NOISE BLOCKING EARMUFFS

- Multiple position: wear over or behind the head, or under the chin
- · Can be worn with other PPE, including hard hats, visors, face shields, respirators and welding shields
- Patented Air
- Flow Control[™]
- Dielectric construction suitable for electrical environments

PART NO.	DESC.	NRR RATING
1010925	V1-Blue	25 dB
1010926	V2-Blue	27 dB
1010927	V3-Black	29 dB

HONEYWELL SAFETY PRODUCTS Code: 230

Website: www.honeywellsafetyproducts.com Online Catalogue: www.honeywellsafety.com



by Honeywell



Part #MAX-1

Part #LL-1



Part #MAX-30

MAX® SINGLE USE EAR PLUGS

- Coral
- One size fits all
- MAX® offers superior noise-blocking performance
- World's most used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal

LASER LITE® SINGLE

USE EAR PLUGS

polyurethane foam

Vibrant colours make

protection visible

PACKAGING

Polybag [200 PR box]

400 Refill Bag [200 PR]

500 Refill Box [500 PR]

Polybag [100 PR box]

Magenta/yellow,

One size fits all

- · Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- Bulk refills for Leight® Source 400 and Leight® Source 500 Earplug Dispensers save time, waste and space

PART NO.	CORDED	PACKAGING
MAX-1	Uncorded	Polybag [200 PR box]
MAX-LS4	Uncorded	400 Refill Bag [200 PR]
MAX-1-D	Uncorded	500 Refill Box [500 PR]
MAX-30	Corded	Polybag [100 PR box]





SINGLE USE EARPLUG **DISPENSERS**

PART NO.	DESC.
LS-400	400 PCS
LS-500	500 PCS





Part #LPF-30

Part #LPF-1

smaller ear canals. Contoured T-shape for easy handling and wear.

PART NO.	CORDED	PACKAGING
LPF-1	Uncorded	Polybag [200 PR box]
LPF-LS4	Uncorded	400 Refill Bag [200 PR]
LPF-30	Corded	Polybag [100 PR box]

MULTI MAX® SINGLE USE **EAR PLUGS** Part #MM-1

· Coral/yellow

 Flexibility, protection and economy in hearing protection with its two-sizes-inone design, improving individual fit

PART NO.	CORDED	PACKAGING
MM-1	Uncorded	Polybag [200 PR box]
MM-LS4	Uncorded	400 Refill Bag [200 PR]

Part #SMF-30

Part #SDT-30

Part #LL-30

CORDED

Uncorded

Uncorded

Uncorded

Corded

PART NO.

11-1

LL-LS4

LL-1-D LL-30

SMARTFIT® MULTIPLE USE EARPLUGS

- Multiple-use reusable earplugs with Patented Conforming Material Technology[™]
- Uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Detachable cord system and HearPack® storage case
- · One size fits all

AIRSOFT® MULTIPLE USE **EARPLUGS**



Part #DPAS-30R

design creates a better seal in the ear canal, delivering optimal protection and increased comfort for longterm wear

· One size fits all

New four-flange



PART NO.	CORDED	PACKAGING
DPAS-30R	Blue Colour with Red Polycord, 4-Flange	Flip-Top Box [100 PR box] or Reusable Case [50 PR box]
DPAS-30W	Blue Colour with White Nylon Cord, 4-Flange	Flip-Top Box [100 PR box] or Reusable Case [50 PR box]

BANDED EARPLUGS For people who are

exposed to intermittent



One size fits all

noise

- Patented band design prevents ear pods from touching dirty or contaminated surfaces
- Lightweight and portable
- Includes a pair of replacement pods

PART NO.	CORDED	AURAL
QB1HYG	Yellow Band/ Orange, NRR 27	Inner
QB2HYG	Orange Band/ Orange, NRR 25	Supra
QB3HYG	Red Band/Orange Pods, NRR 23	Semi

PART NO. CORDED **PACKAGING** SmartFit®Corded, Colour: Paper Bag/Attached SMF-30 Cotton Cord [100 PR box] Orange, 3-Flange SmartFit® Process Paper Bag/Attached SMF-30W-P Industry. Colour: Orange, Cotton Cord [100 PR box] Attached Cotton Cord SmartFit® Detectable. Polybag [100 PR box] SDT-30 Colour: Blue. Corded



by Honeywell

HONEYWELL SAFETY PRODUCTS Code: 399

Website: www.honeywellsafetyproducts.com Online Catalogue: www.honeywellsafety.com

HEAD PROTECTION

Line Code 399



Part #A79R010000



Part #A79R050000



Part #A79R060000

HARD HAT WITH RATCHET

. Type 1 Class E, CSA

PART NO.	DESC.
A79R010000	White
A79R020000	Yellow
A79R030000	Orange
A79R040000	Dark Green
A79R050000	Hi Visibility Red
A79R060000	Light Blue
A79R070000	Sky Blue
A79R080000	Navy Blue
A79R090000	Gray

Part #A89R020000



Part #A89R030000



Part #A89R070000



Part #A89R090000

HARD HAT WITH RATCHET • Type 2 Class E, CSA

White
Yellow
Orange
Dark Green
Hi Visibility Red
Light Blue
Sky Blue
Navy Blue
Gray

DESC.

White

Red

Navy Blue

NO.

HARD HAT WINTER LINERS



Part #WL12FP



Part #WL20RED

PART NO.	DESC.
WL12FP	With face protection, royal blue, FR cotton
WL20RED	Sock type, red, nylon

Part #450SB/25

FOAM SWEATBAND WITH ELASTIC

• Elastic pack of 25

BUMP CAP	PART NO.
 Pin lock, non-approved 	BC89010000
	BC89080000
	BC89150000

Part #BC89010000

FALL PROTECTION



Part #FPD698/1DP

NORTH DURABILT FULL BODY HARNESS

UNIVERSAL

- · Lighweight polyester
- Polyester webbing for greater resistance to chemicals
- Universal fit
- Large back D ring
- Meets or exceeds all standards
- CSA, ANSI and OHSA

DESC.

4 ft 6 ft

PART NO.

FPD26311/4

FPD26311/6

DECELATOR LANYARD

- 1-3/4" continuous polyester web
- Shock/energy absorbing
- Double locking snap hooks and rebar hooks

CLOTHING



HI VIZ TRAFFIC VEST -**ZIPPERED**

Polyester with reflective stripes

PART NO.	DESC.
TVA2/15NZ/OL	Orange, size L
TVA2/15NZ/0XL	Orange, size XL



PART NO. DESC. TV55RS/1S Orange

Polyester with

reflective stripes

HEARING PROTECTION Line Code 399



Part #280005



Part #280006

DECI-DAMP2 EARPLUGS

· White, soft-slow recovery vinyl foam, NRR 29 db

PART NO. DESC.	
280005	Uncorded, 200 pairs/box
280006	Corded, 100 pairs/box

HONEYWELL SAFETY PRODUCTS Code: 399

Website: www.honeywellsafetyproducts.com Online Catalogue: www.honeywellsafety.com



by Honeywell

RESPIRATORY PROTECTION

Line Code 399



PART NO.

75SC

75SCP100

N75001

CARTRIDGE FILTERS

methylamine and formaldehyde

DESC.

Part #75SC



• Protects against organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia,

Defender™ Multi-Purpose

Masks. 1 pair /pkg, black

Cartridge, Fits 5400, 5500, 7600 and

7700 North Series Half and Full Face

Defender™ Multi-gas and Vapor

Cartridge with P100 Particulate

Filter, Fits: 5400, 5500, 7600, and

7700 North Series Half and Full Face Masks, 1 pair /pkg, olive/magenta

Organic Vapor Cartridge, Fits


All North Air-Purifying Respirators,

NIOSH-approved, 1 pair /pkg, black



Part #75SCP100 Part #N75001

Part #550030M



· Comfortable, lightweight, non-allergenic elastomeric face piece NRR 29 db

5500 SERIES RESPIRATOR





Part #7580P100 Part # 7581P100

P100 RESPIRATOR **CARTRIDGES**

99.97% minimum filter efficiency

PART NO.	DESC.
7580P100	Particulate Cartridges for North Respirators
7581P100	Gas and Vapour Cartridges for North Respirators



Part #75FFP100



P100 PANCAKE SERIES FILTERS

Particulate Pancake Filters are specifically designed to fit under most welding helmets and faceshields

PART NO.	DESC.
75FFP100	Fits 5500 Series Half Masks. 99.97% efficiency
75FFP100NL	With "Nuisance" Level protection against organic vapour, acid gas or ozone. Fits 7700 7600 5500 Series masks. 1 pair/pkg







Part #7130N95

Part #7140N95

N95 DUST MASK

- · Exceptional fit and comfort
- · Soft cushioned nose seal and curved nose clip
- · Exhalation valve for cooler and easier breathing

PART NO.	DESC.
7130N95	20/box
7140N95	10/box

FIRST AID

Line Code 399

Part #32-000113-0000

EYEWASH STATION SIGN







Sterile Isotonic Solution Refills

PART NO.	DESC.
32-000454-0000	16 oz/473 ml bottle
32-000455-0000	32 oz/946 ml bottle

EYESALINE® EMERGENCY WALL STATION

- Includes a sealed sterile bottle of buffered Saline solution
- Blow-fill-sealed bottle is tamper resistant. yet easily removed in an emergency
- Durable, open face design, holds bottle firmly in place, yet easy to access
- Highly visible instructions are provided on each unit in English/French, screws included

PART NO.	DESC.
32-000460-0020	Sterile eyewash, single 16 oz/473 ml bottle
32-000461-0020	Sterile eyewash, single 32 oz/946 ml bottle
32-000462-0000	Sterile eyewash, 2 x 32 oz/946 ml bottles

Part #FAP2019S

Zippered nylon

bag with two

handles, 10" x

8" x 3"





ROAD HAZARD FIRST AID KIT



Part #32-000461-0020

Part #32-000460-0020



INDUSTRIAL FIRST AID KITS

PART NO.	DESC.
FA25	25 employees or less
FA50	25 employees or more
FA33	200 employees or less



TRAFFIC CONE

28" orange LDPE Traffic cone with 6" North-Brite retroreflective collar

Part #1617/287C6NB

TERRA FOOTWEAR Code: 298

Website: www.terrafootwear.com

ARROW



- Rubber outsole with PU midsole in forefoot and PU midsole in heel area
- Full grain leather upper
- Steel toe and steel plate
- CSA approved Grade 1 toe cap, puncture resistant, ESR



SENTRY

- Direct injected PU midsole, TPU outsole and PU bumper toe
- Water resistant
 Terra®-ized leather
 Cambrelle® lining
- 200 g Thinsulate[™] insulation
- · Steel toe and steel plate
- CSA approved Grade 1 toe cap, puncture resistant, ESR
- Made in Canada



BARON

- Slip resisting, Anti-F.O.D. rubber outsole
- Terra Firma-Flex Metal-Free Technology
- Cleanfeet® treated moisture wicking lining
- · Made in Canada




BRIDGE

- Terra Firma-Flex Metal-Free Technology
- 200 g Thinsulate™ Insulation
- Full grain waterproof leather upper
- Direct injected PU midsole with external stability chassis
- · Rubber outsole



GAITER II

- Full grain waterproof leather upper
- · Leather lining
- Steel toe and flexible composite plate
- Slip resisting rubber outsole
- · Made in Canada



915532-12

915532-13

915532-14

7193GE-12

7193GE-13

7193GE-14



KODIAK BOOTS Code: 567

Website: www.kodiakboots.com



TREK

- Waterproof leather with Waterproof Membrane
- 200 g Thinsulate[™] Insulation
- Rockfibre® Metal-Free Technology
- Slip Resisting and oil resistant rubber outsole

PART NO.	SIZE
302113-7	7
302113-7.5	7.5
302113-8	8
302113-8.5	8.5
302113-9	9
302113-9.5	9.5
302113-10	10
302113-10.5	10.5
302113-11	11
302113-12	12
302113-13	13
302113-14	14

BLUE 6"

- · Woman's boot
- Premium nubuck/full grain, water resistant leather upper
- Anatomical off-center womens design, patented, padded, anatomical tongue
- Removable COMFORT ZONE 2-density PU insole
- Lightweight, aluminum toe cap
- Flexible composite puncture resistant plate
- Exclusive claw design, oil resistant rubber outsole
- CSA approved Grade 1



12

13

14

749235-12

749235-13

N/A

2925B-12

2925B-13

2925B-14

PART NO.	SIZE
614004-5	5
614004-6	6
614004-6.5	6.5
614004-7	7
614004-7.5	7.5
614004-8	8
614004-8.5	8.5
614004-9	9
614004-9.5	9.5
614004-10	10

BLUE MONSTER

- 200 g Thinsulate[™] insulation
- Waterproof leather and waterproof membrane
- Anatomical, off-center design, patented, padded, anatomical tongue
- Double-layered, rubber back counter
- Molded, abrasion resistant TPU toe guard
- Removable COMFORT ZONE 2-density PU insole
- Goodyear welt construction combined with direct bonded process
- Shock absorbing PU midsole, EVA cushioning pad
- Exclusive claw design, oil and slip resistant rubber outsole
- KODIAK ROCKFIBRE Metal-Free Technology
- CSA approved Grade 1



1995B-12

1995B-13

N/A

PART NO.	SIZE
309024-8	8
309024-8.5	8.5
309024-9	9
309024-9.5	9.5
309024-10	10
309024-10.5	10.5
309024-11	11
309024-12	12
309024-13	13
309024-14	14
309024-15	15

RED RAM MERINO CLOTHING INC. Code: 715

Website: www.redram.com





GENERAL CLOTHING FEATURES

- 200 GRAMS RIB KNIT FABRIC -PERFECT FOR THERMAL UNDERWEAR
- NO STINK
- NOT ITCHY

- WARM WHEN DAMP OR WET
- NOT FLAMMABLE
- MACHINE WASHABLE
- COMFORTABLE IN ALL CONDITIONS



RED RAM LONG SLEEVE TOP - MEN'S

Long sleeve base layer

- · Crewe neck
- · Raglan sleeves
- · Forward side panel
- · Flatlock stitching
- · Red Ram branded pip label

PART NO.	DESC./SIZE
RBRE01001M	Black, Medium
RBRE01001L	Black, Large
RBRE01001XL	Black, X-Large
RBRE01001XXL	Black, XX-Large
RBRE01001XXXL	Black, XXX-Large



RED RAM SHORT SLEEVE TOP - MEN'S

Short sleeve base layer

- Crewe neck
- Raglan sleeves
- Forward side panel
- · Flatlock stitching
- · Red Ram branded pip label

PART NO.	DESC./SIZE
RBRE00001M	Black, Medium
RBRE00001L	Black, Large
RBRE00001XL	Black, X-Large
RBRE00001XXL	Black, XX-Large
RBRE00001XXXL	Black, XXX-Large



RED RAM LEGGING WITH FLY - MEN'S

Long underwear bottom black

- Fly
- · Gusset for ease of movement
- · No centre back seam
- Flatlocking stitching

RBRE02001XXXL

- · Red Ram branded waistband
- Red Ram branded pip label
- PART NO. DESC./SIZE

 RBRE02001M Black, Medium

 RBRE02001L Black, Large

 RBRE02001XL Black, X-Large

 RBRE02001XXL Black, XX-Large

Black, XXX-Large



RED RAM BOXER SHORT - MEN'S

Boxer short with fly black

- Fly
- · Gusset for ease of movement
- · No centre back seam
- · Flatlocking stitching
- · Red Ram branded waistband
- Red Ram branded pip label

PART NO.	DESC./SIZE
RBRE04001M	Black, Medium
RBRE04001L	Black, Large
RBRE04001XL	Black, X-Large
RBRE04001XXL	Black, XX-Large
RBRE04001XXXL	Black, XXX-Large

RICHLU

RICHLU MANUFACTURING Code: 219

Website: www.richlu.com

GLOVES AND ACCESSORIES



G41112 SNOWMOBILE MITT

- Deer grain leather palm/Oxford polyester shell
- · Pre-curved hand
- Adjustable hook and loop strap
- 100 g Thinsulate™ insulation
- · Reflective piping
- · Removable fleece/padded liner

PART NUMBER	DESC./SIZE
G41112-BL-L	Black, Large
G41112-BL-XL	Black, X-Large

115316 WASHED AVIATOR HAT

- 100% polyester canvas shell with wax finish
- 100% quilted fleece lining with 40 g of 3M Thinsulate™
- 100% Polyester pile lining
- "Hearing" holes under ear flaps
- Adjustable chin strap
- Chestnut only

PART NUMBER	DESC./SIZE
I15316-CN-L	Chestnut, Large
I15316-CN-XL	Chestnut, X-Large

G79616 SAFETY PRECISION GLOVE

- Synthetic suede palm with anti-slip PU double palm
- Enprotex waterproof breathable liner
- Reflective striping on back
- Poly spandex safety orange back
- · Adjustable wrist strap



PART NUMBER	DESC./SIZE
G79616-BL-L	Black, Large
G79616-BL-XL	Black, X-Large

THE REAL PROPERTY.

G40112 SNOWMOBILE GLOVE

- Deer grain leather palm/Oxford polyester shell
- · Pre-curved hand
- Adjustable hook and loop strap
- 100 g Thinsulate[™] insulation
- · Reflective piping
- · Removable fleece/padded glove liner

PART NUMBER	DESC./SIZE
G40112-BL-L	Black, Large
G40112-BL-XL	Black, X-Large

115016 DUCK AVIATOR HAT

- Shell: 100% cotton duck
- Lining: 100% cotton quilted to 40 g Thinsulate™
- Pile trim: 100% polyester
- Snap up and down visor with pile trim button
- Up and down pile trimmed ear cover
- · "Hearing" holes under ear flaps
- Adjustable chin straps
- Black

PART NUMBER	DESC./SIZE
I15016-BL-L	Black, Large
I15016-BL-XL	Black, X-Large

GI5516 PRECISION FIT COLD WEATHER GLOVE

- Durable stretch nylon with 40 g of Thinsulate™
- Double stitched palm with finger pads
- Protected knuckle area and terry cloth thumb
- Pull tab with snap at wrist to keep gloves together when not in use



PART NUMBER	DESC./SIZE
GI5516-BL-L	Black, Large
GI5516-BL-XL	Black, X-Large



G79716 SAFETY GLOVE

- · Goatskin palm
- · Hi vis polyester fabric back
- · Reflective striping

PART NUMBER	DESC./SIZE
G79716-CR-L	Orange, Large
G79716-CR-XL	Orange, X-Large



Part #126616-BL

I26616 ACRYLIC WATCH CAP WITH STRAPS

- 100% acrylic
- · Straps to fit hard hats
- · Reflective tape on cuff
- One size fits most
- Blaze orange



Part #I26716

126716 CAP WITH EAR FLAPS

- · Water repellent nylon
- Lining: 100% polyester fleece
- · Drop earband with reflective binding
- · Reflective binding around circumference
- Pre-curved visor with reflective sandwich trim
- One size fits most
- · Blaze orange

RICHLU MANUFACTURING Code: 219

Website: www.richlu.com



TOUGH DUCK



1474 HOODED JERSEY BOMBER

- Fabric: 65/35 poly/cotton shell
- Quilted 2.7 oz poly insulation
- · Attached double hood with drawstring
- · Inside pocket with velcro closure

PART NO.	DESC./SIZE
147416-BL-S	Black, Small
147416-BL-M	Black, Medium
147416-BL-L	Black, Large
1474216-BL-XL	Black, X-Large
147426-BL-2XL	Black, 2X-Large



2510 SOFT SHELL JACKET

- 100% cotton duck bonded to micro fleece
- · Fabric is waterproof and breathable
- · Shock cord drawstring at waist
- · Drop back
- Adjustable cuffs

PART NO.	DESC./SIZE
251016-BL-M	Black, Medium
251016-BL-L	Black, Large
251016-BL-XL	Black, X-Large
251026-BL-2XL	Black, 2X-Large



2510B WASHED SOFT SHELL

- 100% cotton washed duck bonded to microfleece
- · Fabric is waterproof and breathable
- Drop back

PART NO.	DESC./SIZE
25101B-CN-M	Chestnut, Medium
25101B-CN-L	Chestnut, Large
25101B-CN-XL	Chestnut, X-Large
25102B-CN-2XL	Chestnut, 2X-Large



2710 POLY OXFORD HOODED JACKET

- Shell: 600D Poly oxford waterproof and breathable fabric, 5000/5000 protection. Lining: Quilted 6oz polyester insulation
- · Attached hood and zip fooler front
- · Drop back
- · Hidden embriodery access zipper
- · Inside pocket, MP3 and cell pocket

PART NO.	DESC./SIZE
276116-BL-M	Black, Medium
276116-BL-L	Black, Large
276116-BL-XL	Black, X-Large
276126-BL-2XL	Black, 2X-Large

19L4 POLY OXFORD 3-IN-1 PARKA I8A2 ZIP-OFF SLEEVE JACKET



19L416-BL-2XL

- · Shell: 600D poly oxford with PU coating
- Insulated Zip-Out liner
- Reflective striping on shell
- Drop back

Hidden embroidery access zipper Zip off hood included		
PART NUMBER	DESC./SIZE	PART I
I9L416-BL-M	Black, Medium	18A216-B
I9L416-BL-L	Black, Large	18A216-E
19L416-BL-XL	Black, X-Large	18A216-B

Black, 2X-Large



- Shell: 10 oz cotton Tough Duck™. Sleeves and hood: Jersey fleece. Shell and Lining: 6 oz poly insulation
- Detachable sleeves convert to vest
- Detachable jersey fleece hood
- Drop back
- Storm flap over front zipper
- Inside pocket and cell pocket

PART NUMBER	DESC./SIZE
I8A216-BL-M	Black, Medium
18A216-BL-L	Black, Large
I8A216-BL-XL	Black, X-Large
I8A226-BL-2XL	Black, 2X-Large

2137 WORK JACKET



- Fabric: 12 oz 100% Cotton Tough Duck™. Lining: Nylon quilted to 6 oz poly insulation
- Heavy-duty brass zipper
- 2 adjustable waist tabs
- · Inside pocket with velcro closure
- Adjustable shank button closure on cuff

PART NUM		
BROWN	CHESTNUT	SIZE
213716-BR-M	21371B-CN-M	Medium
213716-BR-L	21371B-CN-L	Large
213716-BR-XL	21371B-CN-XL	X-Large
213726-BR-2XL	21372B-CN-2XL	2X-Large

en)

RICHLU MANUFACTURING Code: 219

Website: www.richlu.com

website. www.riciiiu.coi

TOUGH DUCK

7637 UNLINED BIB OVERALL

- Fabric: 12 oz 100% Cotton Tough Duck™
- Elasticized adjustable shoulder straps
- Hammer loop and ruler pocket
- Brass zipper front closure
- Chest pocket with pencil slot
- Exclusive double front legs



7537 INSULATED BIB OVERALL

- Fabric: 12 oz 100% Cotton Tough Duck™ Lining: Nylon quilted to 6 oz poly insulation
- Elasticized adjustable shoulder straps
- Seam sealed waterproof seat and double knees
- Exclusive double front with heavy-duty, 2-way side leg zippers
- Turned under hem extends 3" tall



7910 POLY OXFORD INSU-LATED BIB OVERALL

- Shell: 600D Poly oxford waterproof and breatheable fabric, 5000/5000 protection. Lining: Quilted 6 oz poly insulation
- 2-way covered leg zippers from ankle to hip
- Double front with knee pad pockets
- Knees, cuffs and trim reinforced with HD Cordura
- · Multi pockets, side entry
- Elasticized adjustable shoulder straps
- Turned under hem extends 3" tall



PART NUMBER	DESC./SIZE
763716-BR-M	Brown, Medium
763716-BR-L	Brown, Large
763716-BR-XL	Brown, X-Large
763726-BR-2XL	Brown, 2X-Large

PART NUMBER	DESC./SIZE
753716-BR-M	Brown, Medium
753716-BR-L	Brown, Large
753716-BR-XL	Brown, X-Large
753726-BR-2XL	Brown, 2X-Large

PART NUMBER	DESC./SIZE
791016-BL-M	Black, Medium
791016-BL-L	Black, Large
791016-BL-XL	Black, X-Large
791026-BL-2XL	Black, 2X-Large

WORK KING



19400 QUILT LINED FLANNEL SHIRT

- Fabric: 100% cotton yarn dyed flannel, double pre-shrunk. Lining: Quilted polyester insulation
- · Heavy-duty spring snaps
- 2 chest pockets with flap and snap closures
- · 2 lower on-seam pockets
- Adjustable cuffs

PART NO.	DESC./SIZE
194001-FL-M	Assorted Plaids, Medium
194001-FL-L	Assorted Plaids, Large
194001-FL-XL	Assorted Plaids, X-Large
194001-FL-2XL	Assorted Plaids, 2X-Large



- Chest patch pocket with reinforced corners
- · Double needle hem and sleeve

PART NO. WHITE	PART NO. NAVY	PART NO. Black	SIZE
I19311 -WH-M	I19311 -NA-M	119311-BL-M	Medium
I19311 -WH-L	119311 -NA-L	119311-BL-L	Large
119311 -WH-XL	119311 -NA-XL	119311-BL-XL	X-Large



- · Fabric/lining: Quilted polyester
- Drop tail
- · Knit collar and cuffs
- Inside pocket and cell pocket

PART NO.	DESC./SIZE
17X911-BL-M	Black, Medium
17X911-BL-L	Black, Large
17X911-BL-XL	Black, X-Large
17X921-BL-2XL	Black, 2X-Large
7X921-BL-3XL	Black, 3X-Large

RICHLU MANUFACTURING Code: 219

Website: www.richlu.com



6053 RELAX FIT JEAN STONE WASH

- Fabric: 14.5 oz 100% cotton stone wash denim
- Extra cut for easy, generous fit
- · Rivets at all stress points
- 5 pocket design/watch pocket
- 7 belt loops/brass zipper

W	ORK	KI	NG
---	-----	----	----



	INSEAM/ LENGTH	WAIST SIZE		INSEAM/ LENGTH	WAIST SIZE	
605301-DE-32	30"	32"	605311-DE-32	32"	32"	
605301-DE-34	30"	34"	605311-DE-34	32"	34"	
605301-DE-36	30"	36"	605311-DE-36	32"	36"	
605301-DE-38	30"	38"	605311-DE-38	32"	38"	
605301-DE-40	30"	40"	605311-DE-40	32"	40"	
605301-DE-42	30"	42"	605311-DE-42	32"	42"	
605301-DE-44	30"	44"	605311-DE-44	32"	44"	

	INSEAM/ LENGTH	WAIST SIZE
605341-DE-34	34"	34"
605341-DE-36	34"	36"
605341-DE-38	34"	38"
605341-DE-40	34"	40"
605351-DE-34	36"	34"
605351-DE-36	36"	36"
605351-DE-38	36"	38"



- Fabric: 14.5 oz 100% cotton stone wash denim Rivets at all stress points
- 5 pocket design/watch pocket
- 7 belt loops/brass zipper



	INSEAM/ LENGTH	WAIST SIZE
605201-DE-32	30"	32"
605201-DE-34	30"	34"
605201-DE-36	30"	36"
605201-DE-38	30"	38"
605201-DE-40	30"	40"
605201-DE-42	30"	42"
605201-DE-44	30"	44"

PART NUMBER	INSEAM/ LENGTH	WAIST SIZE
605211-DE-32	32"	32"
605211-DE-34	32"	34"
605211-DE-36	32"	36"
605211-DE-38	32"	38"
605211-DE-40	32"	40"
605211-DE-42	32"	42"
605211-DE-44	32"	44"

	INSEAM/ LENGTH	WAIST SIZE
605241-DE-34	34"	34"
605241-DE-36	34"	36"
605241-DE-38	34"	38"
605241-DE-40	34"	40"
605251-DE-34	36"	34"
605251-DE-36	36"	36"
605251-DE-38	36"	38"



7940 DELUXE LINED BIB **OVERALL**

- Fabric: 10 oz 100% cotton duck. Lining: 6 oz polyester insulation
- · Waterproof seat and knees
- Double knees with knee pad pockets
- 2-way front and leg zippers from ankle to

nip with storm flaps and snap closures • Multi pocket design	
PART NO.	DESC./SIZE
794011-BL-M	Black, Medium
794011-BL-L	Black, Large
794011-BL-XL	Black, X-Large
794021-BL-2XL	Black, 2X-Large



1063 UNLINED LONG SLEEVE COVERALL

- Fabric: 7.5 oz 65/35 poly/cotton
- Loss-proof front pocket
- Banded waist
- Covered 2-way brass zipper



7121 LINED TWILL COVERALL

- Fabric: 65/35 polyester/ cotton twill. Lining: 4 oz polyester insulation
- Side openings for easy inside access
- · Banded waist with elasticized back

PART NO. DESC./SIZE	
106311-NA-M	Navy, Medium
106311-NA-L	Navy, Large
106311-NA-XL	Navy, X-Large
106321-NA-2XL	Navy, 2X-Large

PART NO.	DESC./SIZE
712111-NA-M	Navy, Medium
712111-NA-L	Navy, Large
712111-NA-XL	Navy, X-Large
712121-NA-2XL	Navy, 2X-Large

RICHLU MANUFACTURING Code: 219

Website: www.richlu.com



\$426 LINED 5-IN-I JACKET

- Shell ext: 100% Polyester with PU coating.
 Lining: 100% Polyester, 6 oz Quilted insulation.
 3M "Scotchlite" Reflective Material with
 4" contrasting backing
- Removable hi-vis liner (reverses to black) with zip off sleeves
- · Quick-release hard hat hood
- CSA-Z96-09 Class 2 level 2
- Sizes small to 4XL available, size large to 2XL available in tall

	PART NO. Orange	PART NO. Yellow/grn	SIZE
	S42611-OR-M	S42611-YG-M	Medium
•	S42611-OR-L	S42611-YG-L	Large
	S42611-OR-XL	S42611-YG-XL	X-Large
	S42621-0R-2XL	S42621-YG-2XL	2X-Large



S432 QUILTED SAFETY JACKET

- Fabric: 100% polyester. Lining: 100% quilted polyester. 3M "Scotchlite" reflective material with 4" contrasting backing
- · Rib-knit collar and cuffs
- Drop back
- CSA-Z96-09 Compliant Class 2, Level 2
- ANSI107-2010 Compliant Class 2, Level 2
- Sizes available S-5XL

PART NO. Orange	PART NO. Yellow/grn	SIZE
S43211-OR-M	S43211-YG-M	Medium
S43211-OR-L	S43211-YG-L	Large
S43211-OR-XL	S43211-YG-XL	X-Large
S43221-0R-2XL	S43221-YG-2XL	2X-Large



S792 POLY/COTTON UNLINED HI-VIS COVERALL

- Fabric: 65% Polyester / 35% Cotton Twill. 3M "Scotchlite" Reflective Material with 4" yellow backing
- 2-way Delrin zipper with fly front
- · Side opening for easy access to underlayers
- · Action back with black elastic waist
- CSA-Z96-09 Compliant Class 3 Level 2
- Sizes S- 5XL available orange only
- Tall M-4XL available

PART NO. ORANGE	SIZE
S79211-OR-M	Medium
S79211-OR-L	Large
S79211-OR-XL	X-Large
S79221-OR-2XL	2X-Large
S79211-OR-XL	X-Large



S798 LINED INSULATED BIB OVERALL

- Fabric: 100% polyester with PU coating. Lining: 6 oz quilted insulation. 3M "Scotchlite" reflective material with 4" contrast backing
- · Ankle to hip Delrin zipper
- Fly front w 2-way zipper
- Turned hem allows for 3" tall extension
- CSA-Z96-09 Compliant Class 2, Level 2
- ANSI107-2010 Compliant Class 2, Level 2
- · Sizes S-5XL available

PART NO. Orange	PART NO. Yellow/grn	SIZE
S79811-OR-M	S79811-YG-M	Medium
S79811-OR-L	S79811-YG-L	Large
S79811-OR-XL	S79811-YG-XL	X-Large
S79821-0R-2XL	S79821-YG-2XL	2X-Large



S313 SURVEYOR VEST

- Fabric: 100% polyester twill, 3M "Scotchlite" reflective material with 4" contrast backing
- Multi pocketed design
- Large rear zippered pouch pocket
- Side snaps for seasonal fit adjustability
- Side mesh vents and safety harness hole
- CSA-Z96-09 Compliant Class 2 Level 2
- ANSI107-2010 Compliant Class 2 Level 2


PART NO. Orange	PART NO. YELLOW/GRN	SIZE
S31311-OR-M	S31311-YG-M	Medium
S31311-0R-L	S31311-YG-L	Large
S31311-0R-XL	S31311-YG-XL	X-Large
S31321-OR-2XL	S31321-YG-2XL	2X-Large



S494 ZIP FRONT FLEECE HOODIE

- Fabric: 100% Polyester Fleece. Anti-pill finish. 3M
 "Scotchlite" Reflective Material with 4" yellow backing
- · Quick-release hood included
- Rib-Knit cuffs and waist
- Meets CSA-Z96-09, Class 2, Level 2
- Meets ANSI107-2004. Class 2. Level 2

PART NO. Orange	PART NO. Yellow/grn	SIZE
S49411-0R-S	S49411-YG-S	Small
S49411-0R-M	S49411-YG-M	Medium
S49411-0R-L	S49411-YG-L	Large
S49411-0R-XL	S49411-YG-XL	X-Large
S49421-0R-2XL	S49421-YG-2XL	2X-Large



XL-Sprig 3"

XL-Swan 3"

XL-Blue Heron 3"

144380330

144060930

144400330







Part #140853100

PURDY VALUE PACKS

Value pack

PART NO.	DESC.
140853100	Brush 3-PK XL™
13C810000	6-Piece Kit



Part #140068010

PURDY BRUSH COMB

· Makes cleaning easier!



PURDY CLEARCUT™ BRUSHES

- · Designed for use with all paints
- These brushes are specially made for cutting-in with tapered tips

PART NO.	DESC.
144080115	Clearcut Dale 1-1/2"
144152120	Clearcut Glide 2"
144152125	Clearcut Glide 2-1/2"
144152130	Clearcut Glide 3"



BRUSHES

- · Designed for use with latex paint
- · Provides ultra smooth finish
- · Number one choice for interior paint

PART NO.	DESC.
144080210	Nylox Dale 1"
144080215	Nylox Dale 1-1/2"
144080220	Nylox Dale 2"
144152220	Nylox Glide 2"
144152225	Nylox Glide 2-1/2"
144380230	Nylox Sprig 3"



Part #13C810000

PURDY CONTRACTOR 1ST ROLLER COVERS

- · Designed for all sheens
- . To be used with both latex and oil based paints

PART NO.	DESC.
14A688M95	CFK 1 Cover 240 mm
14A688M94	CFK 3/4 Cover 240 mm
14A688M93	CFK 1/2 Cover 240 mm



Part #13C810000

PURDY WHITE DOVE™ ROLLER COVERS

- · Very smooth to rough surfaces
- · Ideal for interior and exterior
- · For all latex and oil paints

PART NO.	DESC.
140671M92	WD 3/8 Cover 240 mm
140670M93	WD 1/2 Cover 240 mm



PURDY PRO-EXTRA® BRUSHES

- · Designed for use with all paints
- Extra large holding capacity of more paint for increased production

PROFESSIONAL PAINTING TOOLS

PART NO.	DESC.
144152720	Pro-Extra Glide 2"
144152725	Pro-Extra Glide 2-1/2"
144380730	Pro-Extra Sprig 3"
144324730	Pro-Extra PIP 3"



PURDY WHITE BRISTLE

- · Designed for use with oil-based paints, stains and clears
- Soft natural bristle

PART NO.	DESC.
144024010	Adjutant 1"
144024420	White Adjutant 2"
144116025	Extra Oregon 2-1/2"

PURDY XL™ BRUSHES

- · Designed for use with all paints and stains
- interior and exterior projects





Website: www.krylonindustrial.com

LINE UP® REMOVABLE SYNTHETIC TURF MARKING PAINT BULK

- Removable synthetic turf paint is a high-solids formula for bright, bold, vivid lines
- Fast-drying removable paint specifically formulated for striping lines on synthetic turf fields
- Ideal for use on any synthetic turf surfaces to switch out the field quickly
- · Highly pigmented formulas fortified with optical brighteners
- · Crisp, sharp stripes for eye catching lines that pop under lighting
- · Won't stain uniforms
- · Removable for quick field layout changes

PART NO.	DESCRIPTION
K08405000	White Aerosol
K08406000	Yellow Aerosol
K52230404-20	White - 5 Gallon
K08400001	1 Gallon - Remover
K08400005	5 Gallon - Remover



Part #K08405000

Part #K08400001

Part #K52230404-20

LINE-UP

Part #K41130404-20

LINE-UP® PAVEMENT STRIPING WATER-BASED PAINT

For diverse applications and provides long-lasting durability on outdoor pavement for marking parking lots, curbs, and streets, as well as on indoor surfaces. Safe for use on asphalt, concrete, brick and stone.

PART NO.	DESCRIPTION
K41130404-16	Parking Lot White, 3.78 L (1 gal)
K41132920-16	Parking Lot Yellow, 3.78 L (1 gal)
K41131881-16	Parking Lot Handicap Blue, 3.78 L (1 gal)
K41130110-16	Parking Lot Firelane Red, 3.78 L (1 gal)
K41130404-20	Parking Lot White 18.9 L (5 gal)
K41132920-20	Parking Lot Yellow 18.9 L (5 gal)
K41131881-20	Parking Lot Handicap Blue 18.9 L (5 gal)
K41130110-20	Parking Lot Red 18.9 L (5 gal)



Part #K42130404-20

LINE-UP® PAVEMENT STRIPING SOLVENT-BASED PAINT

Provides long-lasting durability on outdoor pavement for marking parking lots, curbs, and streets, as well as on indoor surfaces.

PART NO.	DESCRIPTION
K42130404-16	Parking Lot White, 3.78 L (1 gal)
K42130404-20	Parking Lot White, 18.9 L (5 gal)
K42132920-16	Parking Lot Yellow, 3.78 L (1 gal)
K42132920-20	Parking Lot Yellow, 18.9 L (5 gal)



Part #52130404-20

LINE-UP® ATHLETIC FIELD MARKING PAINT BULK - CONCENTRATE AND READY TO USE

- Fast-drying paint specifically formulated for striping lines on grass fields, cinder, dirt and other natural playing surfaces
- Ideal for use on football, soccer, baseball and golf courses
- Highly pigmented formulas fortified with optical brighteners
- Crisp, sharp stripes for eye catching lines that pop under stadium lighting
- · Won't harm grass or stunt its growth
- Won't fade over time or stain uniforms
- · Can be custom tinted

PART NO.	DESCRIPTION
K51130404-20	Extreme Hide White, Ready to Use, Bulk 18.9 L (5 gal)
K52130404-20	Extreme Hide White, Concentrated, Bulk 18.9 L (5 gal)
K52130101-20	Red, Concentrated, Bulk 18.9 L (5 gal)
K52130113-20	Black, Concentrated, Bulk 18.9 L (5 gal)
K52130499-20	Orange, Concentrated, Bulk 18.9 L (5 gal)
K52131800-20	NFL Blue, Concentrated, Bulk 18.9 L (5 gal)
K52132900-20	Yellow, Concentrated, Bulk 18.9 L (5 gal)
K52137249-20	Bright White, Concentrated, Bulk 18.9 L (5 gal)
K52137253-20	Ultra Deep-Neutral Base, Concentrated, Bulk 18.9 L (5 gal)

Website: www.krylonindustrial.com





KRYLON® INDUSTRIAL QUIK MARK™ INVERTED **MARKING PAINTS**

PART NO.	DESCRIPTION
S03401	Brilliant White, 340 g
S03402	Brilliant Yellow, 340 g
S03403	Brilliant Orange, 340 g
S03404	Brilliant Red, 340 g
S03406	Brilliant Blue, 340 g
S03407	Brilliant Green, 340 g
S03405	Fluorescent Pink, 340 g
S03408	Fluorescent Orange, 340 g
S03409	Fluorescent Red, 340 g
S03410	Fluorescent Red/Orange, 340 g
S03500	Clear (extends wear and impedes fading), 482 g
S03801	Utility Yellow, 482 g
S03901	Brilliant Blue, 482 g
S03903	Blue, 482 g
S03904	Green, 482 g
S03905	Orange, 482 g
S03911	Brilliant Red, 482 g
S03610	Fluorescent Safety Red, 482 g
S03612	Fluorescent Pink, 482 g
S03620	Fluorescent Caution Blue, 482 g
S03630	Fluorescent Safety Green, 482 g
S03650	Fluorescent Red/Orange, 482 g
S03700	Fluorescent Orange, 482 g
S03715	Fluorescent Purple, 482 g

*Solvent-based Products Available.



KRYLON® INDUSTRIAL QUIK MARK™ **INVERTED** MARKING **CHALKS**

PART NO.	DESCRIPTION
S03501	APWA Orange, Solvent-Based
KWBC03501	APWA Orange, Water-Based
KWBC03502	APWA Yellow, Water-Based
KWBC03503	APWA Red, Water-Based
KWBC03504	APWA Blue, Water-Based
KWBC03505	APWA White, Water-Based
KWBC03506	APWA Green, Water-Based



LINE-UP® PAVEMENT **STRIPING PAINT** SOLVENT-BASED **AEROSOL**

PART NO.	DESCRIPTION
K08300	Highway White
K08301	Highway Yellow
K08302	Handicap Blue
K08303	Firelane Red
K08304	Cover-up Black



KRYLON® INDUSTRIAL OVERHEAD **MARKING PAINT**

PART NO.	DESCRIPTION
K04001000	Fluorescent Red
K04003000	Fluorescent Orange
K04005000	Fluorescent Green





KRYLON® INDUSTRIAL MINE MARKING **PAINTS**

PART NO.	DESCRIPTION
K04010	Fluorescent Red
K04020	Fluorescent Red/Orange
K04030	Fluorescent Orange
K04050	Fluorescent Green
K04070	White



LINE-UP® ATHLETIC FIELD STRIPING PAINT WATER-BASED AEROSOL

PART NO.	DESCRIPTION
K08305	Athletic White 510 g
K08306	Athletic Yellow 482 g
K08307	Athletic Orange 482 g
K08308000	Athletic Scarlet 482 g
K08309000	Athletic Royal 482 g
K08310000	Athletic Black 482 g
K08311000	Athletic Maroon 482 g
K08312000	Athletic Purple 482 g
K08313000	Athletic Navy 482 g
K08314000	Athletic Fluorescent Orange 482 g
K08315000	Athletic Fluorescent Green 482 g
K08316000	Athletic Fluorescent Old Gold 482 g
K08317000	Athletic Fluorescent Turf Green 482 g





MARKING WANDS

PART NO.	DESCRIPTION
K07095	Hand-held wand
K07096	Wheeled marking wand
K07094000	34" hand-held wand with flag holder

Part #K08340

STRIPING MACHINES AND WANDS

Part #K08360

)	PART NO.	DESCRIPTION
0	K08340	34" Pavement striping machine
	K08350	Athletic field striping machine
	K08360	Striping wand



Website: www.krylonindustrial.com

KRYLON RUST TOUGH® UTILI-COAT™

Rust Tough® Utili-Coat™ is a rust-preventative acrylic alkyd enamel that offers state-of-the-art corrosion protection. Utili-Coat™ provides excellent gloss and color retention, superior durability and one-coat coverage.

PART NO.	DESCRIPTION
K20719000	Utility Tan
K20879	Utility Meter Gray (ASA-49)
K20829	Gray Primer

KRYLON® RUST TOUGH® HAMM-R-FINISHES™

Krylon® Rust Tough® Hamm-R-Finishes™ directly on metal. It creates the clean, industrial look of a hand-hammered metal object, while stopping the start and spread of rust.

PART NO.	DESCRIPTION
49233	Silver Gray, 340 g
49242	Charcoal Gray, 340 g

KRYLON® FARM & IMPLEMENT

Give your farm, lawn and garden equipment a fresh, new look that stands up to harshest weather and chemicals. Our paint is durable, weather resistance and long lasting.

PART NO.	DESCRIPTION
41805	New Caterpillar Yellow
41809	School Bus Yellow
41816	John Deere Yellow
41817	John Deere/Case Green
41818	American Beauty Equipment Red
41819	Old Caterpillar Yellow
41927	Ford Blue

PART NO. DESCRIPTION

KRYLON® RUST TOUGH®



Stop rust before it happens by applying Krylon® Rust Tough® Rust Preventative Enamels directly on your metal surfaces. It chemically converts any rust formation to a black waterproof primer, it stops rust from forming and dries to touch in less than 30 minutes. No primer needed!

PART NO.	DESC.
49200	Gloss White
49201	Semi-Flat White
49202	Gloss Black
49203	Semi-Flat Black
49206	Battleship Gray
49207	Almond
49210	Radiant Red
49211	Sun Yellow
49212	Mahogany Brown
49213	Aluminum
49218	Flat Black
49219	Flat White
49223	Hunter Green
49231	Gold Metallic
49204	Ruddy Brown Primer
49205	Gray Primer
49240	Zinc Rich Primer

RUST TOUGH® AEROSOLS

Rust Tough® Aerosols are a rust-preventative acrylic alkyd enamel that offers state-of-the-art corrosion protection. Rust Tough™ provides excellent gloss and color retention, superior durability and one-coat coverage.

Iron Guard is a high gloss, 100% acrylic, waterborne coating for light to moderate industrial use. Designed for new construction or maintenance use, Iron Guard and can be used directly over prepared substrates, including metal.

propared substrates, including metal.		
PART NO.	DESC. (5 GAL)	
K11006635	Machinery Dk Gray (ASA-49)	
K11001015	Safety Red (OSHA)	
K11004045	Gloss White	
K11001135	Gloss Black	
K11007755	Semi-Gloss Black	
K11008255	Gray Primer	
K11006955	Red Primer	

KRYLON IRON GUARD® ACRYLIC ENAMEL

PART NO.	DESC. (1 GAL)
K11004041	Gloss White
K11001131	Gloss Black
K11007751	Semi-Gloss Black
K11001201	Flat Black
K11029101	Safety Yellow (OSHA)
K11001011	Safety Red (OSHA)
K11004711	New Cat Yellow
K11004511	Old Cat Yellow
K11018001	Safety Blue (OSHA)
K11044001	Safety Green (OSHA)
K11004991	Safety Orange (OSHA)
K11003271	Machinery Lt Gray (ASA-61)
K11006631	Machinery Dk Gray (ASA-49)
K11008251	Gray Primer
K11006951	Red Primer

FANT NU.	DESCRIF HUN
R00159	Aluminum
R00239	Light Blue
R00249	Safety Blue (OSHA)
R00259	Deep Blue
R00339	Safety Green (OSHA)
R00349	Bright Green
R00379	Dark Green
R00439	Safety Yellow (OSHA)
R00449	Fed. Safety Railing Yellow
R00479	Industrial Yellow
R00489	Equipment Yellow
R00559	Safety Orange (OSHA)
R00569	Equipment Orange
R00639	Safety Red (OSHA)
R00649	Bright Red
R00719	Tan
R00759	Chestnut Brown
R00779	Semi-Gloss Black
R00789	Flat Black

PART NO.	DESCRIPTION
R00799	Gloss Black
R00839	Machinery Lt Gray (ASA-61)
R00879	Machinery Dk Gray (ASA-49)
R00909	Flat White
R00919	Semi-Gloss White
R00929	Gloss White
R00699	Red Oxide Primer
R00829	Gray Primer
S00740	Zinc, Rich Cold Galvanizing Compound
R00769	Hi-Temp Black
R10339	Fluorescent Green
R10429	Fluorescent Yellow
R10559	Fluorescent Orange
R10649	Fluorescent Red

Website: www.krylonindustrial.com





KRYLON® INDUSTRIAL ECO-GUARD® LATEX SPRAY PAINT

PART NO.	DESCRIPTION
K07900000	Clear Gloss
K07901000	Cherry Red
K07902000	OSHA Red
K07903000	OSHA Orange

PART NO.	DESCRIPTION
K07904000	OSHA Yellow
K07905000	OSHA Green
K07906000	Island Green
K07907000	OSHA Blue

PART NO.	DESCRIPTION
K07908000	Gloss Black
K07909000	Gloss White
K07910000	Flat White
K07911000	Max Flat Black

PART NO.	DESCRIPTION
K07912000	Satin White
K07913000	Satin Black
K07914000	Satin Gray
K07915000	Gray Primer



COLORWORKS® MAINTENANCE CHOICE™ ENAMEL

PART NO.	DESCRIPTION
CWBK00100	Gloss Black
CWBK00101	Flat Black
CWBK00102	Gloss White
CWBK00103	Flat White
CWBK00104	Light Machinery Gray
CWBK00105	Dark Machinery Gray
CWBK00106	Industrial Gray
CWBK00108	Safety Blue
CWBK00109	Royal Blue
CWBK00110	Navy Blue
CWBK00111	Safety Green
CWBK00112	Emerald Green
CWBK00113	Hunter Green
CWBK00114	Safety Red

PART NO.	DESCRIPTION
CWBK00115	Cherry Red
CWBK00116	Safety Orange
CWBK00117	Equipment Orange
CWBK00118	Safety Yellow
CWBK00121	Walnut Brown
CWBK00122	Almond
CWBK00123	Silver Aluminum
CWBK00124	Gray Primer
CWBK00125	Red Oxide Primer
CWBK00126	Sunshine Yellow
CWBK00127	Harvester Red
CWBK00128	Citrus Yellow
CWBK00129	Meadow Green
CWBK00130	New CAT Yellow



KRYLON® FLUORESCENT PAINTS

PART NO.	DESCRIPTION
43101	Red/Orange
43102	Yellow/Orange
43104	Lemon Yellow
43105	Cerise
43106	Green



KRYLON® INDUSTRIAL (5-BALL) INTERIOR-EXTERIOR PAINT



PART NO.	DESCRIPTION
A04401000	Gloss White
A04402000	Gloss Black
A04403000	Blue
A04404000	Gloss Red
A04405000	Gray
A04406000	Yellow
A04407000	Gloss Pink
A04408000	Green
A04409000	Sky Blue
A04410000	Gold
A04412000	Flat Black

DESCRIPTION
Orange
Clear
Dark Gray
Flat White
Brown
Oyster White
True Blue
Aluminum
Gray Primer
Red Primer

PART NO.	DESCRIPTION
K01501	Gloss White
K01502	Flat White
K01506	Almond
K01508	Semi-Gloss White
K01601	Gloss Black
K01602	Ultra-Flat Black
K01606	Pewter
K01608	Smoke Gray
K01613	Semi-Flat Black
K01806	Sun Yellow
K01901	Regal Blue
K01913	Purple
K02001	Hunter Green

PART NO.	DESCRIPTION
K02016	Emerald Green
K02101	Cherry Red
K02108	Banner Red
452118000	Burgundy
K02411	Pumpkin Orange
K02501	Leather Brown
K01604	Shadow Gray
K01605	Stone Gray
K01813	Daisy Yellow
K01910	True Blue (OSHA)
K02504	Khaki
K01301	Crystal Clear



Website: www.krylonindustrial.com

KRYLON

TOUGH COAT® ACRYLIC ALKYD ENAMELS

A variety of enamel paints are available. Please inquire for the part numbers for any of the following categories:

- Acrylic Alkyd Enamels
- · Fluorescent and I.D. Fluorescent
- Primers
- · Appliance Epoxies
- · Rebar Green Epoxy
- · High Heat Paints

PART NO.	DESCRIPTION
S00325	Machinery Dk Gray (ASA-49)
S00326	Machinery Lt Gray (ASA-61)
S00329	Machinery Blue Gray (ASA-24)
S01000	Clear Gloss Topcoat (TTL-50)
S01003	Intl Harvester Red
S01005	Bright Red
S01006	Allis Chalmers Orange
S01008	Ford Blue
S01009	Federal Highway Yellow
S01101	Cherry Red
S01110	OSHA Red
S01150	Zinger Pink
S01210	OSHA Orange (#60 Equipment Orange)
S01212	Implement Orange
S01213	Joy Orange
S01285	Cordova Brown
S01305	Light Beige
S01310	OSHA Yellow
S01319000	New Cat Yellow
S01321000	Old Cat Yellow

PART NO.	DESCRIPTION
S01415	Machine Green
S01445	Medium Green
S01470	OSHA Green
S01485	lvy Green (John Deere & Case Green)
S01510	OSHA Blue
S01515	Dark Blue
S01540	Light Blue
S01580	OSHA Purple
S01615	Medium Gray
S01620	Machinery Gray
S01625	Blue/Gray
S01630	Industrial Gray
S01645	Light Gray
S01760	Aluminum
S01765	Gold
S01770	OSHA Black
S01800	OSHA White
S03720	Flat White
S03725	Semi-Flat Black
S03727	Max Flat Black



JIFFCO INTERNATIONAL Code: 650

Website: www.jiffco.net



LONG NIB MARKER

PART NO.	DESCRIPTION
EK710-1	1.0 mm black
EK710-3	1.0 mm blue



TAITI NO.	DECOIIII 1101
EK710-1	1.0 mm black
EK710-3	1.0 mm blue



PAINT MARKER			
PART NO.	DESCRIPTION		
EK440-10	1.2 mm white		
EK440-7	1.2 mm yellow		
EK444-7	0.8 mm yellow		
EK400-1	2.3 mm black		
EK400-10	2.3 mm white		
EK400-2	2.3 mm red		
EK400-3	2.3 mm blue		
EK400-4	2.3 mm green		
EK400-6	2.3 mm orange		
EK400-7	2.3 mm yellow		

ECO MARKER

PART NO.	DESCRIPTION
JK70-1	1.5 mm black
JK70-2	1.5 mm red
JK70-3	1.5 mm blue
JK70-4	1.5 mm green



Part #EK05-3

BLUE STEEL MARKER, CHISEL, 4 - 6 MM

ECO MARKER CHISEL

2 - 5 MM	COLOUR	7.5 - 12 MM	COLOUR
JK90-1	Black	JK100-1	Black
JK90-2	Red	JK100-2	Red
JK90-3	Blue	JK100-3	Blue
JK90-4	Green	JK100-4	Green





WETRITE MARKER

PART NO.	DESCRIPTION
EK47-1	1.5 mm black bulk
EK47/1B-1	1.5 mm black card

* Not for use on wet glass and wet tiles

KEY TAGS

PART NO.	DESCRIPTION
ID5PP4	4 pack
ID5PP10	10 pack
ID30AC50	50 per box









DUPLI-COLOR & VHT Code: 435

Website: www.duplicolor.com Website: www.vhtpaint.com

Specialty primers to do the job right.

VHT® FLAMEPROOF™

• VHT® Flameproof™ is a unique silicone-base

coating that is widely used in the automotive and

aerospace industry for jet engines, the Stealth



DUPLI-COLOR® GENERAL DUPLI-COLOR® SPECIALTY PURPOSE ENAMELS PRIMERS

Dupli-Color acrylic enamels deliver the ultimate in protection, gloss and color retention. A superior, high-solids formula ensures maximum coverage and performance.

PART NO.	DESCRIPTION
CDA1600	Gloss Black (OSHA)
CDA1603	Semi-Gloss Black
CDA1605	Flat Black
CDA1610	Medium Gray
CDA1612	Machinery Gray
CDA1620	Royal Blue
CDA1630	Leaf Green
CDA1640	Cherry Red (Equip Red)
CDA1663	School Bus Yellow
CDA1670	Gloss White (OSHA)
CDA1672	Flat White
CDA1684	Chrome Aluminum

Crystal Clear



PART NO.	DESC.	
CDAP1699	Gray Primer Sealer	
CDAP1690 Green Self Etching Prime		
CFP101	Gray Scratch Filler & Primer	
CFP102	FP102 Red Scratch Filler & Primer	
CCP199	Clear Primer Adhesion Promoter	
CRF129	Black Rust Fix® Rust Treatment	

DUPLI-COLOR® GENERAL **PURPOSE LACQUERS**

Dupli-Color lacguer is a fast-drying, premium formula that provides quick coverage, weatherability and adhesion.



DESC.
Flat Black
Semi-Gloss Black
Gloss White
Gloss Black
Silver Metallic
Clear



Dupli Colo

DUPLI-COLOR® UNDERCOAT

- Dupli-Color® Undercoat protects metal surfaces from corrosion and moisture
- Dries to black
- Paintable

CDA1692

PART NO.	DESC.
CUC101	Protective paintable rub- berized undercoating
CUC102	Professional undercoat with sound eliminator



PART NO.	DESC.	
CSP100	Gray Primer	
CSP101	Flat White	
CSP102	Flat Black	
CSP106	Flat Silver	
CSP109	Flat Red	
CSP114 Flat Orange		
CSP115	Clear (Satin Finish)	
CSP117	Flat Aluminum	
CSP998	Nu-Cast™ Cast Iron	

Fighter, B-2 bomber and other high temperature applications • Withstands temperatures up to 1,093°C (2,000°F) Available in many popular colors



DUPLI-COLOR® TRUCK BED COATING

Dupli-Color® Truck Bed Coating is a durable non-skid coating with a unique black vinyl polymer that can be applied using a roller, spray gun or by aerosol spray can.

PART NO.	DESCRIPTION
CTR250	Aerosol can
CTRQ250	Quart
CTRG250	Gallon
CTRG103	Roller kit
CTRC104	Replacement roller cover

DUPLI-COLOR® HI BUILD

Get superior coverage and durability for fleets with this high solids enamel paint.

PART NO.	DESC.
CHB100	Gray primer
CHB101	Gloss black
CHB102	Semi-gloss black
CHB104	Fleet white
CHB105	Fleet red
CHB109	Stainless steel

DUPLI-COLOR® SANDABLE PRIMERS

Fast-drying sandable formula provides a smooth rust resistant base coat that improves adhesion and appearance of the finish top coat.



PART NO.	DESC.
CDAP1687	Rust Resistant Primer
CDAP1689	White Primer
CDAP1692	Gray Hot Rod Primer
CDAP1694	Red Oxide Primer
CDAP1698	Black Hot Rod Primer
CDAP1691	Zinc Chromate Primer



CRC CANADA CO. Code: 305

Website & Online Catalogue: www.crc-canada.ca



GLASS CLEANER 500 G



Part #74424

STAINLESS STEEL

CLEANER & POLISH 510 G



Part #75097

BATTERY CLEANER 312 G



Part #75141

PHASEGUARD 4 ULTIMATE ETHANOL
FUEL TREATMENT
237 ML



Part #72010
BUG BLAST WASP &
HORNET KILLER 397 G



POWER LUBE -MULTI PURPOSE LUBRICANT 312 G



TECHNICIAN GRADE
DI-ELECTRIC GREASE 94 G



Part #75143
PHASEGUARD 4 STOR & GO SMALL
ENGINE FORMULA



Part #74077
MINIMAL EXPANSION
FOAM 340 G



Part #75046

BATTERY TERMINAL PROTECTOR 213 G



HEAVY DUTY SILICONE 213 G



PHASEGUARD
4 -ULTIMATE
ETHANOL FUEL
TREATMENT
474 ML



MOLY GRAPH EXTREME PRESSURE GREASE 397 G CARTRIDGE



Part #73312

BEARING GREASE
397 G CARTRIDGE



Part #75353
SYNTHETIC BRAKE &
CALIPER GREASE 340G
TUB WITH BRUSH



Part #73310 LITHIUM GENERAL PURPOSE GREASE 397 G



SYNTHETIC BRAKE & CALIPER GREASE 227 G BRUSH TOP BOTTLE



Part #73190
STA-PLEX EXTREME
PRESSURE PREMIUM RED
GREASE 397 G
CARTRIDGE



Part #75101

DRY GRAPHITE

LUBRICANT 320 G

CRC CANADA CO. Code: 305

Website & Online Catalogue: www.crc-canada.ca





Part #75012

QD ELECTRONIC
CLEANER 127 G



Part #75102

QD ELECTRONIC
CLEANER 312 G



Part # 74440
HYDROFORCE CITRUS
HD DEGREASER 425 G



Part #74095

AIR TOOL OIL

444 ML



HYDROFORCE DISINFECTANT SURFACE CLEANER 539 G



UNIVERSAL 2 CYCLE OIL 946 ML



UNIVERSAL 2 CYCLE OIL 444 ML



Part #SL2533

AIR TOOL OIL
3.785 L



HYDRAULIC OIL 3.785 L



COMPRESSOR OIL 3.785 L



KOOL TAP AQUA CUTTING FLUID 473 ML



RAPID DRY BRAKLEEN PREMIUM NON CHLORINATED 19 L PAIL



KOOL TAP *AL* Cutting fluid 473 ML



KOOL TAP *EP* Cutting fluid 473 ML



KOOL TAP FOAMY CUTTING FLUID 369 G



BRAKLEEN CHLORINATED 19 L PAIL



BRAKLEEN NON CHLORINATED 397 G



Part #75089

BRAKLEEN
CHLORINATED 539 G



BRAKLEEN NON CHLORINATED WITH POWERJET 397 G



AGS COMPANY Code: 914

Website: www.agscompany.com

Online Catalogue: www.agscompany.com/marketing/catalogs

AIR TOOL ANTI-FREEZE OIL LUBRICANT

FOR INDUSTRIAL USE

- Absorbs moisture to protect against rust and corrosion
- · Prevents freeze-ups
- · Frees stuck or frozen tools

PART NO.	DESCRIPTION
ATA-12	355 ml Bottle

QUICK-LIFT SNOW PLOW

HEAVY-DUTY HYDRAULIC FLUID

- Anti-wear additives to protect metal components of high-pressure systems
- Anti-freeze additives for superior performance



PART NO.	DESCRIPTION
QL-17	946 ml Bottle
QL-18	3.78 L Bottle

AIR TOOL OIL

EXTEND SERVICE LIFE AND IMPROVE PERFORMANCE

- Absorbs moisture to protect against rust and corrosion
- Ensures smoother starting by dissolving gum and sludge

PART NO.	DESCRIPTION
ATC-4	100 ml Bottle
ATC-12	355 ml Bottle
ATC-17	946 ml Bottle

SIL-GLYDE® BRAKE LUBRICANT

USE ON DISC AND REGULAR BRAKES

- Stops squeaking and slide sticking
- Ease the rebuilding of rubber o-rings and grommets
- · Seals boots against moisture

PART NO.	DESCRIPTION
BK-4	113 g Tube
BK-8	227 g Tube
BK-12	341 g Tub
	Answ-

AIR COMPRESSOR OIL

NON-DETERGENT SAE 30W

- · Lubricate and protect
- For ambient temperatures of 25°F to 120°F
- Top-off or replace other quality non-detergent compressor oils



PART NO. DESCRIPTION AC-12 355 ml Bottle

355 ml Bottle	
946 ml Bottle	
3.78 L Bottle	
18.925 L Pail	

LOCK DE-ICER

THAWS FROZEN LOCKS AND KEEPS THEM WORKING

- Lubricates internal lock mechanisms
- Protects against rust
- · Not harmful to automotive paint finishes

PART NO. DESCRIPTION MZC-1 15 ml Carded Tube MZ-1H 0.5 oz Carded Tube LE-1 1 oz Bottle

LITH-EASE® WHITE LITHIUM GREASE

MULTI-PURPOSE ALL-WEATHER LUBRICANT

- Long-lasting with excellent water and heat resistance, rust and corrosion protection, and high film strength
- · Won't melt, freeze, gum, or run off

PART NO.	DESCRIPTION
WLC-1	36 g Carded Tube
WL-8	227 g Tube
WL-14	411 g Cartridge
WLC-16	291 g Aerosol

LOCK-EASE® GRAPHITED LOCK FLUID

PROTECT AGAINST STICKING, RUST AND FREEZING

- Works on all types of locks
- Will not run in hottest climates or harden at sub-zero temps
- Seal out moisture from working parts



SIL-GLYDE® LUBRICATING COMPOUND

MULTI-PURPOSE ALL-WEATHER

- · Effective on rubber, metal, wood, glass, and plastic
- Prevents rust and sticking
- · Won't melt, freeze, gum, or run off

PART NO.	DESCRIPTION
SG-2	42 g Tube
SG-4	113 g Tube
SG-8	227 g Tube



DOOR-EASE® STICK LUBRICANT

MAKES THINGS SLIP AND SLIDE

- Stops squeaking and sticking
- Weatherproof and protect
- Safe on metal, wood, glass, plastic, or rubber



PART NO.	DESCRIPTION	
DEC-3	47.6 g Stick	
DKC-3	47.6 g Carded	
DEK-3H	1.6 oz Carded	

ANNEALED COPPER TUBING COIL

Low pressure applications

 not brake lines



DIELECTRIC SILICONE COMPOUND

WEATHERPROOF ELECTRICAL CONNECTIONS

- Protects against air, dirt, moisture, and corrosion
- · Prevent arcing and voltage loss
- · Seal out moisture from working parts

PART NO.	DESCRIPT	ION
DS-1	36 g Carded	*
DS-4	113 g	SECTION AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS N
		District Control
		Martin.



COLD FIRE CANADA LTD® Code: 383

Website & Online Catalogue: www.coldfirecanada.com



Part #CF30213-RED

COLD FIRE


- Fire extinguishing agent (extinguishes on contact)
- Biodegradable (does not harm the environment)
- Removes extreme heat from all objects it comes in contact with
- · Puts fires out rapidly
- · Reduces hydrocarbon smoke
- Spray in any direction and upside down for hard to reach places
- Convenient to use in cars, homes, boats, motor homes, etc.



Part #MMAX

MOTOR MAX

- · Cooling system additive
- Extends the life of the engine and cuts down on maintenance
- Dramatically improves engine performance and fuel consumption
- Non-toxic and biodegradable
- Non-corrosive and compatible with all internal engine parts, seals, hoses and accessory components



All Products are 100% Environmentally Friendly and Completely Non-Toxic.

Part #OS40632

ODOR SEAL

- Odor eliminator (without the use of masking agents or perfumes)
- Naturally destroys odors by encapsulating the odor producing source
- Non-corrosive
- Non-flammable
- Biodegradable



Part #FB32

FIRE BLOCK

- · Fire Retardant
- Non-toxic
- Forms its own thermal insulation barrier
- · Does not stain
- Used to fire retard wood, furnishings, carpeting, uniforms, motor home interiors, etc.





WD-40 Code: 980

Website: www.wd40.com



01053

WD-40

01011

01005

· A size and application for all your needs

Part #

1103

Part #

01144

- · Protects metal from rust and corrosion
- · Penetrates stuck parts, displaces moisture, and lubricates just about anything
- · Cleans grease, grime, and other marks from most surfaces
- · More than 2000 uses

PART NO.	DESCRIPTION
01005	155 g Convenience Can
01011	311 g Classic Can
1103	411 g Industrial Value Size
01144	311 g Big Blast Wide Spray
01053	325 g Smart Straw
01010	3.785 L Bulk Liquid
01000	Spray Applicator

Part # 01010



Part #01078

WD-40 SPECIALIST RUST RELEASE PENETRANT 311 G

- · Frees corroded nuts and bolts
- · Penetrates rust
- Fast acting
- Features Blu Torch Technology



Part #01079

WD-40 **SPECIALIST** WATER RESISTANT **SILICONE** LUBRICANT 311 G

- · Waterproofs and protects
- Quick drying with no messy residue
- Safe on metal, rubber, vinyl and plastic



Part #01080

Part #

01000

WD-40 SPECIALIST WHITE LITHIUM **GREASE** 283 G

- Long lasting, lubricating coating
- · Won't freeze, melt or run off
- · Rust inhibiting barrier

3-IN-ONE, 2000 FLUSHES & SPOT SHOT Code: 980

Websites: www.3inone.com, www.2000flushesbrand.com, www.spotshot.com



3-IN-ONE OIL

A trusted brand.

PART NO.	DESCRIPTION
01035	88.7 ml All Purpose Oil
01038	236 ml All Purpose Oil
01045	88.7 ml Motor Oil
01034	118 ml 6-3/4" Telescoping Spout



Part #01035



Part #01038



Part #01045



Part #01034

3-IN-ONE PROFESSIONAL

Specialized lubricants targeted for specific applications.

PART NO.	DESCRIPTION
01040	311 g High Performance Penetrant
01041	311 g Silicone Lubricant
01042	290 g White Lithium Grease
01043	311 g Garage Door Lube



Part #01040



Part #01041



Part #01042



Part #01043



2000 FLUSHES

- · Keeps commercial and residential toilet bowls clean for 4 months
- · Cleans with every flush
- Ranked #1 in automatic toilet bowl pucks

PART NO.	DESCRIPTION
90102	Blue Plus Detergent
90615	Antibacterial Chlorine Clear
90801	Antibacterial Blue plus Bleach



Part #00914



Part #00986

SPOT SHOT CARPET CLEANER

- Ranked # 1 for Efficacy in the Aerosol Category
- Green Formula Non-Toxic and Biodegradable

PART NO.	DESCRIPTION
00914	650 ml Trigger
00918	Spot Shot 650 ml Pet Green
00986	397 g Aerosol

ARMORED AUTOGROUP Code: 801

Website: www.armoredautogroup.com



New Armor All Vent Air Fresheners Include:

- · Discreet black casing
- · Scratch & sniff sticker on package
- Advanced anti-leak technology
- · Adjustable scent strength control

PART NO.	DESCRIPTION
11201	Cool Mist
11203	New Car
11202	Mountain Air
11205	Wild Berry



ARMOR ALL® AIR FRESHENER - CARDS

New Armor All Air Fresheners Include:

- 3 air fresheners per pack
- · Scratch & sniff sticker on package

PART NO.	DESCRIPTION
11301	Cool Mist
11303	New Car
11302	Mountain Air
11305	Wild Berry



ARMOR ALL® SCENTED PROTECTANT

- New Armor All Scented Protectant is available in both spray and wipes format
- · Prevents cracking, fading, discoloration and aging
- · Freshens the air inside your vehicle
- · Long lasting scent lasts 4 -6 hours

PART NO.	DESCRIPTION
11076	Cool Mist Spray, 473 ml
11077	Mountain Air Spray, 473 ml
11074	Cool Mist Wipes, 25 ct
11075	Mountain Air Wipes, 25 ct



ARMOR ALL® CLEANING

· Helps remove the toughest automotive dirt and grime

PART NO.	DESCRIPTION	
10869	Cleaning Wipes, 25 ct Canister	
10925	Orange Wipes, 25 ct Canister	
11068	Multi Purpose Cleaner, 473 ml	





ARMOR ALL® CAR WASH

- · Cleans the toughest automotive dirt and grime
- Clean-rinsing formula for spot-free, streak-free results

PART NO. DESCRIPTION	
25101	715 ml
25102	1.89 L



ARMOR ALL® PROTECTANTS • Helps prevent cracking, fading, discoloration and aging

· Cleans away dirt, dust and debris

PART NO.	DESCRIPTION
78021	Original Protectant, 473 ml
10125	Original Protectant, 118 ml
11300	Original Protectant, 300 ml
10859	Protectant Wipes Canister, 25 ct
12035	Original Protectant Refill, 1.89 L



Part #11078

ARMOR ALL® NATURAL FINISH DETAILER PROTECTANT WIPES

- NEW Matte finish detailing wipes with non-greasy formula
- Protects against cracking, fading discoloration and aging
- · Ideal where minimal shine is desired
- · 25 ct per canister



Part #10850

ARMOR ALL® GLASS WIPES

- Crystal clear streak-free shine
- Easily removes filmy residue, road grime, bugs and more
- Ammonia-free
- 25 ct per canister



Part #78173

ARMOR ALL® TIRE FOAM 567 G

- Just spray and walk away!
- Helps protect fading and cracking
- Deep black look



Part #10856

ARMOR ALL® LEATHER WIPES

Cleans, conditions and helps protect fine leather for that lasting, luxurious look

ARMORED AUTOGROUP Code: 801

Website: www.armoredautogroup.com





Part #11084

STP® HIGH **MILEAGE FUEL** INJECTOR CLEANER 155 ML

- · Unclogs dirty fuel injectors
- Restores fuel economy and lost power, while lowering emissions
- Formulated for high mileage vehicles (120,000 km and over)



Part #11083

STP® FUEL SYSTEM **CLEANER ETHANOL** 155 ML

- · Removes ethanol fuel system deposits
- Cleans fuel injectors and intake deposits
- Protects against the harmful effects of alcohol combustion
- Works with both ethanol enriched gasoline and traditional gasoline




Part #30130

STP® OCTANE BOOSTER 155 ML

- Boosts fuel octane
- · Cleans fuel system
- · Prevents hard starts
- · Fights knock and ping

Part #11093

STP® HIGH MILEAGE RADIATOR STOP LEAK 325 ML



- · Conditions the cooling system and protects against coolant loss
- Compatible with water, cooling fluids and anti-freeze
- Does not harm rubber, metal hoses and gaskets
- Works in plastic, metal and aluminum radiators
- Formulated for high mileage vehicles (120,000 km and over)



Part #30134

STP® FUEL INJECTOR & CARBURETOR CLEANER 155 ML

- Maintains clean performance of fuel injectors and carbs
- Helps save gas
- · Prevents power loss
- Reduces friction in the engine



Part #30132

STP® WATER REMOVER 155 ML

- · Fights fuel line freeze and corrosion
- · Inhibits corrosion and rust without harmful alcohol
- · Keeps fuel injectors clean



Part #11082

STP® MULTIPURPOSE **MOTOR TREATMENT 473 ML**

- Multi-functional fuel and oil additive that works in the fuel system, crankcase and intake
- · Stabilizes fuel and removes moisture from gas
- Restores engine performance by removing carbon build-up and deposits
- Works in cars, trucks and a variety of 2 & 4 cycle engines



Part #11085

STP® HIGH MILEAGE OIL TREATMENT 443 ML

- · Rejuvenates seals and gaskets
- · Stops engine leak, noise and smoking
- Formulated for high mileage vehicles (120,000 km and over)
- · Contains anti-wear agent zinc phosphate



Part #33636

STP® OIL TREATMENT 400 ML

- Fights metal-to-metal friction by providing a thicker cushion between moving engine parts
- Prevents power loss
- · Protects engine against wear



Website: www.henkelna.com

LOCTITE® THREADLOCKER 243™ MEDIUM STRENGTH

 Versatile medium strength liquid that tolerates thread lubrication, anti-corrosion and protection fluids

LOCTITE.

 Works on steel, stainless steel, and most plated fasteners



PART NO.	DESCRIPTION
1330902	6 ml tube
1330906	36 ml tube

LOCTITE® THREADLOCKER 262™ HIGH STRENGTH

- High strength locking, up to 3/4" bolts
- Withstands heavy shock and vibration, or extreme chemical or environmental conditions such as solvents, oils or water immersion

PART NO.	DESCRIPTION
38637	6 ml tube
38647	36 ml tube



LOCTITE® BLUE THREADLOCKER STICK -MEDIUM STRENGTH

- Medium strength anaerobic threadlocking material supplied as a wax-like semi-solid
- Suited for applications where a liquid product may be too difficult to apply

PART NO.	DESCRIPTION
38132	9 g stick
38131	19 g stick



LOCTITE® RED THREADLOCKER STICK-HIGH STRENGTH

- Semi-solid stick form is portable and less messy, prevents loosening of threaded fasteners
- · Well suited for heavy duty applications

PART NO.	DESCRIPTION
38136	9 g stick
38134	19 g stick





RELEASE

Part #38613

592™ PST® THREAD SEALANT, 50 ML

- High temperature formulation suitable to 200°C/400°F
- Non-shrinking, non-cracking
- Slow curing product works well on large assemblies requiring repositioning
- 72 hour adjustability feature, works well on large parts



Part #38133

LOCTITE® PST® THREAD SEALANT STICK HIGH PERFORMANCE

- 19 g stick
- Single component, semi-solid anaerobic pipe sealant compound
- Industrial grade sealant develops controlled low strength to facilitate disassembly



Part #30527

LOCTITE® BELT DRESSING & CONDITIONER

- 12 oz aerosol
- High quality belt dressing designed to eliminate squeaks, aid in power transfer and increase belt life
- Prevents belt slippage due to heat, cold, dampness, dust and glazing

Part #996456

FREEZE & RELEASE, 400 ML

- Exceptional shock-freeze action causes microscopic cracks in the layer of rust, allowing the lubricating ingredient to wick directly into the rust by capillary action
- Instantly chills seized and rusted parts (bolts, nuts, studs) down to -45°F



EXTEND® RUST TREATMENT

Loctite® Extend® Rust Treatment converts existing rust into a stable base ready for painting. Protects surfaces from corrosion and can be used on metal pipes, valves, fittings, storage tanks, fences, guard rails, conveyors, construction and agricultural equipment. ABS Approved.

PART NO.	DESCRIPTION
30539	10.25 oz aerosol
75430	1 qt bottle
75448	1 gallon bottle
75465	5 gallon pail

Part #30539

Website: www.henkelna.com

LOCTITE.

LOCTITE® RTV 587™ BLUE SILICONE **HIGH PERFORMANCE**

- · High flexibility form in place silicone gasket maker
- Sensor-safe, non-corrosive, low odour
- Temperature resistant to 260°C / 500°F (intermittent)
- · Excellent hot oil resistance

PART NO.	DESCRIPTION
38616	80 ml tube
38634	300 ml cartridge



LOCTITE® RTV 598™ **BLACK SILICONE HIGH PERFORMANCE**

- · High flexibility form in place silicone gasket maker
- Temperature resistant to 330°C/625°F (intermittent)
- · Excellent hot oil resistance
- · Sensor safe, non-corrosive, low odour

PART NO.	DESCRIPTION
41240	300 ml tube
41241	80 ml tube











LOCTITE® SILVER GRADE ANTI-SEIZE

PART NO.	DESCRIPTION
38619	8 oz brush top
38620	1 lb brush top
38138	20 g stick







LOCTITE® C5-A® COPPER ANTI-SEIZE

PART NO.	DESCRIPTION
38605	8 oz brush top
38604	1 lb brush top
38137	20 g stick



LOCTITE® MARINE GRADE ANTI-SEIZE

PART NO.	DESCRIPTION
34395	8 oz brush top
34026	16 oz brush top



SILATECH™ INDUSTRIAL GRADE SILICONE

- · Provides a tough, flexible, waterproof, oil-resistant seal
- · Superior adhesion and flexibility
- Re-sealable nozzle
- Tack-free in 45 minutes / full cure in 24 hours
- · Non-flammable, non-toxic
- Bonds and seals metals, wood, plastic, glass
- · Seals ductwork, vents, flues, doors, windows
- Insulates and seals electrical wires and terminals

PART NO.	DESCRIPTION
32394	300 ml cartridge, red
32389	300 ml cartridge, clear
32390	300 ml cartridge, black
32391	300 ml cartridge, white
32392	300 ml cartridge, aluminum





VIPERLUBE™ HIGH PERFORMANCE SYNTHETIC GREASE

- · Designed as a long-life lubricant to provide superior protection in industrial applications
- · May be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals, and as a lubricant for machine parts and equipment

PART NO.	DESCRIPTION
36781	3 oz tube
36782	14.1 oz cartridge

IEMICALS AND LUBRICANTS



LOCTITE Code: 123

Website: www.henkelna.com



- Resists aging, weathering and thermal cycling without hardening, shrinking or cracking
- Typically used in applications with an operating range of -60°C to 232°C

PART NO.	DESCRIPTION
1093354	5 oz cartridge
40480	190 ml power can



Part #79040

LOCTITE® CHISEL® PAINT STRIPPER

- Chemical liquid that lifts off: baked-on gaskets, gasket cements, carbon deposits, dried oil, grease and paint
- Ideal for removing high temperature engine paints prior to repainting
- Removes gaskets from any type of assembly in 10 to 15 minutes
- Prepares metal parts for new gaskets, eliminating scraping and sanding
- Works on wood; non-corrosive on aluminum. Not for use on plastics, linoleum, or synthetic fibers
- · CFIA approved



Part #30548

LOCTITE® PRO STRENGTH PARTS CLEANER

- 19 oz Aerosol
- Designed to aggressively penetrate, dissolve and remove contaminants from all types of metal assemblies
- Has no ozone-depleting solvents and leaves no residue



NATURAL BLUE® CLEANER & DEGREASER

Biodegradable, all-purpose, industrial strength concentrated cleaner and degreaser. Can be diluted with water and formulated for wipe down and pressure spraying.

- Non-flammable
- Non-toxic
- Contains no ODCs

PART NO.	DESCRIPTION
82249	24 fl oz spray bottle
82251	1 gallon bottle
82253	5 gallon pail



Part #34943

LOCTITE® INDUSTRIAL HAND WIPES

Pre-moistened with a powerful citrus scented formula. Quick and easy to use. No rinsing, drying or residue left behind.

- 9.5" x 12"
- 75 count canister

Perfect for industries such as:

- Painting
- Printing

LOCTITE

- Maintenance
- Transportation
- Construction



Part #38630

LOCWELD® BONDING COMPOUND COLD WELD

- 2 x 1 oz tubes
- Sets up in 15 minutes and has a test proven strength greater than 3,000 psi
- Can withstand heat up to 300°F (149°C)



LOCTITE® 404™ QUICK SET™ INSTANT ADHESIVE

- General purpose instant adhesive
- A must for every toolbox for general maintenance and repair
- Sets instantly
- No mixing, no waiting
- Bond just about anything instantly

PART NO.	DESCRIPTION
46551	1/3 oz bottle
46548	4 oz bottle

Part #1372603

QUICKTAPE™ 249™

Loctite® QuickTape™ 249™ Threadlocking Tape

- The first and only
 Threadlocker in a tape form
- Can be pre-applied on bolts for up to 30 days
- Same reliability and performance as threadlocking liquids
- A MUST for every toolbox



MEGUIAR'S CODE: 602

Website: www.meguiarscanada.com



Part #G9524C

HOT RIMS® ALL WHEEL® CLEANER

Hot Rims® All Wheel® Cleaner. Achieve a "Show Perfect" shine on all factory wheel surfaces! The name says it all! Hot Rims® All Wheel Cleaner® is unlike any formula in the world for removing grime, grit and brake dust from all factory wheel surfaces. Remove stubborn road residue with Hot Rims' unique foaming agents. Our Xtreme Cling™ foam is designed to cling to vertical surfaces and break down stubborn road residue between your wheels for a brilliant shine! Safe for all factory, clear-coated and painted wheels.



Part #G12718C

NXT GENERATION® TECH WAX® 2.0

NXT Generation® Tech Wax® 2.0 is a scientific breakthrough that introduces a new dimension of gloss and protection. This improved formula produces unbelievably deep, vibrant color and a dramatically clear wet-look. New Hydrophobic Polymer Technology™ provides relentless water beading and protection against oxidation, corrosion, UV rays and surface degradation. "Hydrophobic" means "water-fearing" and this new breakthrough technology builds such incredible protection and surface tension that water beads up and just glides off your paint finish, wash after wash!



Part #G12024C

HOT SHINE HIGH GLOSS TIRE SPRAY (TRIGGER)

Hot Shine's™ high gloss formula gives your tires a "wet-look" with a dark shine. By combining highly water-resistant polymers with antiozonant technology, Hot Shine keeps your tires looking blacker longer while preventing cracking, browning and premature aging.



Part #G14422C

ULTIMATE QUIK DETAILER™

Our most sophisticated, technologically advanced detailer. Safely removes dust and surface contaminants in-between washing Hydrophobic Polymer Technology darkens the finish, adding protection and water beading.





Part #G1900C

ONE STEP-HEADLIGHT RESTORATION KIT

Meguiar's® Headlight and Clear Plastic Restoration Kit restores like-new clarity to cloudy, scratched, oxidized and yellowed, uncoated plastic surfaces. The unique PlastX formula works in concert with our unique buffing pad and your drill to safely deliver amazing results in just minutes! No extra steps, complicated solutions or sanding with abrasives that can damage plastic and surrounding paint and trim. This Restoration Kit effectively removes fine scratches, surface contaminants, oxidation, cloudiness and yellowing, leaving plastics brilliantly clear and polished from headlights, brake lights, plastic convertible windows, motorcycle windscreens, helmet face shields, boat windows and more!

Part #G10464C

DEEP CRYSTAL® CAR WASH

Deep Crystal® Car Wash contains special ingredients that extend the life of the suds. Dirt and grime are quickly loosened and removed while wax protection is preserved.



Part #G10307C

SCRATCHX® 2.0

Keep ScratchX® 2.0 close at hand for quick removal of isolated paint scratches or blemishes... whenever they occur. Competitive products either hide the blemish or scratch the finish. Meguiar's® exclusive micro-abrasive system enables ScratchX® 2.0 to remove paint blemishes fast while restoring brilliant high gloss. The new and improved formula can be applied by hand or with a Dual Action Polisher.



Part #G10916C

GOLD CLASS™ RICH LEATHER CLEANER/CONDITIONER

CLEANS, CONDITIONS & PROTECTS FINE LEATHER

Quickly and easily pamper and protect your leather with Meguiar's® Gold Class™ Rich Leather Cleaner/Conditioner. The gentle, effective formula cleans, restores and enriches leather for a luxurious appearance and helps to prevent premature wear, such as drying and fading. Formula lifts off dirt and grime without scratching while enhancing gloss without build up. Details a full sized car in less than 15 minutes!

- · Cleaners remove dirt and grime
- Premium conditioners and aloe nourish leather for a supple feel and look
- UV protection to help prevent aging and fading



Part #G110V2C

DUAL ACTION POLISHER

Low risk, dual-action, rotation and orbit pattern produces far superior results than mere hand application $\,$

- New upgraded v2 with cruise control
- Internal feedback circuit increases torque when downward pressure is applied
- 1,800 opm 6,800 opm, the most versatile speed range in it's class
- Easy side-port access for quick brush changes
- New rubber cord
- Convenient Meguiar's® canvas bag
- Includes W68DA soft buff 2.0 DA backing plate





FPPF Code: 860

Website: www.fppf.com

Part #00421

MELT DOWN, 32 OZ

- · Dissolves gelled fuel
- · Will not harm pre-combustion components or fuel pump
- · Compatible with all types of fuel
- Gets fuel flowing in 15 to 20

minutes	
PART NO.	DESCRIPTION
00421	32 oz bottle
00233	1 gal bottle



Part #00222

POLAR POWER, **32 OZ**

- · Contains Fuel Power
- · Significantly lowers pour point and cold filter plug point
- Dissolves ice crystals in fuel
- Contains lubricity improvers, wax dispersant and wax seed crystal modifiers
- Contains no harmful alcohols



- significantly lowers pour
- · Contains no harmful alcohols
- · Increases cetane





PREMIUM TRUCK WASH

- Highly concentrated formula/ biodegradable
- Removes all road film and grease
- Rinses quickly and does not water spot
- Can be used with all washing
- Superior cleaning results. Safe for use on all painted, fiberglassreinforced plastic, aluminum and stainless steel finishes and will not harm rubber, glass or plastic

nam rabbot, glado or pladeto		
PART NO.	DESCRIPTION	
00361	1 gallon	
00362P	5 gallon	



LUBRICITY PLUS FUEL POWER

- Contains Fuel Power
- Superior lubricity enhancing formula
- Exceeds all B.O.C.L.E. standards
- Helps prevent rotary and piston fuel pump wear
- Increases cetane
- Reduces pintle scoring

alcohols		
Improves eng	ine starting	
PART NO.	DESCRIPTION	
00223	32 oz bottle	
00401	1 gal bottle	

Part #50224

LIQUID MUSCLE

- Adds power, improves
- · Prevents ultra low sulphur fuel problems
- Cleans injectors and intake valves
- Lubricates the entire fuel system
- · Stabilizes fuel



PART NO.	DESCRIPTION
50099	32 oz bottle
50224	64 oz bottle

Part #00099

FUEL POWER

- · Totally disperses water
- Cleans the injector system
- Stabilizes fuel
- Reduces gum and varnish
- Prevents and eliminates sludge
- Controls icing
- Improves fuel economy
- Reduces cylinder wall abrasion

PART NO.	DESCRIPTION
00099	8 oz bottle
00230	1 gal bottle



Part #00423

DIESEL FUEL INJECTION **CLEANER 32 OZ**

- Emission Control Formula
- Removes all varnish and carbonization in the entire fuel system
- Increases fuel mileage and improves emissions
- Exceeds all engine test standards including L-10 and N-14



Lubricity

Fuel

Power

Part #00422

8 + CETANE **IMPROVER 32 0Z**

- · Provides significant performance benefits in all diesel fuels
- Faster starting
- Reduced engine noise. smoke and particulates
- Increases fuel mileage
- More power and acceleration







Part #8297F

J-B WELD **HIGH HEAT** STICK

- 3 times stronger than conventional putty sticks
- · Intermittent heat up to 500°F
- Great for exhaust manifolds, tail pipes, mufflers and engine blocks



Part #8272F

J-B MARINE WELD

- Marine weld is impervious to saltwater, petroleum. chemical and acid resistant once fully cured
- Super strong, non toxic and temperature resistant up to 600°F
- Every boat afloat should carry Marine Weld for quick emergency repairs



Part #8270F

J-B KWIK **PROFESSIONAL** SIZE

- · Same as J-B Kwik but in a shop size package containing two 5 oz tubes
- Sets in 4 minutes, cures in 4 to 6 hours
- Non toxic and temperature resistant up to 300°F
- · Can be drilled, tapped, machined, sanded, filled and painted



Part #8265F

J-B WELD

- An inexpensive alternative to welding, soldering, and brazing
- Can be drilled, tapped, machined, sanded, filed, and painted
- J-B Weld is super strong, non-toxic and withstands temperatures up to 600°F



Part #8276F

J-B KWIK

- · Perfect for need-to-fixit-fast repairs at home. on the farm, or in the shop
- Can be formed, drilled, ground, tapped, machined, filled, sanded, and painted
- Sets in just 4 minutes. Cures fully in 4 hours
- Water-proof, petroleum, chemical, and acid-resistant
- Withstands temperatures up to 300°F



PROFESSIONAL SIZE · Same as J-B Weld but in a shop size package

J-B WELD **INDUSTRIAL**

- containing two 5 oz tubes Strong, permanent repairs when hot welding isn't possible or practical
- Can be drilled, tapped, machined, sanded, filed, and painted



Part #8280F



Part #8237F

KWIKPLASTIK

- Ideal for repairing and rebuilding rigid and semi-flexible plastic. ABS, PVC and CPVC pipes, automotive trim, fibreglass parts and vinyl siding
- Sets in 20 25 minutes
- Can be sanded, drilled. painted or sawed
- Great for automotive trim, bumpers and fibreglass parts



Part #8267F

J-B STIK

- J-B Stik is a hand kneadable, steelreinforced epoxy putty adhesive/
- Cures completely submerged in water or gasoline
- · Fully cured in 60 minutes
- Can be drilled. sanded, filed, tapped, machined, and painted



Part #8277F

WATER WELD

- Plug or seal practically anything that leaks
- · All-purpose adhesive for metals, wood, fibreglass. masonry, ceramics, PVC and ABS
- Permanently repair holes, gouges, cuts... even seals rot in fiberglass and wood
- Cures under water

HEMICALS AND LUBRICANTS



MOLYSLIP Code: 989

Website: www.molyslip.com

Online catalogue: www.molyslip.com/cpq-web.pdf



MOLYSLIP TRANSMISSION SUPPLEMENTS

- 2 distinct products
- Automatic-reduces slippage, smooths out harsh shifts and protects components
- Manual-protects against shock loads, provides fingertip gear changes. reduces howl in differentials

PART NO. AUTOMATIC TRANS	PART NO. MANUAL TRANS	SIZE
5932	3422	225 ml
5935	3425	1L
5936	3426	4 L



MOLYSLIP E OIL SUPPLEMENT

- · Reduces wear and friction on gas and diesel engines
- Dyno tested HP and torque gains
- Fuel savings



Part #5942

MOLYSLIP BREAK-IN OIL SUPPLEMENT

- · For new and rebuilt engines
- 300 mL



AUTOMATIC TRANSMISSION

SUPPLEMENT

MOLYSLIP COPASLIP ANTI-SEIZE

- High temp, high film strength, copper anti-seize
- Aerosol provides quick solution to wheel/hub corrosion and seizing
- · Larger sizes available

PART NO.	DESCRIPTION
3471	57 g tube
3472	250 g jar with brush
3473	454 g wide-mouth jar
4470	300 g aerosol



MOLYSLIP GREASES

- · Multi-Purpose Grease (MPG) outlasts, outperforms other greases
- Waterproof and non-melt
- High Temp Bearing Grease (HTBG) can handle higher speeds and peak temps to 300°C
- · Larger sizes available

PART NO. MPG	PART NO. HTBG	DESCRIPTION
5970-1	3460-l	400 g cartridge
5971	3461	454 g jar
5972	-	2 kg tin

MOLYSLIP ASSEMBLY COMPOUNDS

- · High moly content in non-melt grease base
- For engine, gear, driveshaft assembly and brake service
- · Larger sizes available

PART NO.	DESCRIPTION
3350	85 g AS/40 (with 40% moly)
3352	454 g AS/40 (with 40% moly)
3450	85 g AS/65 (with 65% moly)



MOLYSLIP SPRAY LUBES

- Effective, long-lasting lubricants with moly
- Reach hard to get at lubrication points
- Won't drip off

v			
	PART NO.	DESCRIPTION	
N	5962	180 g liquid grease	
	5770	375 g open gear spray	
	6962	180 g chain lube	
	3483	325 g air drying film	

IEMICALS AND LUBRICANT

POWERBALL® PRODUCTS

PowerBall® Polishing Tool

PowerCone® Polishing Tool

PowerMetal®, 8 oz / 236 ml

PowerBall® Mini Polishing Tool

PART NO. DESCRIPTION













Part #20016

MOTHERS WAX

35140

35141

35146

35148

PART NO.	DESCRIPTION
20016	FX SynWax®, 16 oz / 473 ml
20224	FX Spray Wax, 14 oz / 710 ml

MOTHERS POLISH





BILLEY	
art #35106	Part #06924

PART NO.	DESCRIPTION
35100	Mag and Aluminum Polish, 5 oz / 141 g
05101	Mag and Aluminum Polish, 10 oz / 284 g
35106	Billet Metal Polish, 4 oz / 113 g
35208	Chrome Polish, 8 oz / 236 ml
06208	Plastic Polish, 8 oz / 236 ml
06924	Back-to-Black Tire Shine, 24 oz / 710 ml
36108	Back-to-Black, exterior bumper and trim care (rubber, plastic and vinyl), 8oz / 236 ml liquid

MOTHERS CLEANER



Part #06616

Part #35316









Part #36412
7
4
Part #20524

Part #20524
/
-

,	7	۳	۰	
		٠.		
	-1		١.	
	-1			
	_			
4				
п	-	-	9	
п				
×			8	
	×	•		

Part #05324

PART NO.	DESCRIPTION
05424	Carpet/Upholstery Cleaner, 24 oz / 710 ml
36412	Leather Cleaner, 12 oz / 355 ml
36312	Leather Conditioner, 12 oz / 355 ml
06616	Glass Cleaner, 16 oz / 473 ml
20524	FX Wheel and Tire Cleaner, 24 oz / 710 ml
06824	Tire and Rubber Cleaner, 24 oz / 710 ml

MOTHERS PROTECTANT

PART NO.	DESCRIPTION
35316	16 oz / 473 ml
05324	24 oz / 710 ml

35600

35632

05664

37100

38100

35500

35701

35550

35750

37240

38216

08224

38408

Part #37250

POWERBALL 4 LIGHTS® **HEADLIGHT RESTORATION**

The All-In-One kit includes PowerBall 4 Lights® polishing tool, 8 oz PowerPlastic 4 Lights® polish, two double-sided severe damage restoration pads, and a 15" x 15" microfiber towel.

Car Wash, 16 oz / 473 ml

Car Wash, 32 oz / 946 ml Car Wash, 64 oz / 1.89 L

16 oz / 473 ml (Step #1) Micro-Polishing Glaze,

16 oz / 473 ml (Step #2) Brazilian Carnuba Cleaner Wax,

Brazilian Carnuba Cleaner Wax,

Pure Brazilian Carnuba Wax,

12 oz / 340 g paste (Step #3)

Pure Brazilian Carnuba Wax,

16 oz / 473 ml liquid (Step #3) Clay Bar Cleaning and Restore System, includes two 80 g clay

bars, 16 oz / 473 ml Showtime® Instant Detailer, 15" x 15" microfiber towel

Showtime® Instant Detailer,

Showtime® Instant Detailer,

16 oz / 473 ml

24 oz / 710 ml Scratch Remover,

8 oz / 236 ml

12 oz / 340 g paste

16 oz / 473 ml liquid

Pre-Wax Cleaner,

CALIFORNIA GOLD

PART NO. DESCRIPTION

















Part #35500

Part #35750











Part #38216



Part #37240

NLS Code: 483

Website: www.nlsproducts.com

CLEAR VINYL LIQUID PATCH REPAIR

REPAIRS LAST LONGER AND STRONGER THAN ORIGINAL VINYL!

- · Repairs match all colours
- · Applies to vinyl without heat
- 28 ml tube





Part # 71648

MAGIC MIX® PREP CLEANER POLISH

CUTS POLISHING TIME BY 80%

- Great surface prep/cleaner
- Removes stains and oxidation from aluminum, stainless steel, diamond plate, brass, gold, silver, magnesium and copper
- 8 oz / 237 ml bottle



MAGIC MIX® METAL POLISH

EASY ON EASY OFF!

- Shines and protects aluminum. stainless steel, diamond plate, brass, gold, silver, magnesium and copper
- Removes oxidation, tar and bugs from paint, rust and chrome

PART NO.	DESCRIPTION
71611	8oz / 237 ml bottle
71640	16oz / 473 ml bottle





Part # C10

C10 BREAKTHRU **370 G AEROSOL**

- · Penetrates and frees frozen and rusted parts - bolts, engine parts, hinges, locks, etc.
- Lubricates motorcycle and bicycle chains, bearings, chains, hinges, rollers, wheels and other moving parts, reducing heat build-up in high pressure applications
- Suppresses corrosion and rust on aluminum and chrome surfaces, guns and fishing equipment, locks, marine equipment, industrial machinery, relays, rollers, switches, tools and more



Part #C34

LITHIUM HD WHITE GREASE 315 G AEROSOL

- · Heavy duty industrial strength
- Superior liquefied formula lubricating grease
- Reduces wear, stops squeaks and repels moisture
- Remains soft and pliable
- Metal to Metal / Metal to Plastic lubrication
- · Works in high and low temperatures



Part #1570

AUTOMOTIVE & LIGHT TRUCKS RADCHEK 3-IN-1

70 STRIPS/BOTTLE

FOR EXTENDED LIFE AND **CONVENTIONAL COOLANTS**

TESTS: Reserves alkalinity, freeze point/ boiling point and pH levels

COOLANT TEST STRIPS



Part #C33

SILICONE HD9 LUBE 285 G AEROSOL

- · Heavy duty industrial strength synthetic polymer lube
- · Dries to the touch, lubricant effective from -40 °C to +205 °C
- Great for auto, marine, farm, shop, office, and industrial use
- Lubricates, seals and protects metal, plastic, rubber and wood
- · Stops sqeaks, friction and corrosion



Part #9900

SILENCER 255 G **AEROSOL**

- Contains no solvents, hydrocarbons, silicones or teflons
- · Prevents brake noises
- · Extends your brake life
- Waterproof
- O.E.M. approved
- Prevents rust, oxidation of rotors/ drums, stops seizing of lug nuts and threads



Part #2050

HEAVY DUTY

RADCHEK 4-IN-1 **COOLANT TEST STRIPS**

50 STRIPS/BOTTLE

FOR EXTENDED LIFE AND **CONVENTIONAL COOLANTS**

TESTS: pH levels, glycol, nitrite and molybdate



Part #5207



Part #3300



Part #3700



Part #4300

FLUID FILM SUPERIOR LUBRICANT

- · Environmentally friendlier
- Solvent free
- Non-toxic
- Impregnates the pores of exposed metal; keeps moisture and oxygen out, stopping rust
- · Offers rust and corrosion protection
- Penetrates through rust, stopping all metal deterioration on contact; migrates to inaccessible areas by capillary action

PART NO.	DESCRIPTION
1450	145 g aerosol
5207	237 ml brush top can
3300	333 g aerosol, 12 per case
3700	3.79 L
4300	20 L



NEVR-DULL MAGIC WADDING **POLISH 142G CAN**

Part # 19294

- · Cleans all metals with nothing to shake up, nothing to spill
- Great on brass, copper, steel, aluminum, chromium, nickel, pewter, zinc, silver and gold
- Removes rust, tar and grime off the chrome on your vehicle





TECH PLASTIC 57G

- · Plastic fiberglass repair
- · Cures under water (fresh or salt)
- · Dries white, will not shrink, crack, rot or pull away
- · Non- yellowing and rustproof
- Repairs PVC, ABS, gutters, seal electrical wires, plastic bumpers, battery cases, fish boxes, sprinkler heads, on board fuel tank leaks, and many automotive and household uses

Part #2900



Part # 2800

TECH WOOD 28 G

- Hardens in 10-15 mins
- · Molds to any size
- For interior/exterior permanent wood repairs
- · Can be drilled, sawed, sanded, stained and painted

Part #8312

GLOOZIT INDUSTRIAL STRENGTH ADHESIVE/SEALANT

- · All purpose, UV resistant
- Once cured GLOOZIT remains flexible, is able to withstand temperature changes as well as the expansion and contraction of dissimilar materials
- GLOOZIT bonds virtually everything

Part #8812	GTOOZIT	,
Part #8812		
	Part #8612	

PART NO.	DESCRIPTION
8312	90 ml automotive
8812	90 ml industrial
8612	90 ml marine/RV
8712	90 ml shoe glue
8512	90 ml plumber's tube
8412	90 ml home craft tube

Part #16002



Part #6004

TECH STEEL

- Steel reinforce epoxy putty
- Steel hard in 15 minutes, full cure in 1 hour
- 500°F resistant
- Permanently adheres to steel, aluminum, wood, copper, cast iron, PVC, AVS, bronze concrete, plastic, glass, fiberglass, ceramics, brass and more

PART NO.	DESCRIPTION
16002	75 g
6004	150 g

Part #5200



Part #5100

X-TREME TAPE

FOR QUICK EMERGENCY REPAIRS!

- · Multi-use for auto, truck, farm, house, plumbing, sports, outdoor, electrical, garden, tools and marine
- · A high quality wrap made from a special silicone compound which adheres to itself when wrapped under tension
- No adhesive, bonds only to itself!
- · Stretches 3 times its length
- Conforms to irregular shapes
- Forms a permanent air and water tight seal
- Insulated to 8,000 V
- Won't melt up to 260°C and is flexible to -54°C
- · Tensile strength of 600 psi

PART NO.	DESCRIPTION
5100	Black - Automotive
5200	White - Marine/RV

Part #91001



DRIVE UP

- · An amazing scientific breakthrough that removes motor oil, grease and heavy soils from driveways, garages, walkways, barbecue grills, lawn equipment, plastic playground equipment, wooden decks and a variety of surfaces without scrubbing
- An excellent cleaner for household chores such as showers, tubs, toilets, sinks, fiberglass, etc.
- · Deep penetrating power
- Safe on concrete, asphalt, paint and sealers

PART NO.	DESCRIPTION
48721	946 ml (trigger sprayer)
91001	3.78 L

OIL PRODUCTS

INC.

LUCAS OIL Code: 345

Website: www.lucasoil.ca

LUCAS SEMI-SYNTHETIC MULTI-VEHICLE ATF

- Semi-Synthetic multi-vehicle ATF meets or exceeds all manufacturers specifications both import and domestic including VW, BMW, Mercedes, Honda, Nissan and Toyota.
- Not recommended for Ford CVT, Ford Type F or MB 236.12.



Part #20418



Part #20442

LUCAS POWER STEERING FLUID WITH CONDITIONERS

Lucas Power Steering Fluid with Conditioner is formulated with the highest quality synthetic base oils and additives to help prevent power steering unit leaks, provide smooth operation and eliminate squealing.

LUCAS SYN 75W-90 TRANS & DIFF LUBE

Lucas Synthetic Gear Oil is a non-foaming, super slick, long lasting lubricant designed especially for heavy duty or high performance applications. Contains a special additive package that cushions gears and resists "squeezing out" under extreme pressure situations. Specially designed to stand up to high temperatures without losing its lubricity.



Part #20047

Gaer Oil

Part #20121

LUCAS SYN 75W-140 TRANS & DIFF LUBE

Lucas Synthetic Gear Oil is a non-foaming, super slick, long lasting lubricant designed especially for heavy duty or high performance applications. Contains a special additive package that cushions gears and resists "squeezing out" under extreme pressure situations. Specially designed to stand up to high temperatures without losing its lubricity.



Lucas Hydraulic Oil Booster & Stop Leak was formulated to renew hydraulic fluid with an additive package that stops seal leaks, boosts pressure, reduces operating temperatures and increases the life of hoses, rams and cylinders. It is an inexpensive solution to most hydraulic problems and a perfect preventative maintenance product.



Part #20019



Part #20088

LUCAS HUB OIL

Hub oil is over-worked and often neglected, it's also hard to change and prone to leak. Lucas Hub Oil is a heavy duty blend of special oils and additives designed to compensate for these problems. It totally stops most hub seal leaks. Product also available in larger containers for fleet maintenance.



Lucas Oil Stabilizer is a 100% petroleum product formulated to eliminate dry starts and reduce friction, heat and wear in any type of engine. It allows motor oils a higher degree of lubricity which reduces oil consumption and operating temperatures. Use Lucas Oil Stabilizer in gear oil to stop leaks, reduce operating temperatures and increase the life of the gear oil. Since it is pure petroleum, it can safely blend with all other automotive lubricants, even synthetics, ATF and mineral oil. It keeps old engines alive and new engines new.



Part #20001



Part #20020

LUCAS FUEL TREATMENT

Lucas Fuel Treatment is formulated for both gasoline and diesel engines, carbureted or fuel injected. It gives your fuel system what it really needs - a blend of super slick oils and additives with a high detergent action that allows the engine to operate at maximum efficiency. Also, it cleans and lubricates the carburetor and injectors and causes the fuel to burn more thoroughly for increased power and less fuel consumption. Lucas Fuel Treatment should definitely be used in vehicles that require leaded fuel because it actually replaces the benefits of lead in gasoline without causing harmful emissions. Use it to pass smog tests. Finally, it totally neutralizes the harmful effects of low sulfur diesel fuel.

LUCAS OIL Code: 345

Website: www.lucasoil.ca



LUCAS ASSEMBLY LUBE

- · Perfect for engine building
- Contains zinc, moly and other high pressure additives for maximum protection during engine break-in
- Use to pre lube bearings, cams, lifters, valve train
- Prevents seizing, galling and scuffing
- Compatible with all oils
- Super slick and tacky



Part #10153



Part #20216

LUCAS AIR TOOL LUBRICANT

Lucas Air Tool Lubricant is a unique formula that was developed for the working professional who demands top performance. It combats rust and varnish and coats the working parts with a cushion of waterproof lubricants that resist blowout. That means it lubes the tool and not the floor.

LUCAS ENGINE OIL STOP LEAK

Lucas Engine Oil Stop Leak is a unique formulation of Lucas additives and very specific base stock designed to stop seal leaks in engines. The user can expect less engine noise, higher oil pressure and less oil consumption as the Lucas additives fill the space between worn parts.



Part #20278

LUCAS LUCAS

Part #20076

LUCAS HIGH TBN 15W-40 MAGNUM CI-4 LONG DRAIN HD MOTOR OIL

- Lucas High TBN 15W-40 Truck Oil is a blend of high quality base oils and an additive package that allows extended drain intervals and a much higher degree of protection from metal to metal contact.
- Extended drain intervals
- · Lower operating temperatures
- · Higher degree of lubricity
- Higher oil pressure
- Cool quiet performance
- Longer engine life and no dry starts

LUCAS TRANSMISSION FIX

Lucas Transmission Fix is a non-solvent formula that stops slip, hesitation and rough shifting in worn transmissions and completely eliminates most seal leaks. Use in any transmission for preventative maintenance. Use also in light duty manual transmissions to increase shifting ease and transmission life.



Part #20009

LUCAS POWER STEERING STOP LEAK

GUARANTEED to stop seal leaks in power steering units or your money back. Totally corrects rack and pinion problems. It is also effective in reducing slack, squeals, and hard spots in worn rack and pinions. Your results will be immediate and long lasting.

Part #20008

LUCAS SYNTHETIC 15W-40 MAGNUM CJ-4 LONG DRAIN HD MOTOR OIL

Lucas CJ-4 oil is designed for today's new Diesel engines and meets or exceeds recommendations for the following: API CJ-4, CI-4+, CI-4, CF, SM, ACEA E7, CUMMINS 20081, MACK E0-0 PREMIUM PLUS 07, CATERPILLAR ECF-3, DHD-1 DDC PG0593K218, V0LV0 VDS-4, NAVISTAR, JASO DH-2.



PART NO.	DESCRIPTION
10299	Synthetic 15W-40 Magnum CJ-4 Long Drain HD Motor Oil
10297	15W-40 Magnum CJ-4 Long Drain HD Motor Oil
10436	Synthetic 5W-40 Magnum CJ-4 Long Drain HD Motor Oil



LUCAS SYNTHETIC MOTOR OILS

Lucas Synthetic Motor Oils are ideal for use on the street and are a high quality blend of synthetic oils selected to provide superior protection and performance in your engine. The synthetic oils are especially well suited to modern cars.

PART NO.	DESCRIPTION
10179	Syn 0W-30 Motor Oil
10211	Syn 0W-40 Motor Oil

PART NO.	DESCRIPTION
20082	Syn 5W-20 Motor Oil
20049	Syn 5W-30 Motor Oil
20189	Syn 5W-40 Motor Oil
20050	Syn 10W-30 Motor Oil
20054	Syn 20W-50 Racing Oil

PERMATEX Code: 610

Website: www.permatex.com

PERMATEX® THREADLOCKERS

- Protects from corrosion and vibration loosening
- 242 (Blue) is removable with hand tools and normal effort
- · 262 (Red) suited for permanent locking studs and press fits
- Meets OEM specifications

PART NO. Blue	PART NO. RED	SIZE
24200	26200	6 ml tube
24215	27115	10 g gel TWIST™ tube
24240	26240	36 ml bottle
24250	26250	50 ml bottle
24225	26225	250 ml bottle



SILVER GRADE ANTI-SEIZE

- Use for assembly and disassembly of metal parts
- Prevents galling during assembly
- Prevents rusting, cold welding and galvanic corrosion between parts
- Resists most chemicals, acids, road salt, water and steam

DESCRIPTION
113 g can
241 g aerosol
454 g can



DIELECTRIC GREASE

- Necessary for effective tune on high energy ignition systems
- Prevents voltage leakage around any electrical connection
- · Protects electrical connection, ignition parts and wiring from moisture, salt, dirt and corrosion
- · Prevents fusing of spark plugs to spark plug boots

PART NUMBER	DESCRIPTION
67VR	28 g carded tube
22064	85 g carded
22065	85 g carded power can



HIGH TEMPERATURE THREAD SEALANT

- · OEM Specified
- Locks and seals threaded fittings
- Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel
- Lubricates threads for easy assembly and disassembly
- Up to 204°C (400°F)





THE RIGHT STUFF® GASKET MAKER

- Seals instantly, forming a reliable, long lasting elastomeric rubber gasket
- Sensor safe and non corrosive
- One minute set up time

PART NO. DESC.		
30874	147 ml cartridge	
26015	212 g power bead can	
33694	300 ml cartridge	



Part #01010

5TH WHEEL GREASE 60 PACK

- Effectively and conveniently lubricates 5th wheel top plates of trailer
- · Requires no tools, creates no mess
- · Designed for heavy duty applications
- Effective at extreme temperatures and environmental conditions



Part #28218

ULTRA CHERRY™ PUMICE HAND SCRUB

- · Fresh cherry scent
- · Professional strength with skin care conditioners
- Helps restore moisture and prevent dry chapped hands
- 3 L bottle with pump



FAST ORANGE® LOTION HAND CLEANER

- Pure, fresh smelling natural citrus formula
- Biodegradable, waterless, petroleum solvent free
- Gently cleans tough dirt
- Contains aloe, lanolin, jojoba and glycerin for added skin conditioning and protection

Part #23-218

Part #23-108

PART NO. SMOOTH	PART NO. PUMICE	SIZE
23-108	25-108	220 ml bottle
23-116	25-116	440 ml bottle
23-217	25-217	1.89 L bottle with pump
23-218	25-218	3.78 L bottle with pump



FAST ORANGE® HAND CLEANERS

- · Pure, fresh smelling natural citrus formula
- Biodegradable, waterless, petroleum solvent
- Gently cleans tough dirt
- Contains aloe, lanolin, jojoba and glycerin for added skin conditioning and protection

PART NO.	DESCRIPTION	SIZE
27218	Dry Skin Formula	3.78 L bottle with pump
35-406	Cream Hand Cleaner	2 kg can
35-013	Cream Hand Cleaner	400 g can
25072	Wipes	72 count bucket
25575	Pumice Bar Soap	163 g

CHEMICALS AND LUBRICANTS

SPRAY NIN

Website: www.spraynine.ca



SPRAY NINE®

THE MOST VERSATILE WEAPON IN YOUR CLEANING ARSENAL!

- Multi-purpose disinfectant, cleaner and degreaser
- · Kills viruses within 30 seconds
- · Kills bacteria within 45 seconds
- Biodegradable
- CFIA approved

PART NUMBER	DESCRIPTION
C26822	650 ml trigger bottle
C26832	946 ml trigger bottle
C26802	2 L jug
C26804	4 L jug
C26820	20 L pail
C26856	56.7 L drum
C26845	208 L drum



INDUSTRIAL CLEANER/DEGREASER

POWERFUL CLEANING FOR THE TOUGHEST JOBS!

- A versatile cleaner that blends powerful cleaning agents, detergents and builders to deliver outstanding results without harsh abrasives and caustic chemicals
- · Fast acting formula
- · Cuts through most industrial soils and stains
- · Cost effective cleaning solution
- ISO 9001 compliant, CFIA Approved
- · Biodegradable and non-flammable
- · Ready to use

DESCRIPTION
946 ml trigger bottle
3.87 L jug
20 L pail
208 L drum



#1 RATED HEAVY DUTY DEGREASER!

- Professional strength formula hits hard and fast with powerful water soluble solvents and fast acting surfactants
- Water based solvents, no petroleum, harsh fumes or odours
- Biodegradable and non-flammable
- Ready to use

PART NUMBER	DESCRIPTION
C12532	946 ml trigger bottle
C12501	3.87 L jug
C12520	20 L pail
C12545	208 L drum



Part #C23319

GLASS AND STAINLESS STEEL CLEANER

LEAVES A SPARKLING STREAK FREE SHINE!

- Effectively removes dirt, dust fingerprints, smudges and light grease from glass, stainless steel and metal surfaces.
- Foaming formula ideal for vertical surfaces
- Sprays on evenly with refreshing lemon scent
- Biodegradable
- CFIA approved
- 600 g aerosol



POWER KLEEN

IDEAL FOR PARTS WASHING! HELPS OIL SEPARATE FROM WATER AND WON'T CAUSE RUST!

Part #C97045

- Powerful, non-solvent, aqueous based cleaning fluid
- Low foaming, biodegradable with powerful corrosion inhibitors
- · Allows easier reclamation and recycling
- Works in traditional and heated parts washers, pressure washers and automated equipment

	PART NUMBER	DESCRIPTION
	C97001	3.78 L
ĺ	C97005	18.9 L
ĺ	C97045	208 L



Part #C11525

GARAGE BOSS CONCRETE CLEANER 11.3 KG

- Removes grease, grime and dirt from garage, service bay, machine shop and factory concrete floors
- · Leaves a non-slick surface
- · Fresh pine scent




RAIN-X Code: 610

Website: www.rainx.com



THE INVISIBLE WINDSHIELD WIPER!



- Helps to easily remove frost, ice, salt, mud and bugs
- Improves response time up to a full second or more, almost four car lengths at highway speeds

PART NO.	SIZE
BCRX11212CN	207 ml bottle
BCRX11413CN6	473 ml trigger bottle

RAIN-X® LATITUDE® WIPER BLADES

ULTIMATE VISIBILITY IN RAIN, SLEET AND SNOW!® EASY TO INSTALL

 For use on either originally installed standard or curved style wiper blades. Pre-installed with small j-hook adapter and contains multi-adapter for side pin, large j-hook and bayonet wiper blade arms. Fits I and L (Insert and Lock) and PTB (Pinch Tab Button) wiper blade arms.

HIGH PERFORMANCE WIPE

- Contoured design applies even pressure along the entire blade length. Specially blended graphite coated rubber blade delivers the ultimate smooth, clean, chatter-free wipe
- Built-in aerodynamic spoiler significantly reduces drag, noise and wind lift.

ICE RESISTANT FRAME

Prevents ice and snow build-up through the elimination of exposed metal components. Durable, rubber-encased substructure increases wiper flexibility and adherence to the windshield in harsh conditions

PART NO.	SIZE
800001557	16"
800001558	17"
800001570	18"
800001559	19"
800001560	20"
800001561	21"
800001562	22"
800001563	24"
800001564	26"
800001565	28"

RAIN-X® WEATHERBEATER® WIPER BLADES CONSUMER RATED BEST IN WET WEATHER DRIVING

VISIBILITY!

Most preferred steel blade in Canada. Meets or exceeds all original equipment manufacturers' standards. Provides a smooth, clean, streak-free wipe by using embedded friction reducers and multiple pressure points to hug the windshield. All natural squeegee rubber resists cracking, splitting and tearing caused by heat, cold, windshield wiper fluid and salt. Helps prevent and remove sleet, snow, ice, bugs and road spray from sticking to glass.

Quick and easy to install.

PART NO.	SIZE
RX30212CN	12"
RX30213CN	13"
RX30214CN	14"
RX30215CN	15"
RX30216CN	16"
RX30217CN	17"
RX30218CN	18"
RX30219CN	19"
RX30220CN	20"
RX30221CN	21"
RX30222CN	22"
RX30224CN	24"
RX30226CN	26"
RX30228CN	28"



RAIN-X® TREATMENTS AND CLEANERS



ANTI-FOG INTERIOR GLASS TREATMENT

Part #BCAF21212CN 207 ml bottle



2-IN-1 GLASS CLEANER + RAIN REPELLENT

Part #5076784 680 ml bottle



HIGH FOAMING CAR WASH CONCENTRATE

Part #5069151 3.78 L jug



WASH AND WAX™ CAR WASH WITH CARNAUBA WAX BEADS

Part #5056567 1.83 L jug



X-TREME CLEAN™ GLASS AND PLASTIC

Part #800001313 355 ml bottle



ULTRA LIQUID WAX Part #5069114 473 ml bottle



FAST WAX LIQUID FORMULA

Part #5069116 473 ml bottle

SLIME Code: 610

Website: www.slime.com

SLIME® TIRE SEALANT

Seeks out and instantly seals tread area punctures up to 1/4" using Fibro-seal technology. Use on cars, trucks, SUV's ATV's mowers and more.



Part #10019 473 ml - Auto



Part #10017 710 ml - ATV/Mower



Part #10020 946 ml - All tires



Part #10047 3.78 L - All tires



Part #SDSB-55G 208 L drum



SLIME SAFETY REPAIR™ FLAT TIRE REPAIR SYSTEM

- Air and Slime simultaneously pass directly through the valve core; eliminates need to remove valve
- Repairs and inflates a 15" tire from flat within 7 minutes
- Built in light for night emergencies
- 12 V inflator with pressure gauge



Part #50048

3 MINUTE HEAVY DUTY INFLATOR

- Inflates a standard car tire quickly in three minutes!
- Portable, 12 V, 15" coiled hose with built in gauge and light
- Adapters for inflatables
- Canvas storage bag included

24015







Bikes/Rafts



10 MINUTE **ALL PURPOSE** TIRE INFLATOR

12 V Inflator

TIRE

REPAIR

Adapters for inflatables



Part #2034-A



TIRE PLUG KIT WITH T-HANDLE



Part #24011



FLOOR PUMP Part #24048



5-50 PSI PENCIL GAUGE Part #22012

SLICK 50 Black Magne

SLICK 50®, GUMOUT®, BLACK MAGIC® Code: 610

Websites: www.slick50.com, www.gumout.com, www.blackmagicshine.com

SLICK 50®



Part #P-401

SLICK 50® ENGINE TREATMENT 946ML

- Slick 50® treated engines sustain 50% less wear and tear than engines run with premium motor oil alone
- Keeps engine clean, preventing build up of sludge
- Creates enhanced layer of lubrication, minimizing engine heat



Part #P-461

SLICK 50® ENGINE TREATMENT ADVANCED FORMULA 946ML

- Combines Slick 50® Protection
 Chemistry with a fully formulated
 10W-30 motor oil to provide protection
 against friction and heat
- Compatible with all types of motor oil, safe for all automotive gasoline engines
- 50,000 Mile Engine Limited Warranty included



Part #710001

SLICK 50® FUEL SYSTEM FORMULA 473ML

- Designed to clean the entire fuel system from tank to tailpipe
- Cleans harmful deposit build-up
- Improves fuel efficiency, restores original power and performance
- Smooths and reduces rough engine idling



Part #710002

SLICK 50® HIGH MILEAGE FUEL SYSTEM TREATMENT 473ML

- Restores and increases lost power, performance and fuel economy
- · Decreases emissions
- Reduces hesitation, rough idling and engine knock

GUMOUT®



GUMOUT® FUEL INJECTOR CLEANERS

- Cleans direct and indirect fuel injectors, intake valves and ports
- · Prevents future deposit build-up
- Restores lost horsepower
- Safe for use in turbo and supercharged vehicles
- Keeps combustion chamber clean while reducing emissions
- Will not void OEM/manufacturer's warranty

PART NO.	DESCRIPTION	
800001738	Diesel/Biodiesel, 296 ml bottle	
800001739	177 ml bottle	
800001861	Flex-Fuel, 177 ml bottle	

GUMOUT® REGANE™ FUEL SYSTEM CLEANERS

- · Cleans the ENTIRE fuel system
- Maximizes fuel economy and increases lost horsepower
- · Prevents future deposit build-up, reducing emissions
- Fights damaging effects of ethanol up to 15%
- Safe for use in turbo and supercharged vehicles
- Will not void OEM/manufacturer's warranty

PART NO.	DESCRIPTION
800001742	High Mileage, 177 ml bottle
800001743	Complete, 177 ml bottle



Part #800001740

GUMOUT® GAS TREATMENT 177 ML



Part #800001860

GUMOUT® OCTANE BOOSTER 296 ML



GUMOUT® PROFESSIONAL

 Restores performance and fuel economy. Improves rough engine starts, maximizes engine life and extends the life of new oils. Reduces engine ping, knock, rough idling and emissions

PART NO.	DESCRIPTION
800002265	2-Step Total Fuel System Cleaning Service Kit
800002266	Oil System Cleaner, 473 ml bottle
800002270	Fuel System Cleaner, 177 ml bottle

BLACK MAGIC®



BLACK MAGIC® CAR CARE

Get that "just off the lot" look with long-lasting, high gloss, extreme shine! Cleans, shines, and protects! Revitalizes your car's interior and exterior!

- Tire Wet: The deepest shine of any leading tire spray. Easy-to-control spray for excellent coverage, no over-spray plus, sprays upside down leaving tires looking wet, black and glossy, better than new. Easy to use, no wiping
- Wheel Cleaner: Easily removes brake dust, dirt, and grime. Safe on all wheel types. Improves the appearance of all types of wheels without hazing or discoloration
- Pro Shine: Long-lasting shine. No water formula. Superior protection for vinyl, leather, rubber and plastics. Exclusive fadeblok™ technology protects against harmful UV rays by diffusing UV radiation that causes fading, drying and cracking

PART NO.	DESCRIPTION
BC22145CN	Tire Wet® Foam, 510 g aerosol
BCBM23CN	Tire Wet®, Extreme Shine, 680 ml bottle
BM41023CN	Wheel Cleaner, 680 ml bottle
800002263	Pro Shine Protectant™, 473 ml

SPRAYON Code: 435

Website: www.sprayon.com







Part # C000711LQ



Part # C00885000

Part # C020885LQ



Part # Part # C00757000 C020757LQ



Part # Part # C00100000 C000100LQ



Part # C00103000 Part # C000103LQ





Part # C00777000 Part # C000777LQ



Part # C00208000 Part # C000208LQ



Part # C000607LQ Part # C00607000



Part # C00311000



Part # C00739000



Part # C00705000 Part # C000705LQ

SPRAYON®

Sprayon® cleaners, degreasers, lubricants and sealants are specifically formulated for use in all manufacturing and industrial environments. From heavy duty industrial lubricants to general purpose cleaners, Sprayon® satisfies the most demanding maintenance requirements in every part of your facility.

	T NO. AEROSOL	DESCRIPTION
C000711LQ	C00711000	The Protector™ All-Purpose Lubricant
C020757LQ	C00757000	Heavy duty Citrus Degreaser
C020880LQ	C00880000	General Purpose Cleaner
C020885LQ	C00885000	Stainless Steel Cleaner
C020749LQ	C00749000	Electrical Degreaser
C020848LQ	C00848000	Flash Free® Electrical Degreaser
C002204LQ	C02204000	Electronic Contact Cleaner
C000100LQ	C00100000	White Lithium Grease
C000103LQ	C00103000	Rust Breaker® Penetrant
C000201LQ	C00201000	Open Gear & Wire Rope Lubricant
C000202LQ	C00202000	Moly Chain Lubricant
C000204LQ	C00204000	Dry Film Graphite Lubricant
C000206LQ	C00206000	All-Purpose Silicone Lubricant
C000208LQ	C00208000	Cutting Oil
C000210LQ	C00210000	Food Grade Silicone Lubricant
C000700LQ	C00700000	Food Grade Machinery Oil
C000777LQ	C00777000	Outdoor Metal Protectant
C000607LQ	C00607000	Belt Dressing
C000705LQ	C00705000	Non-Chlorinated Brake & Parts Cleaner
N/A	C00311000	Dry Film Release Agent
N/A	C00739000	Silver Galvanizing Compound
N/A	C00740000	Zinc-Rich Galvanizing Compound
N/A	C00738000	Stainless Steel Coating



SEA FOAM® Code: 299

Website: www.seafoamsales.com

SEA FOAM® TRANS TUNE

- Trans Tune is a 100% petroleum product comprised of three specific oils blended in just the right proportions to SAFELY clean varnish deposits in transmission, power steering and hydraulic pump components
- 473 mL



BUGS-B-GONE

- Bugs-B-Gone is designed to remove dead bugs from your vehicle quickly and easily
- · Uses: brake dust off wheels, bugs off radiators, algae off boats, soot off chrome stacks and before painting a vehicle
- Gallon Concentrate is super heavy duty and designed for use by detail shops, body shops, car washes, truck washes and fleets to clean their vehicles



PART NO.	DESCRIPTION
BBG-1	Trigger Spray, 16 oz
BBG-4	Concentrate Gallon
BBG-5	Windshield Washer Concentrate, 8 oz

Part #SS-14

SEA FOAM® SPRAY

- · Used in cleaning harmful gums, varnish and carbon from air induction systems and combustion chambers on all 2-cycle and 4-cycle gasoline engines
- Cures hesitation, stalls, pings, flat spots and rough idle due to carbon buildup
- Use to store and fog 2-cycle and 4-cycle engines
- Helps pass emission tests, EPA registered
 - Cleans intake valves, pistons and catalytic converter odors
 - Restores power and pickup
- Oxvgen sensor safe
- 473 mL



SEA FOAM® MOTOR TREATMENT

- Sea Foam motor treatment is a 100% pure petroleum product that safely and effectively cleans internal fuel and oil system components, helping your gasoline or diesel engine run cleaner and more efficiently
- · Stabilizes fuel for 2 years



PART NO.	DESCRIPTION
SF-16	Motor Treatment, 473 ml
SF-128	Motor Treatment, 1 Gallon/3.78 L

Part #DC-14

SEA FOAM® DEEP CREEP

- Deep Creep's fast acting, 100% petroleum formula quickly penetrates rusted parts, lubricates moving metal parts, disperses moisture, and cuts through grease, engine varnish and road tar
- Withstands heat better than other penetrating oils
- 473 mL



Mipe-it

WIPING CLOTHS



NEW

PART NO.	DESCRIPTION
RSTW-30P	Shop Towels, 30 pack
RTT-Z1619/10W	Terry Towels, 10 pack
RMFB-1414/10P	Microfiber 14 x 14, Colour Blue , 10 pack
RMFY-1414/10P	Microfiber 14 x 14, Colour Yellow, 10 pack
RMF0-1414/10P	Microfiber 14 x 14, Colour Orange, 10 pack
RMFG-1414/10P	Microfiber 14 x 14, Colour Green, 10 pack
RMFR-1414/10P	Microfiber 14 x 14, Colour Red, 10 pack



RECYCLED

PART NO.	DESCRIPTION
BX-25C	Colored T-shirt Wipers, 25 lbs
BX-10C	Colored T-shirt Wipers, 10 lbs
SXG-10C	Grey Fleece Wipers, 10 lbs
BXW-10C	White T-Shirt Wipers, 10 lbs
BXW-W10C	Washed White T-shirt Wipers, 10 lbs
FXW-8C	White Flannel Wipers, 8 lbs
SXC-25C	Colored Fleece Wipers, 25 lbs
SXC-10C	Colored Fleece Wipers, 10 lbs
SXG-25C	Grey Fleece Wipers, 25 lbs





WHEEL BRUSH

PART NO. I	DESCRIPTION
BW-50	Wheel Brush Soft, 50 cm
BW-24	Wheel Brush Soft, 24 cm
BR-25	Wheel Brush Aggressive, 25 cm



CHAMOIS

PART NO.	DESCRIPTION
RCH-N35	Natural Chamois, 3.5 sq ft
RMFPU-1	Dry Tex Chamois, 1 sq ft
RMFPU-2	Dry Tex Chamois, 2.5 sq ft
RMFPU-4	Dry Tex Chamois, 4 sq ft



PART NO. I	DESCRIPTION
RWM-C	Microfiber Chenille Blue
RWM-D	Dynel Jumbo Auto Maniac
RWM-P	Synthetic Sheep Wool



Part #RBR-4

· All in-one-car wash kit

MICROFIBER

PART NO.	DESCRIPTION
RMF-5R	Microfiber Detailing Cloths, 5 pack
RMF-2424	Microfiber Drying Towel, 4 sq ft
RAM-MF	Auto Maniac Detailing Cloth, Seam Free, 16 x 16
RAM-MT	Auto Maniac Drying Towel, Seam Free, 20 x 30



PART NO.	DESCRIPTION
RSAW-T641/12P	Jumbo 6 x 4 x 1, 12 pack
RSAW-T441/12P	Regular 4 x 4 x 1, 12 pack
RWA-3P	Microfiber round with handle, 3 pack



Part #BT-1.8

FLOW THROUGH EXTENDABLE BRUSH

4 ft, extendable to 6 ft (1.8 m)



SILICONE SQUEEGEE

• 24 cm



Part #10-325A
MIGHTY DUSTER

• Treated cotton cloth - 1 pack



Part #RSP-B642
BUG SPONGE
JUMBO



MICROFIBER 4 PIECE CAR CARE KIT

· Contains wash mitt, bug sponge, detailing cloth and drying towel

Part #RSP-PL
PEANUT SHAPE
SPONGE



W. RALSTON Code: 185

Website & Online Catalogue: www.ralston.ca

INDUSTRIAL GARBAGE BAGS



COVER IT - PLASTIC DROP SHEETS

PART NO.	DESCRIPTION
0305-00	9' x 400' Clear / Box
0311-00	10' x 25' Utility Clear Roll
0312-00	10' x 25' Regular Clear Roll
0313-00	10' x 25' Industrial Clear Roll
0331-00	8' x 12' Utility Clear Roll
0332-00	8' x 12' Regular Clear Roll
0333-00	8' x 12' Industrial Clear Roll



6 MIL VAPOUR BARRIER POLY SHEETING

	1 OLI OIILLIING
PART NO.	DESCRIPTION
5033-00	120" x 150' per Roll
5040-00	240" x 100' per Roll



LIGHT DUTY POLY SHEETING

PAR	T NO.	DESCRIPTION
4224	-00	240" x 100' per Roll
4229	-00	120" x 150' per Roll



2600 SERIES BLACK ECO-LOGO CERTIFIED

PART NO.	DESCRIPTION
2652-01	20" x 22" Regular - 500/cs
2654-01	22" x 24" Regular - 500/cs
2661-01	26" x 36" Regular - 250/cs
2671-01	26" x 36" Strong - 200/cs
2673-01	30" x 38" Strong - 200/cs
2675-01	35" x 50" Strong - 125/cs
2677-01	42" x 48" Strong - 100/cs
2681-01	26" x 36" Extra Strong - 125/cs
2683-01	30" x 38" Extra Strong - 125/cs
2685-01	35" x 50" Extra Strong - 100/cs
2687-01	42" x 48" Extra Strong - 75/cs
6675-01	35" x 50" 3 ml Contractors Bag - 100/rl

CERTIFIED COMPOSTABLE BAGS

PART NO.	DESCRIPTION
0504-03	17.5" x 16.75" Bin Liner – 50/bx - 12bx/cs
0506-03	25" x 30" Bin Liner – 24/bx - 10bx/cs
0546-03	17.5" x 16.75" Bin Liner 12/bx - 60bx/cs
2150-03	17.5" x 16.75" Bulk Pack - 500/cs
2156-03	25" x 30" Bulk Pack - 200/cs

2900 SERIES CLEAR ECO-LOGO CERTIFIED

PART NO.	DESCRIPTION
2952-00	20" x 22" Regular - 500/cs
2956-00	24" x 24" Regular - 500/cs
2971-00	26" x 36" Strong - 200/cs
2973-00	30" x 38" Strong - 200/cs
2975-00	35" x 50" Strong - 125/cs
2981-00	26" x 36" Extra Strong - 125/cs
2985-00	35" x 50" Extra Strong - 100/cs
2987-00	42" x 48" Extra Strong - 75/cs

2900 SERIES COLOURS

PART NO.	DESCRIPTION
2952-10	20" x 22" White Regular - 500/cs
2971-07	26" x 36" Green Strong - 200/cs
2971-08	26" x 36" Blue Strong – 200/cs
2975-08	35" x 50" Blue Strong – 125/cs
0376-06	31" x 46" Orange – 50/box

SPRAYON Code: 435

Website: www.sprayon.com



SPRAYON® ECO-GRADE™

Sprayon® Eco-Grade™ products preserve and protect your equipment, facility, and your workforce to prevent costly damage and downtime. All Sprayon® Eco-Grade™ products, including fast-acting cleaners and degreasers, are formulas made from renewable, biodegradable resources.

Environmentally preferred products are better for the environment and better for your health. Eco-Grade™ has several advantages over conventional programs, they are safe, versatile and environmentally responsible without sacrificing performance.

PART		
TRIGGER	AEROSOL	DESCRIPTION
C1206T1232	C1206S1219	Restroom Cleaner
C1204T1232	C1204S1219	Heavy Duty Cleaner
C1205T1232	C1205S1219	Glass Cleaner
N/A	C00406000	Soy Degreaser





Part # Part # C1205S1219 C1205T1232



Part # C00406000

SPRAYON® CLEANERS

	PART NO.		
TRIGGER	AEROSOL	GALLON	DESCRIPTION
C1201T1232	C1201S1219	C012010401	Neutra-Force® Heavy-Duty Foaming Degreaser
N/A	N/A	C010870401	Neutral All-Purpose Cleaner
N/A	C00887000	N/A	Coil & Fin Cleaner
C1219T1232	N/A	C012190401	Water-Based Citrus Degreaser





Part # C00887000



Part # C010870401

Rubbermaid Commercial Products Code: 760

Website: www.rubbermaidcommercial.com



Part #FG9S0100YEL

POP UP SAFETY CONE

- Caution warning messages imprinted in English, French and Spanish
- Collapsible, automatically deployed cone
- W 21" x H 30" x D 21"



Part #FG295600BLA

26.6 L WASTEBASKET

- Space efficient and economical
- L 14 3/8" x W 10 /14" x H 15", 28 1/8 qt capacity



Part #FG9W2700GRAY

BRUTE® 50 GALLON ROLLOUT CONTAINER

- Tough Dur-x[™] construction lends long life
- Heavy-duty, 8" (20.3 cm) wheels afford easy mobility, even over steps or curbing
- L 28.5" x W 23 3/8" x H 36.5", 50 gal capacity

Part #FG611285YEL

FLOOR SIGN

- Lightweight folding design for convenient storage or transport on janitor cart
- Caution warning messages imprinted in English, French, and Spanish



Part #FG264360GRAY

BRUTE® 166.5 L / 44 GALLON UTILITY CONTAINER

- Patent pending venting channels dramatically reduce the force required to remove a filled can liner by over 50%
- Dia 24" x H 31 1/2" 44 gal capacity



Part #FG263200GRAY

121.1 L BRUTE® CONTAINER WITHOUT LID

- All plastic, professional grade construction will not rust, chip or peel; resists dents
- Dia 22" x H 27 1/4"
 32 gal capacity





MOBILE BARRIER

- For indoor use. Flexible, can be set straight, curved or in a circle
- · ANSI approved color and graphics
- 13 ft long with 16 articulating panels, has two 5" non-marking wheels, and four locking straps to secure barrier in closed position



SLIM JIM® WITH VENTING CHANNELS

- Patent pending venting channels increase efficiency
- Improves worker well being by taking the strain out of liner removal
- L 22" x W 11" x H 30" 23 gal capacity



Part #FG356988GRAY

UNTOUCHABLE® SQUARE CONTAINER

- Patent pending can liner cinch allows for bag retention and eliminates knot tying
- Durable and crack resistant, even under tough indoor/outdoor conditions
- L 16.5" x W 15.5" x H 30.9", 23 gal capacity



Part #FG101100BLA

STRUCTURAL FOAM TILT TRUCK, UTILITY DUTY

- Durable molded trucks handle heavy loads with ease
- Unique "steering wheel" handle provides excellent maneuvering capability
- L 64.5" x W 20" x H 38", 600 lb capacity



Part #FG253100BLA

LOBBY PRO UPRIGHT DUST PAN

- · Stylish pan design
- Durable rear wheels improve wear resistance
- L 12.8" x W 11.3" x H 5"



Rubbermaid Commercial Products Code: 760

Website: www.rubbermaidcommercial.com

Part #FG342488BLA

90.7 KG UTILITY CART WITH 4" (10.2 CM) SWIVEL CASTERS

- · Easy-to-clean smooth surfaces
- · User-friendly easy to grip handles
- L 33 5/8" x W 18 5/8" x H 37 3/4", 200 lb weight load



Part #FG409100BLA

136.1 KG XTRA™ UTILITY CART

- Durable and sized to carry large loads
- · Large shelves hold various equipment and supplies
- L 40 5/8" x W 20" x H 37.8". 300 lb capacity (100 lb/shelf)



Part #FG430000BLA

CONVERTIBLE UTILITY CART

- . Converts from a utility cart to a platform truck in just seconds
- · Innovative, patent-pending design
- L 45.2" x W 23.8" x H 34.4", 400 lb capacity



Part #FG450088BLA

HD 2-SHELF UTILITY CART WITH LIPPED SHELF (SMALL)

- · Perfect for transporting materials, supplies, and heavy loads in almost any environment
- · High density structural resin construction
- L 39" x W 17 7/8" x H 33 1/4", 500 lb max capacity



Part #FG452088BLA

HD 2-SHELF UTILITY CART WITH LIPPED SHELF (MEDIUM)

- · Easy-access bottom shelf
- · Best-in-class casters are made to meet demanding environments
- L 45 1/4" x W 25 7/8" x H 33 1/4", 500 lb max capacity



Part #FG758088YEL

WAVEBRAKE® 35 QT SIDE PRESS COMBO

- · High efficiency side press wringer
- Lasts 58 times longer than comparative wringers
- L 20.1" x W 15.7' x H 36 1/2", 35 qt capacity



Part #FG9C7400RED

DIRTY WATER BUCKET FOR WAVEBRAKE® COMBOS

- · Separates dirty water from clean water to reduce risk of contamination
- L 14.1" x W 9.9" x H 14.1". Mop capacity 18 qt

Part #FG757788YEL

WAVEBRAKE® DOWN PRESS COMBO

- Tested to exceed 100.000 wringing cycles, side press wringer performs 50.000 cycles
- Premium tubular steel and structural web molded plastic
- L 20.1" x 15.7" x H 36 1/2", 35 qt capacity





Part #FG264360GRAY

BRUTE® DOLLY FOR 2620, 2632, 2643 2655 CONTAINERS

- · Heavy duty wheels with swivel capabilities provide for ease of mobility
- User-friendly solution for moving heavy loads



Part #FG9T5500RED

Part #FG440120BL

PACKET PACK

TRIPLE TROLLEY

· Folds flat for easy storage

· Efficiently transports large bulky loads

L 32.5" x W 20.5". 500 lb max capacity

HEAVY DUTY DOLLY. PADDED DECK

- One piece high impact molded polyethylene
- · Steel reinforced rib design deck
- L 30" x W 18", 1,000 lb max capacity



Part #FG9T5400RED

HEAVY DUTY DOLLY. FLUSH DECK

- · One piece high impact molded polyethylene
- · Steel reinforced rib design deck
- L 30" x W 18", 1,000 lb max capacity



Part #FG446600BLA

HD PLATFORM TRUCK (LARGE 30" X 60")

- Duramold™ precision engineered resin and metal composite structure for unsurpassed
- durability and service life
- Textured deck surface reduces load slippage
- L 60" x W 30", 2,000 lb capacity



GOJO INDUSTRIES INC. Code: 622

Website: www.gojo.com



Part # 2156-08-CAN00

PURELL® INSTANT HAND SANITIZER

- NXT® 1,000 ml refill kills 99.99% of most common germs that may cause illness
- Works in as little as 15 seconds
- · No water or towels needed
- Specially formulated with moisturizers to leave hands feeling soft and refreshed



Part #7282-04

GOĴO

GOJO® SUPRO MAX™ CHERRY

- 2,000 ml Bag in Box Refill
- · Cherry Hand Cleaner



Part #7290-04

GOJO® **CHERRY GEL**

- 2,000 ml Bag in Box Refill
- Pumice Hand Cleaner



Part #7272-04

GOJO® **SUPRO MAX™**

- 2,000 ml Bag in Box Refill
- Hand Cleaner



Part #7295-04

GOJO® **POWER GOLD®**

A highly effective, fast-acting hand cleaner for removing the heaviest grease, tar and oil. No harsh solvents. Contains natural, non-irritating scrubbing particles. Apply to dry hands, then rinse or wipe off.





TFX™

FLOOR STAND -

MINERAL GRAY

Freestanding stations

make PURELL® Instant

Hand Sanitizer available

Wellness display for employees and customers Place in high traffic areas or where crowds gather Helps prevent the spread

anywhere

of germs Approximately 1,800 applications per refill

Part #2424-DS

PURELL® TFX™ TOUCH FREE DISPENSER Part #2720-12-CAN00



PURELL® TFX™ 1200 ML REFILL Part # 5395-02-CAN00



Part #6298-04

GOJO® **FAST WIPES®**

- 130 Count Bucket
- · Hand-cleaning towels
- For use in service vehicles, on the workbench, at the job site and wherever water is not available



Part #6299-02

GOJO® **FAST WIPES®**

- 225 Count Bucket
- Hand-cleaning towels
- For quick cleanup of light greases and oils



Part #8145-06

GOJO® HAND MEDIC®

- 8 fl oz Bottle
- · Professional Skin Conditioner



Part #8150-12

GOJO HAND MEDIC

- 5 oz Tube
- Professional Skin Conditioner

PART NO.

5161-D2

5161-03



GOJO® LUXURY **FOAM HAND CLEANER KIT**

- Ideal for washrooms and break rooms
- Rich, gentle luxury foam handwash
- Pre-lathered for a convenient and pleasing experience
- For general light duty cleaning

GOJO® SCRUBBING WIPES

- Dual textured with a scrubbing side for removing tough soils, and a smooth side for quick dirt absorption
- Extra large wipes for superior cleaning capacity
- Contains skin conditioners to help prevent dryness and irritation
- For use anywhere heavy duty cleaning is required
- No water needed



PART NO.	DESCRIPTION
6380-04	80 count individually wrapped
6383-06	25 count canister
6396-06	72 count canister
6398-02	170 count bucket

GOJO® CHERRY GEL PUMICE HAND **CLEANER**

- · Gel-style heavy duty hand cleaner with cherry fragrance and pumice scrubbers
- Quickly cleans heavy dirt, grease and oil
- pH balanced to promote skin comfort
- Provides a quick, easy and complete rinse that leaves skin feeling refreshed



PART NO. **DESCRIPTION** 2352-15 6 fl oz bottle 2354-08 10 fl oz bottle 2356-04 1/2 gallon pump bottle 2358-02 1 gallon pump dispenser

PURFUL® INSTANT HAND SANITIZER

FMX-12™ 1,200 ml Luxury Foam Kit,

FMX-12™ 1,250 ml Luxury Foam Refill

1 dispenser and 1 refill included

DESCRIPTION

LOUETT, INSTAINT HAND SANTITEL		
PART NO.	DESCRIPTION	
9606-24-CAN	2 fl oz pump bottle	
9646-12-CAN00	12 fl oz bottle with dermaglycerin	
9650-24-CAN	2 fl oz bottle with flip cap	
9651-24-CAN00	4 fl oz bottle	
9652-12-CAN00	8 fl oz pump bottle	
9659-12-CAN00	12 fl oz bottle	
9674-12-CAN	8 fl oz pump bottle with aloe	
9770-12-CAN00	12 fl oz bottle with 70% alcohol	



CAR-FRESHNER Code: 286

Website: www.little-trees.com

Car-Freshner®

LITTLE TREES® 1-PAK AIR-FRESHENERS

- Little Trees® Traditional Air-Freshener
- Freshens for up to 6 weeks
- Table includes our top 20, 1-paks

PART NO.	DESCRIPTION
U1P-17366	Black Forest
U1P-10155	Black Ice
U1P-17343	Blackberry Clove
U1P-10318	Cinna-Berry
U1P-10317	Coconut
U1P-10316	Green Apple
U1P-10433	Jasmin
U1P-10435	Lavender
U1P-10290	Leather
U1P-10228	Morning Fresh
U1P-10189	New Car Scent
U1P-10221	Ocean Mist
U1P-10319	Peachy Peach
U1P-10967	Piña Colada
U1P-10101	Royal Pine
U1P-10312	Strawberry
U1P-14325-CN	Sun-Washed Cotton
U1P-10105	Vanillaroma
U1P-10320	Watermelon
U1P-10311	Wild Cherry





Black Ice

LITTLE TREE IN A CAN® AIR-FRESHENER, 70 G (2.5 OZ) AEROSOL CAN

- Little Tree In a Can® Air-Freshener
- 70 g (2.5 oz) aerosol can
- Same great fragrances in a can

PART NO.	DESCRIPTION
UAL-09055-CN	Black Ice
UAL-09017-CN	Coconut
UAL-09089-CN	New Car
UAL-09005-CN	Vanillaroma



LITTLE TREES® VENT-CLIPP AIR-FRESHENER, 4 UNITS PER PACKAGE

- Little Trees® Vent-Clip Air-Freshener
- Fits securely into all vent types

PART NO.	DESCRIPTION
U1P-17711	Cherry
U1P-17716	Crisp Apple
U1P-17750	Mountain Waterfall
U1P-17789	New Car
U1P-17719	Peaches and Cream
U1P-17705	Vanilla





VENDING MACHINES FOR LITTLE TREES® TRADITIONAL AIR-FRESHENERS, INCLUDES PRODUCT

PART NO.	DESCRIPTION	
UVM-90002	1-column single-coin, electronic, includes 288 Little Trees®	
UVM-90003	1-column multi-coin, electronic, includes 288 Little Trees®	
UVM-90004	5-column single-coin, electronic, includes 864 Little Trees®	
UVM-90005	5-column multi-coin, electronic, includes 864 Little Trees®	
UVM-90001	1-column single-coin, mechanical, includes 288 Little Trees®	
UVM-90000	5-column single-coin, mechanical, includes 864 Little Trees®	

FURGALE INDUSTRIES Code: 208

Website: www.broom.com

BROOM HEADS ONLY, HANDLE SOLD SEPARATELY

STREET / BARN **BROOM HEAD**

For outdoor use under wet or dry conditions, sweeps heavy debris such as gravel, mulch or heavy dirt.

PART NO.	DESC.
5714H	14"
5716H	16"

SMOOTH SWEEP BROOM HEAD

For indoor use under dry conditions such as warehouses, offices or hospitals. Sweeps fine debris such as dust, sand and light dirt.

PART NO.	DESC.
0818H	18"
0824H	24"
0836H	36"

TAMPICO BROOM HEAD



For indoor use under dry and wet conditions such as factories, schools, commercial buildings. Sweeps fine to medium debris.

PART NO.	DESC.
0618H	18"
0624H	24"
0636H	36"



ROUGH SWEEP BROOM HEAD

For commercial indoor and outdoor use under wet and dry conditions such as commercial, industrial or residential use. Sweeps medium to heavy debris.

PART NO.	DESC.
2818H	18"
2824H	24"
2836H	36"



Part #87-1

UNIVERSAL **BROOM BRACE**

Metal broom brace for all push brooms. Provides extra strength to minimize handle breakage.

THREADED BROOM HANDLE Threaded broom handle is

lacgured and fits all acme threaded broom heads.

PART NO.	DESC.
6154	54"
6160	60"



Threaded broom handle is lacgured and fits all acme threaded broom heads has metal tip for extra strength.

PART I	NO. DESC.
6054	54"
6060	60"

TAPERED BROOM HANDLE

54" x 1-1/8" tapered handle lacquered handle is ideal for use with all floor squeeges and street brooms.

PART NO.	DESC.
J3306	54"
5360	60"



Part #700G

LOBBY CORN **BROOM**

30" corn broom ideal for use with HC2532 Lobby Dust Pan



 Natural Bristles

• 56" handle





Part #454L **SYNTHETIC LOBBY**

30" synthetic angle broom ideal for use with HC2532 Lobby Dust Pan

HD PUSHBROOM / INDOOR

- · Medium to rough surfaces
- · Dust and mid-weight debris
- · Dry conditions



PART NO.	DESC.
5518	18" head
5524	24" head



48" metal handle with 3" plastic fibres. Ideal for light sweeping of fine dust and dirt.





- 15/16" x 48" handle





Part #667

HD 14" COUNTER BRUSH

- Non-scratch
- · 2 1/4" synthetic fibres



48" metal handle with extra long 4 1/2" fibre and premium split tip fibres. Ideal for sweeping both light dirt and fine dust.





ANGLE BROOM

Durable plastic cap. Ideal for sweeping smooth surfaces.

PART NO.	DESC.
454	9"
458	13"

HD PUSHBROOM / OUTDOOR

- · Medium to rough surfaces
- Dirt and heavy debris
- Wet conditions



PART NO.	DESC.
5618	18" head
5624	24" head

TOILET TISSUE DISPENSER

Universal towel dispenser with built in lock and key. Accepts most jumbo rolls of toilet paper.

PART NO.	DESC.
HC0392	Single dispenser
HC0396	Double dispenser



URINAL BLOCK

Non Para Block cleans and deodorizes with every flush

PART NO.	DESC.
HC0004	3 oz
HC0005	4 oz



URINAL SCREEN

Urinal screen will block waste build up in urinals.

PART NO.	DESC.
HC0001BG	Bubble gum
HC0001CH	Cherry



URINAL SCREEN WITH BLOCK

Non Para Block cleans and deodorizes with every flush. Screen will block waste build up in urinals.

PART NO.	DESC.
HC0003	4 oz
HC0010	3 oz



Part #HC0377

SOAP DISPENSER

Universal soap dispenser with sight window and large push bar.



ECONOMY TOILET BOWL BRUSH AND CADDY



Part #HC0393

PAPER TOWEL **DISPENSER**

Universal paper towel dispenser with push lever. Accepts most rolled paper towels.



Part #HC0064

TOILET BOWL SWAB

Acid resistant acrylic varn releases liquid quickly. Can be used in both toilets and urinals.



Part #HC0351

TOILET PLUNGER

Heavy duty plunger with wood handle. strong suction for movement of all types of blockages.



Rubber cup provides

Part #HC2532

LONG **HANDLE LOBBY** DUSTPAN

Long handle dustpan is constructed of heavy gauge plastic and has snap lock feature for easy dumping. Ideal for all commercial uses.









Part #4K

12" PLASTIC DUSTPAN

One piece plastic construction with deep pan designed to hold all fine debris. Ideal for all sweeping applications.



Part #6

12" METAL **DUSTPAN**

Heavy duty, one piece steel construction with bevelled edge. Extremely durable and ideal for all sweeping applications.



Part #495

HD 16" METAL **DUST PAN**

- 9" handle
- Black



HC0045/44/43 WASTE CONTAINER WITH LID

PART NO.	DESC.
HC0045	6 gal
HC0044	12 gal
HC0043	15 gal

JANITORIAL AND SANITATION

FURGALE INDUSTRIES Code: 208

Website: www.broom.com





Red / white trigger with 9" dip tube equipped with filter screen. Trigger adjusts to provide fine mist to steady stream.



Part #HC0114



9" HEAVY **DUTY TRIGGER SPRAYER**

Green / white trigger with 9" dip tube equipped with filter screen. Trigger adjusts to provide fine mist to steady stream. Ideal for all heavy duty applications.

Part #HC0117GN

BOTTLE WITH WHIMIS LABEL



Durable plastic withstands any harsh enviroment. Comes with volume measurements and WHIMIS label.

PART NO.	DESC.
HC0025	24 oz
HC0033	32 oz



ACID RESISTANT WASH BRUSH

- Flow-through plastic head with vinvl bumper. split-tip, acid resistant tampyl
- · Ideal for washing cement trucks

PART NO.	DESCRIPTION
686510	10" head, 2.5" trim



AUTOMOTIVE AND MARINE WASH BRUSH

- Automotive and marine wash brush
- Flow-through plastic block head with vinvl bumper. non-scratch split-tip nylon fibres

PART NO.	DESCRIPTION
685508	Plastic head, 8" head, 2.5" trim
685510	Plastic head, 10" head, 2.5" trim
885510	Tri-level head, 3 washing angles, 10" head, 2.5" trim



Part #BH1700

FLOW THROUGH **EXTENSION** HANDLE FOR **ALL WASH BRUSHES**

- For use with acid resistant and auto and marine wash brushes
- Extends to 56"
- Easy access, thumb action flow control lever (control water flow with thumb)

MOSS FOAM RUBBER FLOOR SQUEEGEE

- 30" x 1 1/2" reversible blade
- · Light to medium debris
- · Smooth to semi smooth surfaces

PART NO.	DESC.
25322	22"
25330	30"
5360	Wood handle for floor squeegees, 15/16" x 60"





PART NO.	DESC.
3930	8" head
3940	10" head

WINDSHIELD SQUEEGEE

20" handle included. Windshield squeegee heads with net covered scrubbing sponge and metal frame.



TELESCOPIC ALUMINUM LOCKABLE **EXTENSION POLE**

- 2 piece (HC0215-HC0217) or 3 piece (HC0218-HC0221)
- Up to 30' in length
- Made out of durable aluminum for long life
- All poles are telescopic and lockable

PART NO.	DESC.
HC0215	4' reach
HC0216	10' reach
HC0217	12' reach
HC0218	15' reach
HC0219	20' reach
HC0220	26' reach
HC0221	30' reach



WINDOW WASHER

- · Window washer with plastic T-handle and acrylic washing sleeve
- Order extension poles separately

PART NO.	DESC.
HC0096	14"
HC0097	16"
HC0098	18"



STAINLESS STEEL WINDOW SQUEEGEE

- Replaceable rubber blades available
- Extension poles sold separately

PART NO.	DESC.
HC9100	12"
HC9200	14"
HC9300	16"
HC9400	18"

FURGALE INDUSTRIES Code: 208

Website: www.broom.com





DECK MOP

4-ply rayon deck mop with 54" handle is highly absorbant and is ideal for small mopping applications.

PART NO.	DESC.
D7510	#10
D7516	#16



Part #8

11 QT ROUND PLASTIC PAIL

Economy pail is ideal for all light mopping and washing jobs. Has an easy pour spout, steel handle and plastic grip.



Part #268

17 QT ROUND PLASTIC PAIL

Heavy duty plastic pail has an easy pour grip molded into the base. Built with a heavy duty steel handle and plastic grip.



Part #129

WET FLOOR SIGN

Plastic construction, two-sided fold-out caution sign, trilingual message



Part #HC0073

17 QT DOUBLE BUCKET

Dual cavities keep rinse water clean. Heavy duty plastic construction is ideal for light commercial use like restaurants and institutions.



Part #HC0038YE

21 QT DOWNPRESS WRINGER AND BUCKET COMBO

Durable plastic construction. Wringer will accommodate up to a 20 oz mop head. Ideal for small business, restaurant and home use.



cart carrys a wide variety of cleaning tools

Plastic construction with

durable vinyl bagAvailable in grey (gy) or blue (bl)





15 QT PLASTIC PAIL WITH WRINGER

Pail has molded grip on base for easy pour and steel handle with plastic grip. Ideal for small mopping jobs and is used with all deck mops.

PART NO.	DESC.
800	Blue
800YE	Yellow



Part #HC0067

WINDOW WASHING BUCKET

- Window washing bucket designed to fit window cleaning tools
- Complete with filter screen



35 QT MOP BUCKET



11101	IILAD
PART NO.	DESCRIPTION
8016	16 oz
8020	20 oz
8024	24 oz
54054HFG-2	54" easy-change mop handle for above mop heads

ALLIANCE MERCANTILE Code: 725


Website & Online Catalogue: www.alliancemercantile.com



SOL-VEX NITRILE GLOVES

- Protects against many chemicals and solvents
- Resists cuts, snags and punctures
- Outperforms conventional rubber gloves
- LATEX FREE A safe alternative for people with allergies to latex

PART NO.	DESCRIPTION
37001	Small
37002	Medium
37003	Large



INDUSTRIAL HEAVY **DUTY LATEX GLOVES**

- 50% thicker than standard gloves
- Industrial strength
- · Highly chemical resistant
- Extra length for added protection
- Recessed diamond grip for added grip on wet and dry surfaces

PART NO.	DESCRIPTION
02088	Medium
02089	Large
02090	X Large



WAXED 13" **NEOPRENE COATED BI-COLOUR HEAVY DUTY GLOVES**

- Superior protection from hot or cold
- Superior resistance to chemical deterioration
- Industrial strength

PART NO.	DESCRIPTION
20907	Medium
20908	Large
20909	X Large



PRINCESS PREMIUM FLOCKLINED LATEX GLOVES

- · Anti-bacterial formulation
- Thicker and long lasting
- Soft, comfortable lining
- Patented raised gripper patterned palm for superior gripping power

PART NO.	DESCRIPTION
00831	Medium
00832	Large
00833	X Large

Part #24110-006

ALL PURPOSE MICROFIBER CLOTH

- · No need for harmful chemicals, fumes or vapours - just add water!
- Machine washable
- Holds more dust and dirt than standard cleaning cloths
- Extremely fine microfiber: leaves zero streaks, scratches and marks
- 40 cm x 40 cm



Part #24140-006

GLASS MICROFIBER CLOTH

- · Perfect for dusting and cleaning windows and mirrors on your car, truck, boat or camper!
- 32 cm x 32 cm



Part #48800

CLOROX ANGLE BROOM AND DUSTPAN

- · Rubber bumpers prevent marring of walls
- · Angled bristles helps reach corners and edges
- · Large dustpan with rubber lip to capture more dirt



Part #96500

CLOROX BUTTERFLY MOP

- · Integrated antimicrobial protection
- Cellulose blend sponge adds absorbancy
- Scubber bristled for tough dirt and stains



Part #12600

CLOROX CORNER TOILET BRUSH & HOLDER

- Soft rubber grip for ultimate control and comfort
- Integrated antimicrobial protection
- Design allows brush and caddy to be tucked away in the corner



KLEEN GLO KITCHEN SPONGE 2 PACK

- Multi-Purpose
- · Easy to Clean
- · Strong and durable
- 6" x 3.5" x 1"



Part #00958

KLEEN GLO NYLON SCOURING PADS 4 PACK







Part #00915

KLEEN GLO STAINLESS STEEL **SCOUR 3 PACK**

- · Easy to Clean
- · Will not rust
- · Dishwasher safe



Part #00908

KLEEN GLO 8G POLY SCOURS 3 PACK

- All-purpose
- · Excellent cleaning without scratching delicate surfaces



Part #00911

KLEEN GLO ULTRA CLOTH REGULAR 2 PACK

- Easy to use
- Holds liquid in volume more than 10x its weight
- Machine washable

PART NO.

99209

- 38 cm x 40 cm
- Part #00924

DESCRIPTION

Will not scratch or damage any surface

S/M

L/XL



CLOROX HEAVY DUTY ULTIMATE PVC GLOVES

- Ultimate Guard Technology™ for maximum protection
- Excellent protection against household cleaners
- 100% cotton lining for added comfort
- Machine washable
- Antimicrobial protection to inhibit growth of bacteria on the glove surface
- LATEX FREE A safe alternative for persons with allergies to latex



One Size Fits All

Part #84001

VERSATOUCH VINYL DISPOSABLE GLOVES 10 PACK

- Great sensitivity and dexterity
- Fits either hand
- Multi-purpose
 - LATEX FREE A safe alternative for people with allergies to latex

Part #06025

KLEEN GLO **JUMBO FOAM** SPONGE

- Ideal for cleaning large surfaces
- 5" x 2.5" x 9.63"



Index

Abrasives	114	Ballery Jumpers	106	Carburelors	124
Absorbents	141	Battery Load Testers	42	Carpet Cleaner	178
Accident Prevention	Tags 142	Battery Switches	112	Cartridge Rolls and	
Adapters		Battery Terminals	107	Spiral Bands	
	122, 127, 196	Beacons	94, 95, 101	Carts 1, 10, 20	
Additives176	6, 180, 187, 191, 192, 197, 199	Bead Breakers	57	C-Clamps	
Adhesives		Bead Holders	57	Chain	
Air Assemblies		Bearings	75, 120	Chain Saws	
Air Brake Hoses		Belt Dressing and Condition	oner 181	Chamois	
Air Brake Male Conn		Belts	124, 129	Chisels	
Air Brake Service Kit		Bits32	33, 35, 36	Chop Saw Wheels	
Air Die Grinders		Blades 3, 28, 33, 50,	52, 59, 124	Chop Saws	
Air Drills		Blo-guns	58	Circuit Breakers	
Air Fresheners		Body Filler	149	Circular Saw Blades	31
Air Hammers	•	Body Repair Kits	17, 20	Circular Saws	23, 24
Air Hose		Bonding Compounds	183, 186	Clamps 33, 49, 11	7, 118, 130
Air Manifolds	,	Booster Cables	107	Clay Bars	188
Air Ratchet Wrenche		Boots and Accessories	146, 148,	Cleaners 27, 173, 174	, ,
Air Springs			150, 159	180 183, 184, 185, 188 193, 194, 195, 197, 19	
Air Tool Lubricant		Brackets	37	Cleaning Wipes 17	
All 1001 Eddingant	175, 192	Brake Bleeder/Evacuators	9	· .	
Air Tools	54	Brake Controls	68	Clevis Hooks	
Alternators	131, 132, 133, 134, 135	Brake Repair/Replacemer Components		ClothsClutch Kit Parts and Acce	
Anchor Shackles	,	Brake Cleaner		Coiled Air Brake	
Anti-Fog Treatment		Brass Fittings		Tubing Assemblies	121
Anti-Seize		Brass Valves		Cold Weather Engine Hea	aters 116
Assembly Compound		Breathers		Cold Weld Products	
Assembly Lube		Brooms	207. 211	Compression Test Kits	9
Assortment Kits		Buckets	204. 210	Compressor Maintenance	e Kits 5
ATF Fluid		Bug Killer	·	Compressors	5, 6
ATF Refill Systems	9	Bug Remover		Conditioning Discs	149
Auger	13	Butt Connectors		Connectors	99
Auxiliary Lamps		Cab and Cargo Heaters		Coolant Test Strips	189
Axes		Cable		Coolers	53
Back Up Alarms		Cable Cutters		Copper Tubing Coil	175
Back Up Lamps		Cable Sleeves		Cord Ends	108
Backpack Blowers		Cable Stops		Cord Reels	91
Ball Stud Kits		Cable Supports and		Corner Protectors	73
Ballasts		Accessories	106	Couplers 20,	58, 84, 127
Batteries		Cable Ties		Coveralls	
Battery Boxes		Canisters		Creepers	
Battery Chargers		Caps		Crimpers	
Battery Cleaner		Car Wash 179, 184		Cultivators	
Battery Isolators		Carburetor Cleaner		Cut-off Wheels	•

Cutters 3, 27, 28, 34, 44, 46, 48, 49, 51, 52, 55, 59, 89	Filters 4, 5, 6, 58, 83, 124, 136, 149, 158	Grinding Wheels
Cutting and Welding Outfits 1	Fire Extinguishing	Hacksaw Blades
Cutting Fluid174	Fire Retardants	
DC Welders 1	First Aid 158	Halogen Lamps 67, 90, 97, 98, 102, 103
Deadbolt Locks140	Fittings20, 58, 80, 121, 128	Hammers 46, 52
Degreasers 174, 183, 194,	Flashlights 23, 28, 93, 95	Hand Cleaners 183, 193, 205
198, 202	Floor Markings/Labels144	Hand Pads149
Detailers 179, 184, 188	Floor Signs203, 210	Hand Pumps26
Diesel Starting Fluid	Fluid Dispensing Systems 9	Hand Sanitizers
Installation Kits116	Fluid Evacuators 9	Hand Warmers 68
Discs113, 114, 115, 149	Fluid Receivers 8	Hard Hats157
Disc Sanders25	Flush Mount Lights96	Hatchets52
Dollys 17, 19, 204	Forks61	Hats161
Dome Lamps96	Fuel Containers and	Head Lamps 28, 93 97, 99
Drain Pans63	Accessories63	Head Protection 27, 157
Drill Bits	Fuel Conversion Kits	Headlight Restoration
Drills	Fuel Cylinders	Kits 184, 188
Drivers 28, 33, 35, 45, 46, 52	Fuel Injector Cleaner 180, 197	Heat Shrink
Driveway Markers67, 70	Fuel Meters	Sleeves32, 107, 110, 144
Drop Sheets201	Fuel Nozzles	Heaters21, 22
Dryers 6	Fuel Pumps26	Hitch Extensions85
Dust Pans203, 208, 211	Fuel Siphon/Pump 63	Hoes61
Duster 200	Fuel Treatment173, 185, 191, 197	Hook and Loop Discs114
Ear Protection 155, 156, 157	Funnels 63, 83	Hooks69, 71, 72, 73, 87
Edgers 13	Measurers 83	Hook-Up Kits
Electrical Assemblies106	Fuse Blocks109	Hose Clamps
Electrical Connectors106	Fuse Holders109	Hose Hangers56
Emergency Eye Wash	Fuses109	Hose Menders
Products158	Galvanizing Compounds 198	Hose Reel Assemblies
Enamels169, 170, 171, 172	Garbage Bags201	Hose Timers
Engine Cranes	Garden Scissors55	Hoses 8, 20, 55, 127, 128
Engine Oil Stop Leak	Gas Apparatus Outfits 1	Hourmeters
Engine Stands10, 16	Gas Caps 130	Hub Kits
Engine Treatments 197, 199	Gasket Makers 183, 193	Hydraulic Cylinders
Entry Locks140	Gauges102	Hydraulic Fittings
Epoxy	Gear Pumps26	Hydraulic Fluid
Ethanol Fuel Treatment	Gladhand Seals106	Hydraulic Hose
Evaporative Coolers and Accessories	Glass Cleaners 173, 179, 188,	Hydraulic Hose Equipment 128
Exhaust Products	195, 202	Hydraulic Oil Booster191
	Gloves	Ice Scrapers
Extendable Brushes	Grass Shears55	Impact Drivers
	Grease 82, 130, 173, 175, 177,	Impact Wrench
Extension Poles 209	178, 182, 187, 189, 193, 198	Inflator Gauges
Eye Protection 1, 27, 153, 154, 155	Grease Fittings and	Inserts
Fall Protection	Accessories	Inverted Marking Paints 167, 168
Feet Warmers	Grease Guns7, 8, 81, 82, 130	Irons
Fiber Discs	Grease Pumps	Jack Stands
Field Marking Paints	Grinders	Jackets 147, 148, 162, 163, 165
Files 50	Grinding Discs 115, 149	Jacks10, 15, 16, 17, 18, 19, 86

Jeans	164	Nut Drivers	45. 46	Quick Links	73
Junction Box		Octane Booster		Radiator Treatment	
Key Tags	171	Odour Eliminators	176, 179 206	Rain Repellent	
Knee Pads		Oil Stabilizers	•	Rainwear	
Knives	3, 52, 59	Oil Supplements		Rakes	61
Label Makers		Oil Treatments		Ramps	18, 69
Labels	32, 145	Oils 13	3, 130, 174, 175,	Ratchet Straps	69, 71, 72
Lacquers	172	178	3, 191, 192, 198	Ratcheting Drivers	35
Ladders		Overalls14	7, 163, 164, 165	Ratchets15,	35, 36, 43, 46,
Laminated Discs	113	Oxygen Cylinders	39	48,	49, 51, 54, 89
Lawn Mower Blades	124	Padlocks	140, 142	Rebar Benders	51
Leather Cleaners	150, 179, 184, 188	Paint	167, 168, 169, 170, 171, 172	Batteries Receiver Pull/Hitch Pir	
LED Flashlights	,	Paint Brushes and R	ollers 166	Reciprocating Saws	
LED Lights23, 28,		Paint Strippers	183	Recycle Bins	
	31, 33, 34, 33,	Pants 147, 14	8, 163, 164, 165	Reel Mowers	
Lens Cleaner	155	Paper Dispensers	208	Reflective Markers	
Levels	31	Parts Cleaner 17	4, 183, 194, 198	Reflector Shield	
Lift Supports	37	Patch Repair	79, 189, 196	Relays	
Lifting & Pulling Tools	11, 12	Pavement Striping Pa	aints 167, 168	Respiratory Protection	
Light Bars	67, 94, 95, 100	PCV Valves	136	Rivets	
Light Bulbs	90, 92, 103	Penetrants 177, 17	8, 189, 198, 199	Rocker Switches	112
Light Sand Discs	114	Picks	62	Roof Rakes	14
Linear Edges	31	Pincers	49	Rope	152
Load Binders	72, 89	Pinch and Wrecking	Bars61	Rope Rings	66
Lock Combo Sets	140	Pipe Cutters	48	Rust Treatment	172, 181
Lock De-Icer	175	Placards	144, 145	Safety Boots	146, 148, 159
Lock Fluid	175	Plasma Cutting Syste		Safety Clothing	147, 157, 165
Lockout Products	140, 142	Pliers 27, 28, 3		Safety Warning Lights	
Loom	108	Plow Systems			96, 100, 101
Louvers	60	Plugs58, 79, 10	4, 106, 108, 119, 5, 157, 186, 196	Salt Spreaders (Walk/T	<i>,</i>
Lower Radiator Heate	rs116	Pole Saws		Saws	
Lubricants 82, 130		Polish		Scissors	
	, 181, 182, 185, , 191, 192, 198	Polishing Tools 18		Scouring Pads	
Lumber Crayons		Poly Sheeting		Scrapers	
Magnetic Heaters		Power Inverters		Scratch Removal	,
Maintenance Pads		Power Steering Fluid	191	Screw Drivers	28, 33, 35, 45, 46, 52
Markers	171	Power Steering Stop		Screwdriver Bits	32, 33, 35, 36
Mechanic Seats	10, 18, 40	Power Transmission		Sealants 181, 186,	
Metal Cleaners	189	Pressure Switches	102	Seals	75, 120
Microfiber Cloths	200, 211	Primers	172	Shears	3, 48, 55
Mig Welders	1	Print Ribbons	144	Shirts147,	160, 163, 165
Minibars	94, 95	Propane Cylinders	39	Shoes	146, 159
Mitre Saws	24	Protectant 17	9, 188, 197, 198	Shop Presses	10, 17
Mops	210, 211	Pruners	55	Shop Rolls	115
Motor Treatment	180, 199	Pry Bars	44, 46	Shoulder Stud Kits	37
Muffler Products	117	Pulley Blocks	88	Shovels	14, 62
Multi-Tools	3, 28	Punches	46	Shrink Tubes32	, 107, 110, 144
Nozzles	56	Putty	190	Signs142, 145,	158, 204, 210

Silencers 189
Silicones 150, 172, 173, 175, 177, 178, 182, 189, 198
Sledge Hammers61
Slings 73
Slip Hooks
Snips
Snow Brushes
Snow Shovels 14
Snowplow Parts
Soap Dispensers
Sockets 43, 46, 49, 106, 108, 109
Socks
Solder and Accessories1, 21, 39, 51, 107
Soldering Guns 39, 51, 107
Solenoids 107, 112, 124
Solid State Modules 124
Sorbents141, 142
Spark Plug Repair Sets 123
Spark Plugs119
Spill Containment Kits 142
Sponges200, 211
Sprayers 55
Sprinklers 56
Squares31
Squeegees
Stainless Steel Cleaners 173, 189,
194, 198 Stands10, 15, 16, 18
Starters131, 132, 133, 134, 135
Strap Winders
Straps
Striking Tools45, 46, 52, 61
Strip Discs115
Striping Wands and Machines 168
Strobe Lights67, 94, 95, 100
Suspension Parts 75, 77, 78
Switches68, 102, 107, 112, 124
Swivel Fittings 58
Tank Heaters21, 116
Tape33, 47, 70, 74, 107, 145, 149, 183, 190
Tape Dispenser
Tape Measures 47
Taps and Dies
Tarp Straps69, 72, 108

Tarps 69
Temperature Senders102
Temperature Switches102
Thermal Underwear 160
Thermostats 22, 130
Thread Repair Products 123
Threadlocker 181, 193
Tilt and Platform Trucks 203, 204
Tire Cleaners 179, 184, 188, 197
Tire Gauges 58, 196
Tire Inflators and Pumps 196
Tire Irons 57
Tire Mount/Demount Tools 57
Tire Repair 79, 196
Tire Sealants
Tires 87, 124
Toilet Bowl Cleaner
Toilet Brushes 208, 211
Toilet Plungers
Tool Carts10, 204
Tool Sets
Toolboxes
Torch Heads39
Torch Kits
Torches
Torque Tools 44, 46
Traffic Directors and Arrows 94
Trailer Balls84
Trailer Connectors and
Adapters64, 84, 108
Transmission
Supplements 187, 192, 199
Trigger Sprayers
Trimmer Lines
Trimmers
Trolleys 204
Truck Bed Coatings 172
Truck Wash 185
T-shirts 147, 163
Tungsten Carbide Burs115
Twin Clevis
Twine
TWITE 132
Underwear160
Underwear
Underwear
Underwear

Vent Kits 22
Vices and Grips33
Wash Brushes and Handles 200, 209
Wash Mitts200
Waste Containers 63, 203, 208
Water Removers 180
Wax Applicators 200
Waxes 184, 188, 195
Weatherproof Receptacles 116
Welding Electrodes 2
Welding Helmets 1, 27
Welding Tool Accessories 1, 2, 27
Wheel and Hub Parts76
Wheel Brushes
Wheel Chocks65
Wheel Spinners 82
Wheel Weights 79
Wheelbarrows 62
Wheels 87, 124
Winch Bars 72
Winch Straps71
Winches11, 12, 72
Winching Accessory Kits11, 12
Wiper Blades 125, 126, 195
Wipers200
Wire108
Wire and Cable Markers 144
Wire Brushes115
Wire Strippers 27, 52
Wiring Devices104
Work Lights 91, 93, 94, 95, 96, 97, 98, 99, 100, 101 103, 104
Wrecking Bars61
Wrenches

Don't see it? Ask!

All product descriptions in this catalogue are intended as a general guide and may change without notice. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. The information in this catalogue may contain technical inaccuracies or typographical errors.

COMMERCIAL & INDUSTRIAL

COMPLETE SUPPLY SOLUTIONS









































































































BRADY

















INDUSTRIAL



















KUTMASTER



































FILTON INDUSTRIES, INC.



VICTOR



World's Number 1











































MOLLINY MYSON



